

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/19/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	Yes	94	M2, LT2, M11, BC1, BC2, FD154, FD158, M6, H14,	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
M7									
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-20619	06/12/2022 19:28:38	TRAUM	Initiated	No	100	M5, E10	940 South 2300 East	C	GAVE ADDRESS OF 2918 HUBBARD AVE WHICH DIDN'T PULL UP.. SAYS HER FRIEND LIVES AT LOC.. FRIEND THINKS SHE POSS BROKE HER ANKLE.. PT IS 59YOF...
CF22-20866	06/14/2022 19:35:45	REFUEL	Initiated	No	87	RD2, RD3	303 North 2370 West	A	*****THIS IS A TEST*****
CF22-21398	06/18/2022 14:45:17	STRUCT	Initiated	No	88	M2, LT2, M7, M8, UT10, BC1, BC2, FD154, FD158, LT8, EQ9, EQ14, M6	1181 South 900 West	C	FIRE
Count: 22									
CAD Officer in Charge: Allen, Aaron									
CF22-21438	06/18/2022 19:09:33	LINE	Initiated	No	88	M11	998 West 1200 North	C	NEAR GAS STATION - BOTH LINES ARE TOUCHING CREATING ARCING AND SPARKS...
Count: 1									
CAD Officer in Charge: Archuleta, Adam									
CF22-21408	06/18/2022 15:46:28	WATER	Initiated	No	87	M8, M3	999 South MAIN Street	C	PARKING AREA IN FRONT OF PALMER COURT WATER BUBBLING UP AND FLOOR STREET..
CF22-21370	06/18/2022 10:11:41	GRASS	Initiated	No	88	M8, EW6061, EW6062	900 South WEST TEMPLE Street	C	UNDER THE OVERPASS..... SM FIRE... NEAR THE FREEWAY GRASS..... M WAS NEARBY AND TRANSIENT JUST WATCHING THE FIRE...
CF22-21396	06/18/2022 14:44:30	WATER	Initiated	No	87	M8, E41	1773 South 300 West	C	WATER FLOODING DOWN 300 W NEAR ASHLEY FURNITURE
CF22-21476	06/18/2022 23:33:49	MISCF	Initiated	No	88	M8	110 West FREMONT Avenue	C	OFFICER GRIFFITH ON SCENE....
Count: 4									
CAD Officer in Charge: Arnesen, Aaron									
CF22-21462	06/18/2022 21:21:04	ALARMF	Initiated	No	88	M1	230 East 300 South	C	RESIDENTIAL GENERAL FIRE ALARM - BROADWAY TOWER CONDOS - ZONE 1 - PREMISE 801.560.2435
CF22-21470	06/18/2022 22:44:26	ARESCU	Initiated	No	87	M5, M1	330 East 400 South	C	RED CHEVY COBALT UT/ON1RY.... BLK LAB.... WFA/TEAL SHIRT/TIE DIE SKIRTS... WALKING EB ON 400 S....CURRENTLY YELLING AT THE COMP.... PARKED ON THE SIDEWALK..... SEE RELATED CP#: SL22-114947
CF22-21505	06/19/2022 04:03:34	PUBLIC	Initiated	No	88	M1	309 East 100 South	C	PROVIDENCE PLACE APTS... COMP CALLING FROM SEATTLE. 27YO M - PROVIDENCE PLACE APTS... COMP CALLING FROM SEATTLE.
CF22-21400	06/18/2022 14:50:50	ALARMF	Initiated	No	87	M1	20 South 400 West	C	FIRE ALARM // GATE BLOCK B STEAKHOUSE // 801-456-0040 // REF FP500728 // NO ANSWER ON CB TO SEC
CF22-21433	06/18/2022 18:54:22	WATER	Initiated	No	88	M1	350 East 600 South	C	WATER COMING FROM SIDEWALK... POSS WATER MAIN BREAK... NEAR A CAMPER...BETWEEN 300-400 E ON 600 S...SOUTH SIDE OF ROAD...
Count: 5									
CAD Officer in Charge: Baum, Darren									
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	No	87	EQ9, EQ14	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
CF22-21390	06/18/2022 13:39:44	LINE	Initiated	No	87	EQ9, EQ14	7200 West 2100 South	C	DOWNED POWER LINES, 2100 S HAS LINES DOWN ACROSS THE ROAD. EAST AND WEST. CAN SEE THE PERSONNEL BUT DOESN'T KNOW IF WE'RE AWARE. COMP IS WITH DWR AND IS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
BLOCKING ROAD WITH FLASHERS.									
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
Count: 3									
CAD Officer in Charge: Bills, Jared									
CF22-21439	06/18/2022 19:12:54	LINE	Initiated	No	88	M6	749 North 1200 West	C	ELECTRICAL LINES DOWN ON THE PROPERTY..NEG ARCHING OR SPARKING
CF22-20584	06/12/2022 15:13:28	HOUSE	Initiated	No	88	BC2, LT8, EQ14, M6, M2	1494 South 900 West	C	ENTIRE BACKYARD ENGULFED
Count: 2									
CAD Officer in Charge: Bluth, Christopher									
CF22-20851	06/14/2022 18:22:56	ALARMF	Initiated	No	87	E13	2792 East ARCADIA HEIGHTS Circle	A	RESD FIRE ALARM - FOR A CURTIS DRAKE 801-550-1195, SET OFF MAIN FLOOR SMOKE, 10 DROPS
CF22-20990	06/15/2022 17:57:07	ALARMF	Initiated	No	87	E13	2166 South 2100 East	A	RES FIRE ALARM // DAVIS BELL 801-369-1608 // HALLWAY SMOKE DETECTOR // REF 4186
Count: 2									
CAD Officer in Charge: Buckmiller, Ronald									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
Count: 1									
CAD Officer in Charge: Buhler, Jason									
CF22-21072	06/16/2022 09:24:10	WATER	Initiated	No	88	M5	East PRINCETON AVE / S MCCLELLAND Street	B	LOTS OF WATER RUNNING DOWN PRINCETON, UNK SOURCE - POSS COMING FROM THE SEWER GRATE...INFO FROM SLCO UNIT/NFD
Count: 1									
CAD Officer in Charge: Bush, Joseph									
CF22-20742	06/13/2022 18:05:58	ALARMF	Initiated	No	87	E4, E10	124 South CENTRAL CAMPUS Drive	C	GENERAL FIRE ALARM..UUPD ENROUTE
CF22-20607	06/12/2022 18:15:20	PUBLIC	Initiated	No	88	E10	290 South CONNOR Road	C	ONE PERSON STUCK IN THE ELEVATOR...SEC ENROUTE
CF22-20663	06/13/2022 02:53:59	ALARMF	Initiated	No	88	E10	290 South 1850 East	C	GENERAL FIRE ALARM.....UUPD ON SCENE
CF22-21473	06/18/2022 23:02:37	ALARMF	Initiated	No	88	E10	265 South 1850 East	C	GENERAL FIRE ALARM... UUPD ENROUTE
Count: 4									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, SEE RELATED CP#: SL21-127090 - FD

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Crandall, Steve									
CF22-20081	06/08/2022 18:27:16	PUBLIC	Initiated	No	99	HV5, LT5	1040 East SUGARMONT Drive	A	PLAYGROUND BY THE SKATEPARK...FRIEND STUCK IN THE TODDLER SWING...13 YOF
CF22-20871	06/14/2022 20:11:53	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	447 South BLAIR Street	A	FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR
Count: 2									
CAD Officer in Charge: DeLeeuw, Brian									
CF22-19821	06/06/2022 18:36:01	APT	Officer reviewed	No	87	EQ14, M6, LT5, M3, M5, M8, UT10, BC1, BC2, FD120, FD154, FD158, LT8	300 West ANDREW Avenue	C	BUILDING ON FIRE....APT IS ON FIRE, UNKN IF ANYONE IS INSIDE...
CF22-21458	06/18/2022 20:23:43	PDASST	Initiated	No	87	M8, LT8	1735 South MAIN Street	C	CHECK ON COMPS 80 YR OLD TENNANT (UNKN NAME). COMP IS OUTSIDE DOOR AND THERE IS A FOUL SMELL COMING FROM APARTMENT. NOBODY ANSWERING THE DOOR. ... SEE RELATED CP#: SL22-114722 - ,FIRE TO RESPOND TO BREACH A DOOR
Count: 2									
CAD Officer in Charge: Endemano, Edward									
CF22-20959	06/15/2022 13:45:39	ALERT	Initiated	No	98	BC2, RD1, RD2, RD3, RD4, RD5, RD6, BLUE, M12	120 RUNWAY 16R34L	A	... SEE RELATED CP#: AP22-18628
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 2									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: George, Brady									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF22-21057	06/16/2022 06:49:56	HOUSE	Initiated	No	88	M2, LT2, M7, M11, BC2	822 North POINSETTIA Drive	A	
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF22-20962	06/15/2022 14:40:36	ALARMF	Initiated	No	87	M7	876 West 700 South	A	FIRE ALARM // ZONE 1 GENERAL FIRE // 801-200-8594 // REF AE101528
Count: 6									
CAD Officer in Charge: Harp, Michael									
CF22-20557	06/12/2022 11:02:33	FUEL	Initiated	Yes	100	RD2, RD3	872 East PERIMETER	C	LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.
Count: 1									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Hoover, Todd									
CF22-21474	06/18/2022 23:10:58	DUMP	Initiated	No	88	M5	1471 South 1800 East	C	KIDS TRYING TO START FIRES IN THE DUMPSTER BEHIND THE MIDDLE SCHOOL
Count: 1									
CAD Officer in Charge: Kajma, Eric									
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM...KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
Count: 1									
CAD Officer in Charge: Kochevar, Kevin									
CF22-21061	06/16/2022 07:46:27	ALARMW	Initiated	No	88	LT2, M1	257 East 200 South	A	BUSN 257 TOWER // WATERFLOW ALARM // ZONE 419 // 801-322-1984 // REF S340-0013
Count: 1									
CAD Officer in Charge: Koetitz, Paul									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13SIERRIA FORREST PRODUCTS...801 972 3377
Count: 2									
CAD Officer in Charge: Maddux, John									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-21124	06/16/2022 17:03:43	PDASST	Initiated	No	88	LT5	1417 East BUTLER Avenue	B	DAUGHTER IS 19 YO AND CANNOT GET OUT OF A VEHICLE. ELECTRONIC BUTTONS ARE NOT WORKING. COMP DID NOT KNOW THE VEHICLE DESCRIPTION. ... SEE RELATED CP#: SL22-113320
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
Count: 5									
CAD Officer in Charge: Meyer, Bryon									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							TEMPLE Street		
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
Count: 3									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
Count: 3									
CAD Officer in Charge: Myers, Eric									
CF22-20459	06/11/2022 18:16:09	PUBLIC	Officer reviewed	No	100	LT2	60 West CRAGS Court	B	DORCHESTER POINT FIRE DEPT RESPONDED OUT.. FIRE OVERRIDED THE GATES LOCKING THEM OPEN... #8536
CF22-21441	06/18/2022 19:18:07	ELEC	Initiated	No	88	E4	446 North BAL TIC Court	C	POWER LINES ISSUE - LOUD POP AND SMELL OF BURNING... BRANCHES HANGING FROM POWER LINE SPARKING
Count: 2									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-	07/29/2020	65A03	Initiated	No	88	E13	6650 East	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
23950	14:30:19						180E WB Freeway		
Count: 4									
CAD Officer in Charge: Rock, Nathan									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
Count: 1									
CAD Officer in Charge: Rushton, Joel									
CF22-20143	06/09/2022 09:04:44	ALARMF	Initiated	No	88	M7	2177 West NORTH TEMPLE Street	A	RADISSON HOTEL FIRE GENERAL FIRE ZONE 8 SMOKE.. INSIDE # 801-364-5800.. REF # AC22340
Count: 1									
CAD Officer in Charge: Schreiner, Jared									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
Count: 1									
CAD Officer in Charge: Shafer, Curtis									
CF22-20761	06/13/2022 21:18:37	PUBLIC	Initiated	No	87	M7	750 West SOUTH TEMPLE Street	C	ELEVATOR ALARM.....UNABLE TO HEAR ANYONE INSIDE
CF22-21443	06/18/2022 19:21:59	LINE	Initiated	No	86	E4, M7, M8	332 West 500 North	C	HEARD BOOM ... POWER LINE DOWN IN GUTTER... POWER OUT AND WOOD ON POWER LINE... NEG ARCING OR SPARKS
CF22-21446	06/18/2022 19:29:53	LINE	Initiated	No	88	M7	500 South GOSHEN Street	C	BETWEEN GOSHEN - 1000 W.. ONE DOWN WIRE.. MULTIPLE BRANCHES HANGING ON LINE.. NOT SEEING ARCHING
CF22-21451	06/18/2022 19:49:03	PUBLIC	Initiated	No	87	M7	940 West NORTH TEMPLE Street	C	STATES MULTIPLE RESIDENTS STUCK IN PARKING GARAGE.. UNABLE TO GET OUT DUE TO POWER GOING OUT.. STATES ENTRANCE / EXIT ARE PROXY BASED AND EVERYTHING IS DISABLED... SEE RELATED CP#: SL22-114812
CF22-21437	06/18/2022 19:08:09	LINE	Initiated	No	88	M7	800 West JACKSON Avenue	C	ELECTICAL WIRE DOWN BEHIND THE HOTEL
Count: 5									
CAD Officer in Charge: Shumway, Brandon									
CF22-21217	06/17/2022 10:23:36	PDASST	Initiated	No	99	M2, LT2	245 North VINE Street	B	80YO MOTHER NOT ANSWERING DOOR OR PHONE..COMP WAITING OUTSIDE ... SEE RELATED CP#: SL22-113755
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
Count: 4									
CAD Officer in Charge: Staheli, Brian									
CF22-21003	06/15/2022 19:38:43	BBQ	Initiated	No	88	E10	East SUNNYSIDE AVE / S FOOTHILL Drive	A	SB FOOTHILL...SMOKE COMING FROM YARD... UNK EXACT WHAT HOUSE.... 1 STORY HOUSE FLAT ROOM... LOTS OF SMOKE IN THE AREA AND WHEN DROVE PAST LOOKED LIKE A BBQ
Count: 1									
CAD Officer in Charge: Stringam, Reed									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-20886	06/14/2022 21:43:28	REFUEL	Initiated	No	87	RD2, RD3, RD4	25 East PERIMETER	A	B6 A320 524JB
CF22-20121	06/09/2022 03:02:21	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	JETBLUE A320 N3023J
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 3									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
Count: 1									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE... WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-	05/24/2022	ALARMF	Initiated	No	87	M2	353 West 200	B	COMMERCIAL FIRE ALARM.....ART SPACE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
18161	10:16:17						South		RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
Count: 18									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Werner, Jake									
CF22-19812	06/06/2022 17:21:29	ALARMW	Initiated	No	87	LT2, LT8, M6	1317 South 700 West	C	WATERFLOW RISER ZONE3 OFFICE..BUSINESS..NAPPA .801-556-3000 RP COLBY PETERSON 435-262-0743
CF22-19860	06/07/2022 02:13:45	ALARMF	Initiated	No	88	M6	736 South 1000 West	C	CO ALARM IS GOING OFF.....NO ONE SICK OR INJURED
CF22-20678	06/13/2022 08:17:00	DUMP	Initiated	No	88	M6	1665 South RIVERSIDE Drive	C	COMP SEES DUMPSTER ON FIRE NEXT TO OFFICE OF APT
Count: 3									
CAD Officer in Charge: Whitney, Russell									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-21034	06/15/2022 23:44:31	PUBLIC	Initiated	No	87	E4	100 North MARIO CAPECCHI Drive	A	STUCK IN THE STAFF ELEVATOR / OUTSIDE THE PICU SECOND FLOOR ELEVATOR 9
CF22-20906	06/15/2022 06:05:04	MISCF	Initiated	No	87	E4	10 North MARIO CAPECCHI Drive	A	POSS SMALL FIRE ON PLATFORM BY THE RAMP.. UUPD ENROUTE
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
Count: 3									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Zwahlen, Jon									
CF22-21456	06/18/2022 20:20:42	MISCF	Initiated	No	88	M2	404 West 400 South	C	NORTH SIDE OF THE ROAD...BUSH ON FIRE...BEFORE THE OVERPASS
CF22-21380	06/18/2022 11:47:47	MISCF	Initiated	No	88	M2	562 West 200 North	C	BBQ WITH BIG FLAMES.....NOT SUPPOSED TO HAVE GRILLS AT ALL...COMP IS RA FOR PROP.....NOW RIGHT UNDER A TREE, GAS GRILL USING CHARCOAL AND LIGHTER FLUID, WILL BE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									RIGHT OUTSIDE DOOR.....WAS NEAR THE BUILDING,.....PER COMP BBQS ARE NOT ALLOWED ON PROP
CF22-21434	06/18/2022 18:55:33	SGASLE	Initiated	No	88	H10, M2	228 East 1ST Avenue	C	IN THE FIRST FLOOR HALLWAY.. COMP IS IN APT 7 HALLWAY SMELLS NATURAL GAS
CF22-21480	06/19/2022 00:06:52	MISCF	Initiated	No	88	M2	188 South RIO GRANDE Street	C	MWA WEARING RED OR ORANGE SHIRT SHIRT...LIGHTING THINGS ON FIRE...NEAR FOOD COURT, UNKN IF ANYTHING IS STILL ON FIRE
Count:									
4									
Count:									
138									

Report Criteria	
Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.