

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/19/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	95	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	Yes	94	M2, LT2, M11, BC1, BC2, FD154, FD158, M6, H14,	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
M7									
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-20619	06/12/2022 19:28:38	TRAUM	Initiated	No	100	M5, E10	940 South 2300 East	C	GAVE ADDRESS OF 2918 HUBBARD AVE WHICH DIDN'T PULL UP.. SAYS HER FRIEND LIVES AT LOC.. FRIEND THINKS SHE POSS BROKE HER ANKLE.. PT IS 59YOF...
CF22-20866	06/14/2022 19:35:45	REFUEL	Initiated	No	87	RD2, RD3	303 North 2370 West	A	****THIS IS A TEST*****
CF22-21398	06/18/2022 14:45:17	STRUCT	Initiated	No	100	M2, LT2, M7, M8, UT10, BC1, BC2, FD154, FD158, LT8, EQ9, EQ14, M6	1181 South 900 West	C	FIRE
CF22-21541	06/19/2022 12:48:41	PUBLIC	Initiated	No	88	M11, GC594	169 East 100 South	C	ELECTRIC WHEELCHAIR DIED
CF22-21555	06/19/2022 15:20:09	GRASS	Initiated	No	67	M2, M7, M8, UT10, M11, BC1, BC2, FD120, FD154, EW6061, EW6132, EW6041, EW6131, EQ14, EW6062, EW6091, EW6042, EW6092	West WILEY POST WAY / N WRIGHT BROTHERS Drive	C	SAW AN EXPLOSION OR FLASH, NOW SEEING SMOKE...
CF22-21559	06/19/2022 15:38:29	LINE	Officer reviewed	No	100	E10	1449 South FOOTHILL Drive	C	LINE DOWN, GOING ACROSS THE ROAD TO THE ENTRANCE TO STARBUCKS...
CF22-21591	06/19/2022 20:24:23	APT	Initiated	No	87	BC1, LT5, M1, E4, M5, M2, LT2	405 East 2ND Avenue	C	OVEN ON FIRE
<b>Count: 26</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-21438	06/18/2022 19:09:33	LINE	Initiated	No	88	M11	998 West 1200 North	C	NEAR GAS STATION - BOTH LINES ARE TOUCHING CREATING ARCING AND SPARKS...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-21408	06/18/2022 15:46:28	WATER	Initiated	No	88	M8	999 South MAIN Street	C	PARKING AREA IN FRONT OF PALMER COURT WATER BUBBLING UP AND FLOOR STREET..
CF22-21396	06/18/2022 14:44:30	WATER	Initiated	No	87	M8, E41	1773 South 300 West	C	WATER FLOODING DOWN 300 W NEAR ASHLEY FURNITURE
CF22-21476	06/18/2022 23:33:49	MISCF	Initiated	No	88	M8	110 West FREMONT Avenue	C	OFFICER GRIFFITH ON SCENE....
CF22-21520	06/19/2022 09:36:31	ALARMF	Initiated	No	88	M8	622 East ROOSEVELT Avenue	C	FIRE PULL STATION, RESD NAME IS CHEYENNE SMITH 760-877-8051
CF22-21548	06/19/2022 14:02:59	ELEC	Initiated	No	88	M8	2100 South WEST TEMPLE Street	C	TRASFORMER CAUGHT FIRE, IS CURRENTLY BEARING, NW CORNER
CF22-21370	06/18/2022 10:11:41	GRASS	Initiated	No	88	M8, EW6061, EW6062	900 South WEST TEMPLE Street	C	UNDER THE OVERPASS..... SM FIRE... NEAR THE FREEWAY GRASS..... M WAS NEARBY AND TRANSIENT JUST WATCHING THE FIRE...
CF22-21569	06/19/2022 15:58:45	GRASS	Initiated	No	87	FD120, EW6042, EW6041, BC1, M8, M2	1100 South 5600 West	C	
<b>Count: 7</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-	06/19/2022	ODOR	Initiated	No	88	M1	110 South 400	C	IN FROM SO UNIT ON SCENE,, ELECTRICAL

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
21565	15:45:52						West		SMELL INSIDE LOC
CF22-21572	06/19/2022 16:24:19	SGASLE	Initiated	No	88	M1	74 West 200 North	C	COMP IS AT AN AIR BNB... SMELLING GAS
CF22-21536	06/19/2022 12:30:20	ALARMF	Initiated	No	88	M1	660 South 300 East	C	CHARLENE SHUFFET 801 531 0202...GENERAL FIRE ALARM...VERIFIED FALSE PER OCCUPANT...BAD COOKING..385 444 0493
<b>Count: 3</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	No	87	EQ9, EQ14	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
<b>Count: 2</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-21589	06/19/2022 19:50:26	SWIFT	Initiated	No	87	M6, M7, M11, BC2, WTR7	710 South REDWOOD Road	C	DOG FELL IN THE RIVER.....1 PERSON OUT ON BROKEN BRANCH W/DOG.....UNABLE TO GET BACK
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bluth, Christopher</b>									
CF22-20990	06/15/2022 17:57:07	ALARMF	Initiated	No	87	E13	2166 South 2100 East	A	RES FIRE ALARM // DAVIS BELL 801-369-1608 // HALLWAY SMOKE DETECTOR // REF 4186
CF22-20851	06/14/2022 18:22:56	ALARMF	Initiated	No	87	E13	2792 East ARCADIA HEIGHTS Circle	A	RESD FIRE ALARM - FOR A CURTIS DRAKE 801-550-1195, SET OFF MAIN FLOOR SMOKE, 10 DROPS
<b>Count: 2</b>									
<b>CAD Officer in Charge: Buckmiller, Ronald</b>									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-21072	06/16/2022 09:24:10	WATER	Initiated	No	88	M5	East PRINCETON AVE / S MCCLELLAND Street	B	LOTS OF WATER RUNNING DOWN PRINCETON, UNK SOURCE - POSS COMING FROM THE SEWER GRATE...INFO FROM SLCO UNIT/NFD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-20607	06/12/2022 18:15:20	PUBLIC	Officer reviewed	No	100	E10	290 South CONNOR Road	C	ONE PERSON STUCK IN THE ELEVATOR...SEC ENROUTE
CF22-20663	06/13/2022 02:53:59	ALARMF	Officer reviewed	No	100	E10	290 South 1850 East	C	GENERAL FIRE ALARM.....UUPD ON SCENE
CF22-20742	06/13/2022 18:05:58	ALARMF	Officer reviewed	No	100	E4, E10	124 South CENTRAL CAMPUS Drive	C	GENERAL FIRE ALARM..UUPD ENROUTE
CF22-21473	06/18/2022 23:02:37	ALARMF	Officer reviewed	No	100	E10	265 South 1850 East	C	GENERAL FIRE ALARM... UUPD ENROUTE
CF22-21585	06/19/2022 18:50:17	ALARMF	Initiated	No	99	E10, M5	750 South ARAPEEN Drive	C	1400 COURT FOR A CALLER SAYING SHE IS BY A DUMPSTER CAN HEAR A FIRE ALARM IN THE AREA GOING OFF, UNKN DIRECTION, UUPD HAS NO ACTIVE ALARMS
<b>Count: 5</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-20081	06/08/2022 18:27:16	PUBLIC	Initiated	No	99	HV5, LT5	1040 East SUGARMONT Drive	A	PLAYGROUND BY THE SKATEPARK...FRIEND STUCK IN THE TODDLER SWING...13 YOF
CF22-20871	06/14/2022 20:11:53	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	447 South BLAIR Street	A	FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR
<b>Count: 2</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-20959	06/15/2022 13:45:39	ALERT	Initiated	No	98	BC2, RD1, RD2, RD3, RD4, RD5, RD6, BLUE, M12	120 RUNWAY 16R34L	A	... SEE RELATED CP#: AP22-18628
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-21057	06/16/2022 06:49:56	HOUSE	Initiated	No	88	M2, LT2, M7, M11, BC2	822 North POINSETTIA Drive	A	
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-	06/15/2022	ALARMF	Initiated	No	87	M7	876 West 700	A	FIRE ALARM // ZONE 1 GENERAL FIRE //

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
20962	14:40:36						South		801-200-8594 // REF AE101528
<b>Count:</b> 6									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-20557	06/12/2022 11:02:33	FUEL	Initiated	Yes	100	RD2, RD3	872 East PERIMETER	C	LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-21571	06/19/2022 16:19:10	SMOKE	Initiated	No	88	M5	173 South FORT DOUGLAS Boulevard	C	2ND HAND NORTH UTAH INTER AGENCY FIRE CENTER RED BUTTE BEHIND THE UNIVERSITY BY FORT DOUGLAS .. 1 FOREST UNIT AND 1 BLM AND A SQUAD OF WASATCH UNITS THAT ARE RESPONDING ON THE GROUND
CF22-21561	06/19/2022 15:39:12	ELEC	Initiated	No	88	M5	735 South MCCLELLAND Street	C	TREE VS POWER LINES, PS STILL SMOLDERING...WILL BE IN THE YARD AT THE DISP ADDRESS
CF22-21474	06/18/2022 23:10:58	DUMP	Initiated	No	88	M5	1471 South 1800 East	C	KIDS TRYING TO START FIRES IN THE DUMPSTER BEHIND THE MIDDLE SCHOOL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Kajma, Eric</b>									
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-21061	06/16/2022 07:46:27	ALARMW	Initiated	No	88	LT2, M1	257 East 200 South	A	BUSN 257 TOWER // WATERFLOW ALARM // ZONE 419 // 801-322-1984 // REF S340-0013
<b>Count:</b> 1									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ....SIERRIA FORREST PRODUCTS...801 972 3377
<b>Count:</b> 2									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-21124	06/16/2022 17:03:43	PDASST	Initiated	No	88	LT5	1417 East BUTLER Avenue	B	DAUGHTER IS 19 YO AND CANNOT GET OUT OF A VEHICLE. ELECTRONIC BUTTONS ARE NOT WORKING. COMP DID NOT KNOW THE VEHICLE DESCRIPTION. ... SEE RELATED CP#: SL22-113320
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 5									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-21588	06/19/2022 19:35:52	TREE	Initiated	No	88	E13	2236 East KENSINGTON Avenue	C	NEIGHBORS S OF.....TREE ON FIRE IN NEIGHBORS BACKYARD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-21543	06/19/2022 13:25:04	LINE	Initiated	No	88	E4	174 North B Street	C	DOWNED WIRE FROM STREETLIGHT...NOT ARCING...SEVERED AT ONE POINT SLIGHTLY UPHILL FROM DISP ADDR...LAYING ACROSS 3 DIFF PROPERTIES
CF22-20459	06/11/2022 18:16:09	PUBLIC	Officer reviewed	No	100	LT2	60 West CRAGS Court	B	DORCHESTER POINT FIRE DEPT RESPONDED OUT.. FIRE OVERRIDED THE GATES LOCKING THEM OPEN... #8536
<b>Count:</b> 2									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI..... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count:</b> 1									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-20143	06/09/2022 09:04:44	ALARMF	Initiated	No	88	M7	2177 West NORTH TEMPLE Street	A	RADISSON HOTEL FIRE GENERAL FIRE ZONE 8 SMOKE.. INSIDE # 801-364-5800.. REF # AC22340
<b>Count:</b> 1									
<b>CAD Officer in Charge: Schreiner, Jared</b>									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-20761	06/13/2022 21:18:37	PUBLIC	Initiated	No	87	M7	750 West SOUTH TEMPLE Street	C	ELEVATOR ALARM.....UNABLE TO HEAR ANYONE INSIDE
CF22-21437	06/18/2022 19:08:09	LINE	Initiated	No	88	M7	800 West JACKSON Avenue	C	ELECTICAL WIRE DOWN BEHIND THE HOTEL
CF22-21527	06/19/2022 11:37:09	ALARMF	Initiated	No	88	M7	1159 West 500 North	C	CO ALARM GOING OFF
CF22-21451	06/18/2022 19:49:03	PUBLIC	Initiated	No	87	M7	940 West NORTH TEMPLE Street	C	STATES MULTIPLE RESIDENTS STUCK IN PARKING GARAGE.. UNABLE TO GET OUT DUE TO POWER GOING OUT.. STATES ENTRANCE / EXIT ARE PROXY BASED AND EVERYTHING IS DISABLED... SEE RELATED CP#: SL22-114812
CF22-21446	06/18/2022 19:29:53	LINE	Initiated	No	88	M7	500 South GOSHEN Street	C	BETWEEN GOSHEN - 1000 W.. ONE DOWN WIRE.. MULTIPLE BRANCHES HANGING ON LINE.. NOT SEEING ARCHING
<b>Count:</b> 5									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-21217	06/17/2022 10:23:36	PDASST	Initiated	No	99	M2, LT2	245 North VINE Street	B	80YO MOTHER NOT ANSWERING DOOR OR PHONE..COMP WAITING OUTSIDE ... SEE RELATED CP#: SL22-113755
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count: 4</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-21003	06/15/2022 19:38:43	BBQ	Initiated	No	88	E10	East SUNNYSIDE AVE / S FOOTHILL Drive	A	SB FOOTHILL...SMOKE COMING FROM YARD.... UNK EXACT WHAT HOUSE.... 1 STORY HOUSE FLAT ROOM... LOTS OF SMOKE IN THE AREA AND WHEN DROVE PAST LOOKED LIKE A BBQ
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-20886	06/14/2022 21:43:28	REFUEL	Initiated	No	87	RD2, RD3, RD4	25 East PERIMETER	A	B6 A320 524JB
CF22-20121	06/09/2022 03:02:21	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	JETBLUE A320 N3023J
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 3</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 1</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-	05/24/2022	ALARMF	Initiated	No	87	M2	353 West 200	B	COMMERCIAL FIRE ALARM.....ART SPACE



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
18161	10:16:17						South		RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED ... DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count: 18</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count: 1</b>									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-21034	06/15/2022 23:44:31	PUBLIC	Initiated	No	87	E4	100 North MARIO CAPECCHI Drive	A	STUCK IN THE STAFF ELEVATOR / OUTSIDE THE PICU SECOND FLOOR ELEVATOR 9
CF22-20906	06/15/2022 06:05:04	MISCF	Initiated	No	87	E4	10 North MARIO CAPECCHI Drive	A	POSS SMALL FIRE ON PLATFORM BY THE RAMP.. UUPD ENROUTE
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count: 3</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count: 1</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-21380	06/18/2022 11:47:47	MISCF	Initiated	No	88	M2	562 West 200 North	C	BBQ WITH BIG FLAMES.....NOT SUPPOSED TO HAVE GRILLS AT ALL...COMP IS RA FOR PROP.....NOW RIGHT UNDER A TREE, GAS GRILL USING CHARCOAL AND LIGHTER FLUID, WILL BE RIGHT OUTSIDE DOOR.....WAS NEAR THE BUILDING,.....PER COMP BBQS ARE NOT ALLOWED ON PROP
CF22-21456	06/18/2022 20:20:42	MISCF	Initiated	No	88	M2	404 West 400 South	C	NORTH SIDE OF THE ROAD....BUSH ON FIRE...BEFORE THE OVERPASS
CF22-21434	06/18/2022 18:55:33	SGASLE	Officer reviewed	No	100	H10, M2	228 East 1ST Avenue	C	IN THE FIRST FLOOR HALLWAY.. COMP IS IN APT 7 HALLWAY SMELLS NATURAL GAS
CF22-21480	06/19/2022 00:06:52	MISCF	Initiated	No	88	M2	188 South RIO GRANDE Street	C	MWA WEARING RED OR ORANGE SHIRT SHIRT...LIGHTING THINGS ON FIRE...NEAR FOOD COURT, UNKN IF ANYTHING IS STILL ON FIRE
<b>Count:</b> <b>4</b>									
<b>Count:</b> <b>140</b>									

Report Criteria	
Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.