

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

06/27/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-22618	06/27/2022 16:25:57	WILD	Initiated	No	55	M2, M7, UT10, M11, BC1, BC2, FD151, FD155, FD157, EW6061, EW6132, E6111, EW6131, EQ14, EW6062, EW6091, BC13, EW6092	41 South 5100 West	A	
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER .. ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-21643	06/20/2022 07:48:47	ALARMF	Initiated	No	87	M2	90 South 400 West	C	SUITE 570 - BCAL GATEWAY - NO PROBLEM PER ALARM CO - THEY WILL CALL TO PUT IT IN TEST MODE
CF22-21867	06/21/2022 21:12:08	UNCON	Initiated	No	94	M3	1280 East STRINGHAM Avenue	A	EXAM RM #3 ON THE FIRST FLR - MALE PT PASSED OUT AND HIT HEAD ON WALL HAS VISION CHANGES AND PALE - LOW BP AND LOW PULSE
<b>Count: 21</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-22412	06/26/2022 00:36:36	STRUCT	Initiated	No	92	BC2, FD154, LT8, M6, M5, M8	375 West WHITNEY Avenue South	C	BEHIND THE WALMART BLOCK NORTH
CF22-21569	06/19/2022 15:58:45	GRASS	Initiated	Yes	87	M8, BC1, FD120, EW6041, EW6042, M2	1100 South 5600 West	C	
<b>Count: 2</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	No	99	EQ9, EQ14	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-21722	06/20/2022 18:31:54	GRASS	Initiated	No	87	M7, EW6061, EW6062	800 South GLENDALE Street	A	5FT BRUSH PILE IS ON FIRE... APPEARS TO BE SOMEONE BURNING A PILE OF BRUSH... SOMEONE LIVING OUT OF A FIRE... SOMEONE LIVING OUT OF A CAMPER
CF22-22429	06/26/2022 03:32:51	MISCF	Initiated	No	88	M6	805 South 900 West	C	TRASH CAN FIRE.. IN FRONT OF LITTLE CEASERS.. SEEING SPARKS
CF22-22432	06/26/2022 05:07:55	MISCF	Initiated	No	88	M6	513 West 800 South	C	... SEE RELATED CP#: SL22-119949 - ,BUSHES BY A FENCE NEAR A BLDG ON FIRE
CF22-22353	06/25/2022 15:09:55	GRASS	Initiated	No	88	M7, EW6061, EW6062	1200 West NORTH TEMPLE Street	C	BRUSH FIRE BY THE LIQUOR STORE IN THE EMPTY LOT GRASSG
<b>Count: 4</b>									
<b>CAD Officer in Charge: Bluth, Christopher</b>									
CF22-20851	06/14/2022 18:22:56	ALARMF	Initiated	No	87	E13	2792 East ARCADIA HEIGHTS Circle	A	RESD FIRE ALARM - FOR A CURTIS DRAKE 801-550-1195, SET OFF MAIN FLOOR SMOKE, 10 DROPS
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buchta, Jared</b>									
CF22-22473	06/26/2022 14:26:29	ARESCU	Initiated	No	100	M3	922 East 2100 South	A	MEDIUM SIZED BLK DOG LOCKED IN A BLK HONDA FIT .. NO PLATE .. DOWN THE FIRST ROW OF THE ENTRANCE .. SEEMED TO BE IN DISTRESS .. LOTS OF PANTING ... ONLY A CRACK IN THE WINDOW ... SEE RELATED CP#: SL22-120161
CF22-22622	06/27/2022 17:04:55	PDASST	Initiated	No	87	M3	1600 East 2100 South	A	TL 25 MIN... BIG WHI DOG PANTING... DRK BLU HOND @G001SE... PARKED ACROSS FROM THE LAKE... TEMP 96.1 PER WILLY WEATHER... SEE RELATED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CP#: SL22-120926									
<b>Count:</b> 2									
<b>CAD Officer in Charge: Buckmiller, Ronald</b>									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
<b>Count:</b> 1									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-21072	06/16/2022 09:24:10	WATER	Initiated	No	88	M5	East PRINCETON AVE / S MCCLELLAND Street	B	LOTS OF WATER RUNNING DOWN PRINCETON, UNK SOURCE - POSS COMING FROM THE SEWER GRATE...INFO FROM SLCO UNIT/NFD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-21788	06/21/2022 09:16:10	PDASST	Initiated	Yes	99	M5, LT5	1120 East LAIRD Avenue	A	1 1/2 YEAR OLD ACCIDENTALLY LOCKED HERSELF IN VEH IN FRONT OF RESD.....2015 BLK HONDA ACCORD...WINDOWS UP...NOT RUNNING..... SEE RELATED CP#: SL22-116411
CF22-22519	06/26/2022 21:21:54	PUBLIC	Initiated	No	88	LT5	515 South 1000 East	A	78YO WIFE UNABLE TO GET OUT OF HER WALK IN TUB AND FAMILY UNABLE TO GET HER OUT
<b>Count:</b> 2									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-20871	06/14/2022 20:11:53	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	447 South BLAIR Street	A	FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR
CF22-20081	06/08/2022 18:27:16	PUBLIC	Initiated	No	99	HV5, LT5	1040 East SUGARMONT Drive	A	PLAYGROUND BY THE SKATEPARK...FRIEND STUCK IN THE TODDLER SWING...13 YOF
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-21930	06/22/2022 09:48:52	GRASS	Initiated	No	88	EQ14, EW6062, EW6061	5600 West I80W EB Freeway	B	PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARILER TODAY..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dyer, Steven</b>									
CF22-22335	06/25/2022 12:56:10	PDASST	Initiated	No	88	M11	1100 North SATORI Circle	C	CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CP#: AC22-9685 - FF									
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-21670	06/20/2022 11:35:23	FUEL	Officer reviewed	No	100	RD1, RD5	3920 West TERMINAL Drive	A	CHEVERON.... FUEL OVERFLOWED WHILE PUMPING... APPROX 1 GALLON... @WLA6LE AZ PLATE PUMP 16.... WHITE SUV
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b>									
<b>2</b>									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-22588	06/27/2022 11:35:04	ALARMW	Initiated	No	88	LT2, M11	5670 West 300 South	A	COMMERCIAL FALARM...RISER 1...2...5 WATERFLOW ...RICK 801 783 6362 ...UPMA
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YO OF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-22534	06/26/2022 23:16:26	PUBLIC	Initiated	No	88	M7	50 North 600 West	A	SOMEONE STUCK ON THE ELEVATOR ON 5TH FLOOR - NOT SICK OR INJURED
CF22-22487	06/26/2022 17:39:23	MISCF	Initiated	No	88	M7	288 North 1460 West	A	WEST OF DEPT OF HEALTH NEXT TO JORDAN RIVER LARGE HOMELESS FIRE.... COMP ADDR 1467 W WALNUT DR
CF22-21747	06/20/2022 22:33:44	MISCF	Initiated	No	88	M7	960 West NORTH TEMPLE Street	A	SOMEONE HAS A CAMP FIRE OUT FRONT OF THE STORE..
<b>Count:</b>									
<b>7</b>									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-20557	06/12/2022 11:02:33	FUEL	Initiated	Yes	100	RD2, RD3	872 East PERIMETER	C	LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.
<b>Count:</b>									
<b>1</b>									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-21906	06/22/2022 05:34:46	MISCF	Initiated	No	89	EQ9	4800 West I80W EB	A	SAW SMOKE COMING UP FROM WHERE THEY WAS A FIRE ALREADY... NO

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Freeway		FLAMES SEEN, COMP NO LONGER IN AREA.. ON SOUTHSIDE OF FREEWAY
<b>Count:</b> 1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-21789	06/21/2022 09:21:14	ALARMF	Initiated	No	87	M6	1585 West 2100 South	A	GENERAL FIRE ALARM..ZONE 30...BUISNESS: GEO GROUP IN THE NORTH BLDG..801-973-3800 RP REX MACEY: 801-230-3613
CF22-21796	06/21/2022 10:24:43	ALARMF	Initiated	No	88	M6	169 East 200 South	A	FIRE ALARM SMOKE ZONE 237... KEY HOLDER... LORANNE 801-301-6888.... DANIEL BREMS 801-931-1054.... TIFFANY CLEMENT 801-301-6410....
CF22-21840	06/21/2022 17:20:15	APT	Initiated	No	88	LT2, M7, BC2, LT8, EQ9, EQ14, M6	1665 West BRAMPTON Way	A	SMOKE COMING OUT OF APT
CF22-22498	06/26/2022 19:12:08	LGASLE	Initiated	No	88	M7, M8, BC2, HM73, LT8, M6, H14	1731 West 2100 South	A	BUSN NAME FED EX OFFICE.. SMELLS LIKE GAS INSIDE BUILDING, NO ONE SICK OR INJURED.. COMP IS WAITING OUTSIDE WAITING BY FRONT DOORS..
<b>Count:</b> 4									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-22101	06/23/2022 16:03:30	HOUSE	Initiated	No	88	M7, M11, BC2, LT8, EQ14, M6	1078 West 600 North	B	SMOKE ALARM RESD OF KATHY KELLY/ PREMISE # 801 641 2412... SPOKE WITH KATHY ON SITE // SAYING THEY BURNT SUGAR WATER BUT THERE IS STILL SMOKE EVEN AFTER TURNING OFF STOVE/ UNSURE WHAT IS GOING ON AND NEED HELP VENTING...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kajma, Eric</b>									
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
CF22-22311	06/25/2022 09:59:58	ALARMF	Initiated	No	88	EQ9	230 North ADMIRAL BYRD Road	C	FAIRFIELD ...ZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331
<b>Count:</b> 2									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-22379	06/25/2022 19:12:54	MISCF	Initiated	No	88	E13	2128 South 2100 East	C	SMALL FIRE ON AIR FRYER THE FIRE IS OUT THEY JUST WANT TO MAKE SURE ITS OUT.
CF22-22383	06/25/2022 19:46:17	TRUCK	Initiated	No	87	H10, E13	2500 East I80E WB Freeway	C	18 WHEELER BRAKES ON FIRE CATCHING GRASS ON FIRE. JUST BEFORE THE FOOTHILL EXIT ON WB I80 WB
CF22-22442	06/26/2022 07:52:41	ALARMF	Initiated	No	88	E13	2026 East WESTMINSTER Avenue	C	ALARM IS GOING OFF...NO FLAMES OR SMOKE WANTS IT CHECKED OUT
CF22-22598	06/27/2022 13:17:55	VEH	Initiated	No	86	M5, M8, E13	2260 South FOOTHILL Drive	A	ON STREET IN FRONT OF APARTMENTS ... VEH ENGINE IS SMOKING AFTER ACCIDENT NEG INJ... SILV HONDA CRV
CF22-21852	06/21/2022 19:02:05	GARAGE	Initiated	No	98	BC1, E13, E10, M8	1100 East CHARLTON Avenue	A	COMP IS AT LOC.. STATING THERE IS A HOUSE ON THE CORNER THAT APPEARS TO HAVE SMOKE COMING OUT OF THE GARAGE... GARAGE IS DETACHED FROM THE HOUSE..
<b>Count:</b> 5									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-22574	06/27/2022 08:55:37	ALARMF	Initiated	No	88	M1	50 West NORTH TEMPLE Street	A	CONFERENCE CENTER ZONE 4 ....
<b>Count: 1</b>									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ....SIERRA FORREST PRODUCTS...801 972 3377
<b>Count: 2</b>									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-22251	06/24/2022 20:16:43	SMOKE	Initiated	No	88	EQ14	4640 West I80W WB WRIGHT BROS OFF Ramp	C	WHITE SMOKE NO FLAMES....FOCUSED IN ONE AREA.....NEAR THE POWER POLES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-22095	06/23/2022 15:43:50	ALARMF	Initiated	No	88	M5	840 South 1300 East	B	COMM DUCT ALARM... 801-583-1661...
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL.....SEE CF22-20441
CF22-21124	06/16/2022 17:03:43	PDASST	Initiated	No	88	LT5	1417 East BUTLER Avenue	B	DAUGHTER IS 19 YO AND CANNOT GET OUT OF A VEHICLE. ELECTRONIC BUTTONS ARE NOT WORKING. COMP DID NOT KNOW THE VEHICLE DESCRIPTION. ... SEE RELATED CP#: SL22-113320
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 6</b>									
<b>CAD Officer in Charge: Mellor, Ryan</b>									
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	No	96	M2, LT2, M7, M11, BC1, BC2, FD154, FD158, M6, H14	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-21965	06/22/2022 15:21:09	ALARMW	Initiated	No	87	EQ14	5995 West 300 South	B	COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-	09/07/2020	65B02A	Initiated	No	88	FD154	1246 East		FD154 ... SEE RELATED CP#: SL20-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
28530	03:45:47						BONNER Way		161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
<b>Count:</b> 3									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count:</b> 1									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-22615	06/27/2022 15:23:55	FUEL	Initiated	No	88	M8, H14	1810 West REDWOOD DEPOT Lane	A	FUEL TANKS WERE TAMPERED WITH AND THERE IS QUIET A BIT OF FUEL IN THE PARKING LOT GLOBAL LOGISTICS SYSTEMS... SOMEONE WILL MEET AND DIRECT...ALSO WANTS TO MAKE A POLICE REPORT
CF22-	06/26/2022	ALARMF	Initiated	No	87	EQ14	2950 West 500	A	SMOKE ALARM..PANEL..BUSINESS:

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
22484	16:34:54						South		CENTER POINT INSIDE# 801-671-3429.. RP JARED JOLLY 801-671-3429
<b>Count:</b> 2									
<b>CAD Officer in Charge: Schreiner, Jared</b>									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-11285	04/01/2022 08:23:12	ALARMF	Initiated	No	87	E10	1912 East YALECREST Avenue	B	ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S
CF22-10793	03/28/2022 05:57:25	ODOR	Initiated	No	88	E4	860 East 3RD Avenue	C	CALLER PASSED BY - ODOR OF GASOLINE
CF22-5893	02/16/2022 21:39:08	APT	Initiated	No	88	M2, LT2, E4, M7, BC1, LT5, M1	228 East 1ST Avenue	B	PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR
<b>Count:</b> 3									
<b>CAD Officer in Charge: Steadman, Karl</b>									
CF22-22460	06/26/2022 12:14:37	APT	Initiated	No	80	M2, LT2, M3, E4, M5, M8, E10, UT10, BC1, BC2, FD120, FD155, LT8, LT5, M1	761 South 300 East	A	APT SMOKE AND FLAMES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-	04/23/2022	PUBLIC	Initiated	No	88	LT2	411 East	B	PEOPLE STUCK IN ELEVATOR FOR



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
14138	22:06:31						SOUTH TEMPLE Street		OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count:</b> 18									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-22307	06/25/2022 08:57:44	MISCF	Initiated	No	87	M2, M7	625 North WARM SPRINGS Road	C	TRANISIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-21645	06/20/2022 08:02:37	ALARMF	Initiated	No	87	M2	90 South 400 West	C	NO PROBLEM PER GATEWAY SEC
<b>Count:</b> 1									
<b>Count:</b> 131									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.