

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/02/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                | Address                      | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|------------------|---------|-------|--------------------------|------------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |                  |         |       |                          |                              |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated        | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South          | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated        | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle    |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated        | No      | 85    | FD152                    | 8037 South ROYAL Lane        |         | FD152  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated        | No      | 87    | SQ2                      | 307 East 600 South           |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated        | No      | 94    | M3                       | 1237 East BRICKYARD Road     | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-37094                           | 11/07/2021 21:52:52 | PDASST | Initiated        | No      | 88    | M2                       | 50 South 500 West            | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated        | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road   |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated        | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street  | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF22-8910                            | 03/12/2022 22:10:44 | FUEL   | Initiated        | No      | 86    | RD2, RD4                 | 505 TAXIWAY K                |         | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431  |
| CF22-11714                           | 04/04/2022 19:05:16 | PUBLIC | Initiated        | No      | 87    | BC1                      | 211 South 500 East           | A       | TEST TEST TEST   |
| CF22-12397                           | 04/10/2022 00:57:11 | ABITE  | Initiated        | No      | 83    | E43, ME101               | 3663 South 300 West          |         | ... SEE RELATED CP#: LK22-11750 - FM   |
| CF22-15162                           | 05/01/2022 20:46:15 | ELEC   | Initiated        | No      | 86    | BC41, E41                | 700 East I80E EB Freeway     |         | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA   |
| CF22-16353                           | 05/11/2022 05:23:27 | AUTO   | Initiated        | No      | 84    | MA73                     | 2175 South REDWOOD Road      |         | IN FRONT OF THE MAVERIK  |
| CF22-16448                           | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No      | 100   | M2                       | 400 South WEST TEMPLE Street | B       | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST  |
| CF22-18025                           | 05/23/2022 09:24:39 | FUEL   | Initiated        | No      | 87    | BLU28                    | 765 North 2200 West          |         | FUEL SPILL ON BASE   |
| CF22-17626                           | 05/20/2022 06:39:25 | STROK  | Initiated        | No      | 84    | GC523                    | 1516 East HOLLYWOOD Avenue   |         | C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE  |
| CF22-19058                           | 05/31/2022 16:00:53 | PDASST | Initiated        | No      | 86    | FD157                    | 210 West 500 South           |         | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-20448                           | 06/11/2022 15:50:57 | REFUEL | Initiated        | No      | 88    | RD1, RD3, RD4            | 58 East PERIMETER            | B       | ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF   |
| CF22-21643                           | 06/20/2022 07:48:47 | ALARMF | Initiated        | No      | 87    | M2                       | 90 South 400 West            | C       | SUITE 570 - BCAL GATEWAY - NO PROBLEM PER ALARM CO - THEY WILL   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                          | Address                       | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|------------------------------------|-------------------------------|---------|---|
| CALL TO PUT IT IN TEST MODE                      |                     |        |               |         |       |                                    |                               |         |   |
| CF22-22646                                       | 06/27/2022 22:00:20 | VEH    | Initiated     | No      | 84    | FD155                              | 4095 West 5415 South          |         | AUTOZONE, TACOMA  |
| CF22-22756                                       | 06/28/2022 19:25:53 | SEIZ   | Initiated     | No      | 84    | GC593                              | 1665 South RIVERSIDE Drive    |         | COMPS FRIEND HAD A SEIZURE  |
| <b>Count:</b><br>21                              |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Ainge, Arnold</b>      |                     |        |               |         |       |                                    |                               |         |   |
| CF22-23251                                       | 07/02/2022 12:03:36 | ARESCU | Initiated     | No      | 87    | LT8, M8                            | 1110 South 300 West           | A       | 2 DOGS LOCKED IN THE CAR... APPEAR IN DISTRESS...WHITE TOYT CAMRY 4 DOOR @BFK3365.WA.2022.PC ... SEE RELATED CP#: SL22-124468                 |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Archuleta, Adam</b>    |                     |        |               |         |       |                                    |                               |         |   |
| CF22-23154                                       | 07/01/2022 18:22:52 | WATER  | Initiated     | No      | 87    | LT8, M8                            | 900 South WASHINGTON Street   | C       | ON SW CORNER AT CONSTRUCTION.. TEMP WATER PIPE BROKE AND LEAKING.. AND COMP IS CONCERED ABOUT WASTING THIS MUCH WATER.. COMP WILL WAIT FOR US |
| CF22-21569                                       | 06/19/2022 15:58:45 | GRASS  | Initiated     | Yes     | 87    | M8, BC1, FD120, EW6041, EW6042, M2 | 1100 South 5600 West          | C       |   |
| <b>Count:</b><br>2                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Baum, Darren</b>       |                     |        |               |         |       |                                    |                               |         |   |
| CF22-19237                                       | 06/02/2022 08:00:41 | ALARMF | Initiated     | No      | 87    | EQ9                                | 431 North NEIL ARMSTRONG Road | C       |   |
| CF22-21447                                       | 06/18/2022 19:33:05 | LINE   | Initiated     | No      | 99    | EQ9, EQ14                          | 1041 North CATHERINE Street   | C       | LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...  |
| <b>Count:</b><br>2                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Bills, Jared</b>       |                     |        |               |         |       |                                    |                               |         |   |
| CF22-21722                                       | 06/20/2022 18:31:54 | GRASS  | Initiated     | No      | 98    | M7, EW6061, EW6062                 | 800 South GLENDALE Street     | A       | 5FT BRUSH PILE IS ON FIRE... APPEARS TO BE SOMEONE BURNING A PILE OF BRUSH... SOMEONE LIVING OUT OF A FIRE... SOMEONE LIVING OUT OF A CAMPER  |
| CF22-22353                                       | 06/25/2022 15:09:55 | GRASS  | Initiated     | No      | 88    | M7, EW6061, EW6062                 | 1200 West NORTH TEMPLE Street | C       | BRUSH FIRE BY THE LIQUOR STORE IN THE EMPTY LOT GRASSG  |
| CF22-23218                                       | 07/02/2022 02:24:18 | COMM   | Initiated     | No      | 88    | BC2, EQ14, L73, LT2, M6, M7, M8    | 1780 South REDWOOD Road       | C       | COMMERIAL BUILINNG...ACROSS STREET... NEXT TO APEX TRUCKING   |
| <b>Count:</b><br>3                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Buckmiller, Ronald</b> |                     |        |               |         |       |                                    |                               |         |   |
| CF22-21320                                       | 06/17/2022 21:25:07 | REFUEL | Initiated     | No      | 88    | RD4, RD2                           | 60 East PERIMETER             | B       | B6 A320 N523JB  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Carter, Gary</b>       |                     |        |               |         |       |                                    |                               |         |   |
| CF20-14622                                       | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156                              | 475 South 300 East            |         |   |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Coles, Clay</b>        |                     |        |               |         |       |                                    |                               |         |   |
| CF20-29532                                       | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092                     | 10914 West I80W EB Freeway    |         | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |                                    |                               |         |   |
| <b>CAD Officer in Charge: Comer, Peter</b>       |                     |        |               |         |       |                                    |                               |         |   |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                                   | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|---|---------------------------------|---------|---|
| CF21-22812                                     | 07/19/2021 12:34:17 | PDASST | Initiated        | No      | 88    | M12   | 1174 West 600 North             | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FF  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Crandall, Steve</b>  |                     |        |                  |         |       |   |                                 |         |   |
| CF22-20871                                     | 06/14/2022 20:11:53 | APT    | Initiated        | No      | 88    | E4, M5, M8, BC1, LT8, M6, LT5               | 447 South BLAIR Street          | A       | FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Davy, Matthew</b>    |                     |        |                  |         |       |   |                                 |         |   |
| CF22-21930                                     | 06/22/2022 09:48:52 | GRASS  | Initiated        | No      | 88    | EQ14, EW6062, EW6061                        | 5600 West I80W EB Freeway       | B       | PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARILER TODAY.. |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Dyer, Steven</b>     |                     |        |                  |         |       |   |                                 |         |   |
| CF22-22335                                     | 06/25/2022 12:56:10 | PDASST | Initiated        | No      | 88    | M11   | 1100 North SATORI Circle        | C       | CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED CP#: AC22-9685 - FF                          |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |                  |         |       |   |                                 |         |   |
| CF22-21670                                     | 06/20/2022 11:35:23 | FUEL   | Officer reviewed | No      | 100   | RD1, RD5                                    | 3920 West TERMINAL Drive        | A       | CHEVERON.... FUEL OVERFLOWED WHILE PUMPING... APPROX 1 GALLON... @WLA6LE AZ PLATE PUMP 16.... WHITE SUV   |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Officer reviewed | No      | 100   | M12   | 500 EMPLOYEE LOT[STOP 4         | A       | GARBAGE CAN ON FIRE   |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |                  |         |       |   |                                 |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated        | No      | 88    | SQ2   | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: George, Brady</b>    |                     |        |                  |         |       |   |                                 |         |   |
| CF22-12763                                     | 04/12/2022 19:46:48 | HOUSE  | Initiated        | Yes     | 98    | M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5 | 2228 South LAKE Street          | B       |   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |                  |         |       |   |                                 |         |   |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated        | No      | 86    | M7  | 300 North 700 West              | B       | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...                     |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated        | No      | 88    | M7  | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated        | No      | 86    | M7, FD155                                   | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated        | No      | 87    | H14   | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS                                |
| CF22-22487                                     | 06/26/2022 17:39:23 | MISCF  | Initiated        | No      | 88    | M7  | 288 North 1460 West             | A       | WEST OF DEPT OF HEALTH NEXT TO JORDAN RIVER LARGE HOMELESS FIRE.... COMP ADDR 1467 W WALNUT DR  |
| CF22-  | 06/26/2022          | PUBLIC | Initiated        | No      | 88    | M7  | 50 North 600                    | A       | SOMEONE STUCK ON THE ELEVATOR   |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|-------------|------------------------------|---------|--|
| 22534  | 23:16:26            |        |               |         |       |             | West                         |         | ON 5TH FLOOR - NOT SICK OR INJURED   |
| CF22-21747   | 06/20/2022 22:33:44 | MISCF  | Initiated     | No      | 88    | M7          | 960 West NORTH TEMPLE Street | A       | SOMEONE HAS A CAMP FIRE OUT FRONT OF THE STORE..   |
| <b>Count: 7</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>        |                     |        |               |         |       |             |                              |         |  |
| CF22-20557   | 06/12/2022 11:02:33 | FUEL   | Initiated     | Yes     | 100   | RD2, RD3    | 872 East PERIMETER           | C       | LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A. |
| <b>Count: 1</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Harwood, Blake</b>       |                     |        |               |         |       |             |                              |         |  |
| CF22-21906   | 06/22/2022 05:34:46 | MISCF  | Initiated     | No      | 89    | EQ9         | 4800 West I80W EB Freeway    | A       | SAW SMOKE COMING UP FROM WHERE THEY WAS A FIRE ALREADY... NO FLAMES SEEN, COMP NO LONGER IN AREA.. ON SOUTHSIDE OF FREEWAY                         |
| CF22-23275   | 07/02/2022 14:45:15 | ALARMF | Initiated     | No      | 87    | EQ9         | 5433 West WILEY POST Way     | A       | FIRE ALARM INSIDE # 801-428-0900.. FIRE ALARM ROOM 284 SMOKE   |
| <b>Count: 2</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Henthorne, David</b>     |                     |        |               |         |       |             |                              |         |  |
| CF22-9449  | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191       | 1300 South 700 East          |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD  |
| <b>Count: 1</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Kajma, Eric</b>          |                     |        |               |         |       |             |                              |         |  |
| CF22-19880   | 06/07/2022 07:21:24 | ALARMF | Initiated     | No      | 88    | EQ9         | 5825 West HAROLD GATTY Drive | C       | GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377  |
| CF22-22311   | 06/25/2022 09:59:58 | ALARMF | Initiated     | No      | 88    | EQ9         | 230 North ADMIRAL BYRD Road  | C       | FAIRFIELD ....ZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331  |
| <b>Count: 2</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Kartson, Constantine</b> |                     |        |               |         |       |             |                              |         |  |
| CF22-22598   | 06/27/2022 13:17:55 | VEH    | Initiated     | No      | 98    | E13, M8, M5 | 2260 South FOOHILL Drive     | A       | ON STREET IN FRONT OF APARTMENTS ... VEH ENGINE IS SMOKING AFTER ACCIDENT NEG INJ... SILV HONDA CRV  |
| CF22-22379   | 06/25/2022 19:12:54 | MISCF  | Initiated     | No      | 88    | E13         | 2128 South 2100 East         | C       | SMALL FIRE ON AIR FRYER THE FIRE IS OUT THEY JUST WANT TO MAKE SURE ITS OUT.   |
| CF22-22383   | 06/25/2022 19:46:17 | TRUCK  | Initiated     | No      | 87    | H10, E13    | 2500 East I80E WB Freeway    | C       | 18 WHEELER BRAKES ON FIRE CATCHING GRASS ON FIRE. JUST BEFORE THE FOOHILL EXIT ON WB I80 WB  |
| CF22-22442   | 06/26/2022 07:52:41 | ALARMF | Initiated     | No      | 88    | E13         | 2026 East WESTMINSTER Avenue | C       | ALARM IS GOING OFF...NO FLAMES OR SMOKE WANTS IT CHECKED OUT   |
| CF22-23086   | 07/01/2022 09:02:38 | ALARMF | Initiated     | No      | 87    | M11         | 560 North 2200 West          | C       | GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935   |
| CF22-23137   | 07/01/2022 16:11:33 | VEH    | Initiated     | No      | 88    | M11         | 1715 West 700 Road North     | C       | VAN ON FIRE....IN FRONT OF MTN AMERICA CREDIT UNION/ACROSS FROM LUCKYS   |
| <b>Count: 6</b>                                    |                     |        |               |         |       |             |                              |         |  |
| <b>CAD Officer in Charge: Koetitz, Paul</b>        |                     |        |               |         |       |             |                              |         |  |
| CF22-19895   | 06/07/2022 10:01:18 | ALARMF | Initiated     | No      | 88    | EQ9         | 5650 West 610 South          | C       | GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335  |
| CF22-19948   | 06/07/2022 17:54:29 | ALARMF | Initiated     | No      | 88    | EQ9         | 5825 West HAROLD             | C       | COMMERCIAL ALARM..KEYPAD 13 ...SIERRA FORREST PRODUCTS...801   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus   | Address                                | Platoon | CAD Narrative   |
|---|---------------------|--------|--------------------------|---------|-------|---|--|---------|---|
|   |                     |        |                          |         |       |   | GATTY Drive                            |         | 972 3377  |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 2   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Krohn, William</b>    |                     |        |                          |         |       |   |  |         |   |
| CF22-22251                                      | 06/24/2022 20:16:43 | SMOKE  | Initiated                | No      | 88    | EQ14  | 4640 West I80W WB WRIGHT BROS OFF Ramp | C       | WHITE SMOKE NO FLAMES....FOCUSED IN ONE AREA.....NEAR THE POWER POLES   |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 1   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |                          |         |       |   |  |         |   |
| CF22-20472                                      | 06/11/2022 19:18:27 | PUBLIC | Initiated                | No      | 87    | HV5   | 301 South WAKARA Way                   |         | FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH   |
| CF22-20473                                      | 06/11/2022 19:19:29 | PUBLIC | Initiated                | No      | 87    | HV5   | 595 North PERRYS HOLLOW Road           |         | DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL.....SEE CF22-20441   |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated                | No      | 86    | M5, LT5   | 600 East 900 South                     |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646  |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated                | No      | 87    | LT5   | 1086 South 800 East                    |         |   |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 4   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Mellor, Ryan</b>      |                     |        |                          |         |       |   |  |         |   |
| CF22-19855                                      | 06/07/2022 00:42:31 | TRUCK  | Initiated                | No      | 96    | M2, LT2, M7, M11, BC1, BC2, FD154, FD158, M6, H14 | 47 North 800 Street West               | C       | BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE   |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 1   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Menlove, Gary</b>     |                     |        |                          |         |       |   |  |         |   |
| CF22-21965                                      | 06/22/2022 15:21:09 | ALARMW | Initiated                | No      | 87    | EQ14  | 5995 West 300 South                    | B       | COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM   |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 1   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Meyer, Bryon</b>      |                     |        |                          |         |       |   |  |         |   |
| CF22-18019                                      | 05/23/2022 08:28:20 | ALARMF | Initiated                | No      | 87    | M2  | 345 West NORTH TEMPLE Street           | B       | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058  |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 1   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |                          |         |       |   |  |         |   |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated                | No      | 85    | FD154   | 120 South STATE Street                 |         |   |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated                | No      | 88    | FD154   | 1246 East BONNER Way                   |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD   |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated                | No      | 83    | FD154   | 1330 East IRA HODGES                   |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN   |
| <b>Count:</b>                                   |                     |        |                          |         |       |   |  |         |   |
| 3   |                     |        |                          |         |       |   |  |         |   |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |                          |         |       |   |  |         |   |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5            | 44 West 300 South                      | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...  |
| CF22-5910                                       | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6                       | 1535 South WEST TEMPLE Street          | B       | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..  |
| CF22-9661                                       | 03/18/2022 21:55:39 | MISCF  | Initiated                | No      | 100   | FD153, LT8  | 176 West 600 South                     | B       | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO |

| Incident Number                              | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                                  | Address                        | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|--------------------------------|---------|---|
|  |                     |        |               |         |       |  |                                |         | ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL                              |
| <b>Count:</b><br>3                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Nelson, Todd</b>   |                     |        |               |         |       |  |                                |         |   |
| CF22-22931                                   | 06/30/2022 06:34:43 | FUEL   | Initiated     | No      | 88    | RD2, M11, RD4                              | 303 North 2370 W[SPOT 2 9      | B       | HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239  |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Parks, Paul</b>    |                     |        |               |         |       |  |                                |         |   |
| CF22-12711                                   | 04/12/2022 12:09:11 | ACC    | Initiated     | No      | 86    | SQ6  | 223 West FAYETTE Avenue        |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI  |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Perkins, Gary</b>  |                     |        |               |         |       |  |                                |         |   |
| CF21-13024                                   | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1  | 131 East 700 South             |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,  |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Reilly, Daniel</b> |                     |        |               |         |       |  |                                |         |   |
| CF20-23950                                   | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13  | 6650 East 180E WB Freeway      | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2   |
| CF21-10548                                   | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8  | 1460 South STATE Street        | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF  |
| CF21-11158                                   | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589                                      | 1364 West GLENROSE Drive       |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824                          |
| CF20-30271                                   | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14                        | 1560 West 3900 South           | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL   |
| CF22-22917                                   | 06/29/2022 23:53:00 | PIPE   | Initiated     | No      | 88    | LT2  | 204 West 200 North             | B       | POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK  |
| <b>Count:</b><br>5                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Rock, Nathan</b>   |                     |        |               |         |       |  |                                |         |   |
| CF22-12186                                   | 04/08/2022 16:10:57 | PUBLIC | Initiated     | Yes     | 100   | M1   | 1035 East 300 South            | C       | MALE FELL   |
| <b>Count:</b><br>1                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Rockwood, Wade</b> |                     |        |               |         |       |  |                                |         |   |
| CF22-22615                                   | 06/27/2022 15:23:55 | FUEL   | Initiated     | No      | 88    | M8, H14                                    | 1810 West REDWOOD DEPOT Lane   | A       | FUEL TANKS WERE TAMPERED WITH AND THERE IS QUIET A BIT OF FUEL IN THE PARKING LOT GLOBAL LOGISTICS SYSTEMS... SOMEONE WILL MEET AND DIRECT...ALSO WANTS TO MAKE A POLICE REPORT |
| CF22-22484                                   | 06/26/2022 16:34:54 | ALARMF | Initiated     | No      | 87    | EQ14                                       | 2950 West 500 South            | A       | SMOKE ALARM..PANEL..BUSINESS: CENTER POINT INSIDE# 801-671-3429.. RP JARED JOLLY 801-671-3429   |
| <b>Count:</b><br>2                           |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Rushton, Joel</b>  |                     |        |               |         |       |  |                                |         |   |
| CF22-22663                                   | 06/28/2022 04:43:35 | ALARMF | Initiated     | No      | 87    | EQ9  | 4883 West DOUGLAS CORRIGAN Way | A       | GENERAL FIRE ZONE 0 AND SMOKE 2ND FLOOR ROOM 228..  |
| CF22-22618                                   | 06/27/2022 16:25:57 | WILD   | Initiated     | No      | 95    | M2, M7, UT10, M11, BC1, BC2, FD151, FD155, | 41 South 5100 West             | A       |   |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus  | Address                      | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|---|
|  |                     |        |                  |         |       | FD157, EW6061, EW6132, E6111, EW6131, EQ14, EW6062, EW6091, BC13, EW6092 |                              |         |   |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Schreiner, Jared</b> |                     |        |                  |         |       |  |                              |         |   |
| CF22-20525                                     | 06/12/2022 02:28:30 | TRUCK  | Initiated        | No      | 93    | EQ9, H14, FD152, FD153   | 5209 West 700 South          | B       | MOTORHOME ON FIRE IN ROAD   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Shafer, Curtis</b>   |                     |        |                  |         |       |  |                              |         |   |
| CF22-23182                                     | 07/01/2022 22:42:40 | HOUSE  | Officer reviewed | No      | 96    | BC2, EQ14, LT2, M6, M7, M2, FD154  | 941 North CATHERINE Street   | C       | HOUSE TO THE S IS ON FIRE... SOMEONE INSIDE.... SMOKING VERY BAD...   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Sharp, Dallas</b>    |                     |        |                  |         |       |  |                              |         |   |
| CF22-23080                                     | 07/01/2022 07:50:24 | ALARMF | Initiated        | No      | 87    | EQ9  | 255 North ADMIRAL BYRD Road  | C       | FIRE ALARM.. AGSCVRP ADMIRAL.. GENERAL ZONE1.. RP # RUSS 801-244-2943   |
| CF22-23081                                     | 07/01/2022 08:02:44 | ALARMW | Initiated        | No      | 87    | EQ9, LT2   | 5825 West HAROLD GATTY Drive | C       | COMM WATERFLOW ALARM... SIERRA FOREST PRODUCTS... 801-972-3377...   |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Shumway, Brandon</b> |                     |        |                  |         |       |  |                              |         |   |
| CF22-5893                                      | 02/16/2022 21:39:08 | APT    | Initiated        | No      | 88    | M2, LT2, E4, M7, BC1, LT5, M1  | 228 East 1ST Avenue          | B       | PROPERTY MANAGER RECIEVED CALL FROM TENANT WHO SMELLED A BURNING ODOR FROM THE BASEMENT - MAINT IS ENR  |
| CF22-11285                                     | 04/01/2022 08:23:12 | ALARMF | Initiated        | No      | 87    | E10  | 1912 East YALECREST Avenue   | B       | ZONE 27 GARAGE SMOKE ALARM... RESD OF MARK RUIN... NO PREMISE # ,,, CLADIA 801 518 5588... MARK 801 891 2901 .. VM ON BOTH #S   |
| CF22-10793                                     | 03/28/2022 05:57:25 | ODOR   | Initiated        | No      | 88    | E4   | 860 East 3RD Avenue          | C       | CALLER PASSED BY - ODOR OF GASOLINE   |
| <b>Count:</b><br>3                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Steadman, Karl</b>   |                     |        |                  |         |       |  |                              |         |   |
| CF22-22460                                     | 06/26/2022 12:14:37 | APT    | Initiated        | No      | 86    | M2, LT2, M3, E4, M5, M8, E10, UT10, BC1, BC2, FD120, FD155, LT8, LT5, M1 | 761 South 300 East           | A       | APT SMOKE AND FLAMES  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Stevens, John</b>    |                     |        |                  |         |       |  |                              |         |   |
| CF22-21969                                     | 06/22/2022 15:50:22 | PUBLIC | Initiated        | No      | 86    | SQ1  | 1280 East STRINGHAM Avenue   |         | GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1 |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Stringam, Reed</b>   |                     |        |                  |         |       |  |                              |         |   |
| CF22-3584                                      | 01/29/2022 17:26:29 | MISCF  | Officer reviewed | No      | 100   | ET1  | 575 North JOHN GLENN Road    | A       | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |  |                              |         |   |
| <b>CAD Officer in Charge: Taylor, Matthew</b>  |                     |        |                  |         |       |  |                              |         |   |
| CF22-8895                                      | 03/12/2022 18:48:19 | PUBLIC | Initiated        | No      | 87    | E13  | 2695 South 900 East          |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/  |

| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                     | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|-------------------------------|------------------------------|---------|--|
| <b>Count:</b><br>1                                |                     |        |                  |         |       |                               |                              |         |  |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |                  |         |       |                               |                              |         |  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated        | No      | 87    | M5, M8                        | 10758 South REDWOOD Road     | A       | GOING TO STATION 61  |
| CF22-22636  | 06/27/2022 19:54:24 | MISCF  | Initiated        | No      | 88    | M8                            | 250 East 2100 South          | A       | FENCE ON FIRE  |
| CF22-22645  | 06/27/2022 21:46:26 | MISCF  | Initiated        | No      | 88    | M8                            | 40 East HERBERT Avenue       | A       | HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT  |
| CF22-22668  | 06/28/2022 05:43:34 | GRASS  | Initiated        | No      | 88    | M8, EW6061, EW6062            | 77 West 1300 South           | A       | PARKING ACROSS THE STR.....SOME GRASS ON FIRE  |
| CF22-23254  | 07/02/2022 12:22:02 | PUBLIC | Initiated        | No      | 88    | LT8                           | 545 East 2100 South          | A       | HAZARDOUS SITUATION.....GIANT RED CRANE CONSTRUCTION BLOWING AROUND IN WIND.....NO ONE ON SITE NOW...NORTH SIDE OF 2100 SOUTH....THERE IS NO NAME OR PHONE NUMBER FOR CONSTRUCTION COMPANY ANYWHERE ON SITE ... SEE RELATED CP#: SL22-124477 |
| <b>Count:</b><br>5                                |                     |        |                  |         |       |                               |                              |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |                  |         |       |                               |                              |         |  |
| CF22-14079  | 04/23/2022 13:23:13 | PUBLIC | Initiated        | No      | 88    | LT2                           | 45 West SOUTH TEMPLE Street  | B       | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY                                 |
| CF22-14085  | 04/23/2022 13:51:32 | PUBLIC | Initiated        | No      | 87    | LT2                           | 50 South MAIN Street         | B       | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE  |
| CF22-14138  | 04/23/2022 22:06:31 | PUBLIC | Initiated        | No      | 88    | LT2                           | 411 East SOUTH TEMPLE Street | B       | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED   |
| CF22-11273  | 04/01/2022 06:52:06 | COMM   | Initiated        | No      | 84    | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South           | B       | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D   |
| CF22-8886   | 03/12/2022 17:43:58 | PUBLIC | Initiated        | No      | 87    | LT2                           | 250 West 600 South           |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER   |
| CF22-18034  | 05/23/2022 10:28:29 | ALARMF | Initiated        | No      | 87    | M2                            | 169 East 200 South           | B       | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ  |
| CF22-18036  | 05/23/2022 10:54:55 | FUEL   | Initiated        | No      | 88    | M2, LT2, H10                  | 241 North 300 West           | B       | BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR   |
| CF22-18046  | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No      | 100   | M2                            | 185 North WEST TEMPLE Street | B       | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231  |
| CF22-18106  | 05/23/2022 20:19:15 | ALARMF | Initiated        | No      | 90    | M2                            | 230 West 500 South           | B       | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466  |
| CF22-18161  | 05/24/2022 10:16:17 | ALARMF | Initiated        | No      | 87    | M2                            | 353 West 200 South           | B       | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076   |
| CF22-18165  | 05/24/2022 10:50:47 | ALARMF | Initiated        | Yes     | 99    | M2, M5                        | 350 South 200 East           | B       | GENERAL FIRE .ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080  |
| CF22-17243  | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No      | 100   | M2                            | 320 South 200 West           | B       | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO  |
| CF22-17292  | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No      | 100   | M2                            | 350 North MAIN Street        | B       | M2   |
| CF22-16377  | 05/11/2022 10:14:36 | COMM   | Initiated        | No      | 88    | LT5, M1, M2, LT2, M3, M5      | 964 South 3800 West          | B       | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE   |



| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                             | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|-------------------------------------|---------|---|
|  |                     |        |               |         |       |  |                                     |         | SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER   |
| CF22-15710                                       | 05/06/2022 08:56:51 | SMOKE  | Initiated     | No      | 88    | M2                                     | 750 North VICTORY Road              | B       | CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID  |
| CF22-15730                                       | 05/06/2022 11:38:31 | COMM   | Initiated     | No      | 86    | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East                  | B       | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM  |
| CF22-15772                                       | 05/06/2022 18:06:47 | ALARMF | Initiated     | No      | 88    | M2                                     | 524 North MAIN Street               | B       | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.  |
| CF22-15773                                       | 05/06/2022 18:34:03 | ARESCU | Initiated     | No      | 87    | M2, LT2                                | 48 West MARKET Street               | B       | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| <b>Count: 18</b>                                 |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Vaughn, Jeffrey</b>    |                     |        |               |         |       |  |                                     |         |   |
| CF22-22307                                       | 06/25/2022 08:57:44 | MISCF  | Initiated     | No      | 87    | M2, M7                                 | 625 North WARM SPRINGS Road         | C       | TRANSIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Visser, Otto</b>       |                     |        |               |         |       |  |                                     |         |   |
| CF20-25507                                       | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164                                  | 475 South 300 East                  |         | OTTO VISSOR VS LANDSCAPE VEH  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Wardell, Kip</b>       |                     |        |               |         |       |  |                                     |         |   |
| CF22-23269                                       | 07/02/2022 14:26:16 | PUBLIC | Initiated     | No      | 85    | SQ1                                    | 55 South MAIN Street                |         | COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Whitney, Russell</b>   |                     |        |               |         |       |  |                                     |         |   |
| CF22-21164                                       | 06/16/2022 21:44:55 | PDASST | Initiated     | No      | 86    | FD152, FD153                           | 1750 East MURRAY HOLLADAY Road East |         | THREE STORIES...IN BEDROOM IN APT LISTED  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |  |                                     |         |   |
| CF22-22674                                       | 06/28/2022 07:25:00 | PUBLIC | Initiated     | No      | 88    | E4                                     | 796 North JUNIPERPOINT Drive        | A       | HUSB ON THE FLOOR, NEEDS HELP UP, NEG FALL  |
| CF22-19507                                       | 06/03/2022 23:04:34 | PDASST | Initiated     | No      | 87    | EW6041                                 | 64 East 300 North                   |         | JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681  |
| <b>Count: 2</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |  |                                     |         |   |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159                                  | 7673 South HIGHLAND Drive           |         | STRUCTURE FIRE UFA  |
| <b>Count: 1</b>                                  |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Yamane, Chad</b>       |                     |        |               |         |       |  |                                     |         |   |
| CF22-23272                                       | 07/02/2022 14:38:15 | ALARMF | Initiated     | No      | 87    | M1                                     | 660 South 300 East                  | A       | GENERAL FIRE ALARM...DT 1437...RP PENDING...RP: ZLETKL MACURA 801-835-2710  |

| Incident Number                            | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address            | Platoon | CAD Narrative                                      |
|--|---------------------|--------|---------------|---------|-------|-----------|--------------------|---------|--|
| CF22-23274                                 | 07/02/2022 14:43:17 | PUBLIC | Initiated     | No      | 88    | M1        | 660 South 300 East | A       | CALLING BACK THEY NEED HELP SILENCING THE ALARMS.. |
| <b>Count:</b>                              |                     |        |               |         |       |           |                    |         |  |
| <b>2</b>                                   |                     |        |               |         |       |           |                    |         |  |
| <b>CAD Officer in Charge: Zwahlen, Jon</b> |                     |        |               |         |       |           |                    |         |  |
| CF22-21645                                 | 06/20/2022 08:02:37 | ALARMF | Initiated     | No      | 87    | M2        | 90 South 400 West  | C       | NO PROBLEM PER GATEWAY SEC                         |
| <b>Count:</b>                              |                     |        |               |         |       |           |                    |         |  |
| <b>1</b>                                   |                     |        |               |         |       |           |                    |         |  |
| <b>Count:</b>                              |                     |        |               |         |       |           |                    |         |  |
| <b>132</b>                                 |                     |        |               |         |       |           |                    |         |  |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).