

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/07/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP.

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
949FF									
CF22-21643	06/20/2022 07:48:47	ALARMF	Initiated	No	87	M2	90 South 400 West	C	SUITE 570 - BCAL GATEWAY - NO PROBLEM PER ALARM CO - THEY WILL CALL TO PUT IT IN TEST MODE
CF22-22646	06/27/2022 22:00:20	VEH	Initiated	No	84	FD155	4095 West 5415 South		AUTOZONE, TACOMA
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-23988	07/07/2022 18:45:52	ACC	Initiated	No	87	FD152, M1, BC1	475 South 300 East	C	FIRE INVESTIGATOR IN CITY OWNED VEH HAD SMALL NON INJ ACCIDENTAL... VEH VS WALL ON PARKING GARAGE LEVEL 2// MINOR SCUFFS... HAVE PD COME OUT AND DO A REPORT // FIRE INV WILL MEET ON P2 ... FD152 WILL NOTIFY BC1 ..
<b>Count: 24</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-24004	07/07/2022 20:38:51	ALARMF	Initiated	No	88	M8	555 South MAIN Street	C	ZONE .2 GEN FIRE ALARM...RP 801-258-6986 SECURITY
CF22-23928	07/07/2022 11:00:43	ALARMF	Initiated	No	87	M8	145 West VENTURE Way	C	COMMERCIAL FIRE ALARM.. DT 1058... ZONE FIRE PULL STATION
CF22-21569	06/19/2022 15:58:45	GRASS	Initiated	Yes	87	M8, BC1, FD120, EW6041, EW6042, M2	1100 South 5600 West	C	
<b>Count: 3</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-19237	06/02/2022 08:00:41	ALARMF	Initiated	No	87	EQ9	431 North NEIL ARMSTRONG Road	C	
CF22-23779	07/06/2022 09:45:13	ALARMW	Initiated	No	87	EQ9	5995 West 300 South	C	FIRE PUMPING RUNNING / UNSURE IF WATERFLOW ALARM OR NOT... COSTCO DEPOT// 801 333 3561// RP DAREN BENTLY 801 381 8558
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	No	99	EQ9, EQ14	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
CF22-23962	07/07/2022 15:55:52	PUBLIC	Initiated	No	88	EQ9	5880 West 150 South	C	ELEVATOR ALARM... NEG CONTACT... BUSN NAME STADLER... FREIGHT ELEVATOR... NO SITE PHONE NUMBER...
<b>Count: 4</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-23966	07/07/2022 16:17:51	ELEC	Initiated	No	88	M6	529 South 1000 West	C	TRANSFORMER BLEW IN THE ALLEYWAY
CF22-23218	07/02/2022 02:24:18	COMM	Initiated	No	88	BC2, EQ14, L73, LT2, M6, M7, M8	1780 South REDWOOD Road	C	COMMERCIAL BUILDING...ACROSS STREET... NEXT TO APEX TRUCKING
CF22-22353	06/25/2022 15:09:55	GRASS	Initiated	No	88	M7, EW6061, EW6062	1200 West NORTH TEMPLE Street	C	BRUSH FIRE BY THE LIQUOR STORE IN THE EMPTY LOT GRASSG
<b>Count: 3</b>									
<b>CAD Officer in Charge: Buckmiller, Ronald</b>									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-23607	07/05/2022 00:48:28	MISCF	Initiated	No	88	M5	727 South GUDGELL	B	CALLBK=(385)495-1994 FIRE IN BACKYARD ...CAUSED BY

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Court		BACKYARD...
CF22-23610	07/05/2022 01:23:07	GRASS	Initiated	No	88	E13, EW6131, M5	1261 East 1300 South	B	HEARD A LOUD BOOM AND NOW THE GRASS IS NOW ON FIRE.. THREATNING CARS AND HOUSES.. FLAMES AND SMOKE VISIBLE..
<b>Count:</b> 2									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-23425	07/03/2022 21:15:28	MISCF	Initiated	No	88	M5	1675 South 600 East	A	ON THE SCHOOLS GRASS STARTED BY FIREWORKS..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-24002	07/07/2022 20:09:09	PUBLIC	Initiated	No	88	E10	60 South 2030 East	C	BLDG 701...ELEV STUCK ON 9TH FLR...NORTH ELEV
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West 180W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-23375	07/03/2022 10:04:10	PUBLIC	Initiated	No	87	M1, LT5	1310 East 200 South	A	FEMALE STUCK ON 2ND FLOOR BALCONY OF JW CARPENTER MELDRUM HOUSE... SHE IS LOCKED OUT OF HER HOME..NO MNGMENT AVAILABLE.. SHE HAS NO CELL PHONE..COMP CALLING FOR HER
CF22-20871	06/14/2022 20:11:53	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	447 South BLAIR Street	A	FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR
<b>Count:</b> 2									
<b>CAD Officer in Charge: Dahle, Chad</b>									
CF22-23768	07/06/2022 08:08:04	ALARMF	Initiated	No	87	M1	75 South WEST TEMPLE Street	B	FIRE PANEL/ MARRIOTT// 801 531 0800... ON CB TO FRONT DESK// SEC IS INVESTIGATING WILL CB WITH UPDATE... AGNES ON CB CONFIRMED FALSE ALARM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-23619	07/05/2022 03:42:42	ARESCU	Officer reviewed	No	100	E10	395 South 1500 East	B	DUCKLINGS STUCK IN THE STORM DRAIN ON THE EAST SIDE - SEC WILL REMAIN TO DIRECT
CF22-23557	07/04/2022 19:12:12	ALARMF	Initiated	No	88	E10	720 South VALDEZ Drive	B	VALOR HOUSE.....SMOKE ZONE 67.... 801 582 0199...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-21930	06/22/2022 09:48:52	GRASS	Initiated	No	88	EQ14, EW6062, EW6061	5600 West 180W EB	B	PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
							Freeway		EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARLIER TODAY..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dyer, Steven</b>									
CF22-22335	06/25/2022 12:56:10	PDASST	Initiated	No	88	M11	1100 North SATORI Circle	C	CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED CP#: AC22-9685 - FF
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-23523	07/04/2022 14:19:55	GRASS	Initiated	No	85	EW6061, EW6131, EW6132	2342 South 700 East	B	CALLBK=(801)695-0147 - GRASS FIRE NEAR THE ENTERANCE TO I-80 WB FROM SB 700 E
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-21670	06/20/2022 11:35:23	FUEL	Officer reviewed	No	100	RD1, RD5	3920 West TERMINAL Drive	A	CHEVERON.... FUEL OVERFLOWED WHILE PUMPING... APPROX 1 GALLON... @WLA6LE AZ PLATE PUMP 16.... WHITE SUV
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 4									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-20557	06/12/2022 11:02:33	FUEL	Initiated	Yes	100	RD2, RD3	872 East PERIMETER	C	LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.
<b>Count:</b> 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Healey, Bruce</b>									
CF22-23984	07/07/2022 18:20:17	PUBLIC	Officer reviewed	No	100	M3	1243 East BRICKYARD Road	C	SOMEONE STUCK IN ELEVATOR...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-23952	07/07/2022 15:00:18	MISCF	Initiated	No	88	M5	861 South 400 East	C	FIREPIT IN FRONT YARD, FLAMES OVER THE FIRE PIT AREA....FLAMES GOING WAY IN THE AIR. AND IS UNSUPERVISED
CF22-23865	07/06/2022 19:51:28	ALARMF	Initiated	No	88	M5	660 South 300 East	C	FIRE ALARM ZONE 213.... BLDG 801 531 0202 KEY HOLDER VICKY 385 230 1526
CF22-23877	07/06/2022 21:24:30	MISCF	Initiated	No	88	M5	825 South GREEN Street	C	IN THE ALLYWAY BEHIND DISPATCHED ADDRESS...BURNING SOMETHING UNK WHAT IS BURNING
CF22-23989	07/07/2022 18:49:46	ALARMF	Initiated	No	88	M5	660 South 300 East	C	RESD OF LAHOOPA DRAGOCEVIC ... GENERAL FIRE ALARM / PREMISE # 801 531 0202// VM ON CB
<b>Count: 4</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-23461	07/04/2022 01:42:38	GRASS	Initiated	No	88	EW6061, M6, FD159	238 South CONCORD Street	A	FIRE NEXT TO HOME, FIELD ON FIRE
CF22-23448	07/03/2022 23:57:25	TREE	Initiated	No	88	M6	225 South 1100 West	A	TREE ON FIRE ... NORTH SIDE
CF22-23396	07/03/2022 13:34:23	ELEC	Initiated	No	88	M6	415 South POST Street	A	TREE FELL ON SERVICE PANEL TO HOME AND POWER LINE HANGING DOWN ....POWER IS SHUT OFF...
CF22-23359	07/03/2022 06:31:40	WATER	Initiated	No	88	M6	800 West LUCY Avenue	A	SINK HOLE OCCURING WATER UNDERNEATH AND ROAD COLLAPSING , ACROSS FROM HOUSE 1191 S ... SEE RELATED CP#: SL22-125007
CF22-23436	07/03/2022 22:15:29	MISCF	Initiated	No	87	M6, EW6061, EW6062	South MONTGOMERY ST / S STEWART Street	A	CALLBK=(714)851-0940 FIREWORK CAUSED FIRE IN YARD
<b>Count: 5</b>									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-23765	07/06/2022 07:54:20	PUBLIC	Initiated	No	88	M11	1632 West NORTHWOOD Avenue	B	COMP FOUND A SPENT BULLET INSIDE HER HOME... HAS REPORTED HER HUSBAND MISSING ... SEE CS 126794 ... SEE RELATED CP#: SL22-127011 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kajma, Eric</b>									
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
CF22-22311	06/25/2022 09:59:58	ALARMF	Initiated	No	88	EQ9	230 North ADMIRAL BYRD Road	C	FAIRFIELD ...ZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331
<b>Count: 2</b>									
<b>CAD Officer in Charge: Kartson, Constantine</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-23086	07/01/2022 09:02:38	ALARMF	Initiated	No	87	M11	560 North 2200 West	C	GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935
CF22-23335	07/02/2022 23:10:48	DUMP	Initiated	No	88	E13	2738 South 2000 East	A	DASH MART.. DUMPSTER WAS ON FIRE, COMP THINKS ITS OUT BUT WANTS IT CHECKED OUT.. NO ONE SICK OR INJURED
<b>Count:</b> 2									
<b>CAD Officer in Charge: Knowlton, John</b>									
CF22-23815	07/06/2022 14:16:45	MISCF	Initiated	No	88	M14, BC2, EW6091, EW6092, M7, FD120, FD157	1905 South FREMONT Drive	C	SMALL BUSH ON FIRE...OFF TO RH SIDE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ...SIERRA FORREST PRODUCTS...801 972 3377
<b>Count:</b> 2									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-22251	06/24/2022 20:16:43	SMOKE	Initiated	No	88	EQ14	4640 West 180W WB WRIGHT BROS OFF Ramp	C	WHITE SMOKE NO FLAMES....FOCUSED IN ONE AREA.....NEAR THE POWER POLES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 4									
<b>CAD Officer in Charge: Mellor, Ryan</b>									
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	No	96	M2, LT2, M7, M11, BC1, BC2, FD154, FD158, M6, H14	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-21965	06/22/2022 15:21:09	ALARMW	Initiated	No	87	EQ14	5995 West 300 South	B	COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-22917	06/29/2022 23:53:00	PIPE	Initiated	No	88	LT2	204 West 200 North	B	POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>5</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-23935	07/07/2022 11:46:28	ALARMF	Initiated	No	87	M1	1422 East MILITARY Way	C	FIRE ALARM // RES JEFF DUNCAN 801-910-9640 // ZONE 11 SMOKE UPPER LEVEL // REF O21547
CF22-23950	07/07/2022 14:20:49	ALARMF	Initiated	No	88	M1	248 East 600 South	C	SLC CORP BLDG// ZONE 1 SMOKE DETECTOR ABOVE CONTROL PANEL// 801 535 6481
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count: 3</b>									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-22615	06/27/2022 15:23:55	FUEL	Initiated	No	88	M8, H14	1810 West REDWOOD DEPOT Lane	A	FUEL TANKS WERE TAMPERED WITH AND THERE IS QUIET A BIT OF FUEL IN THE PARKING LOT GLOBAL LOGISTICS SYSTEMS... SOMEONE WILL MEET AND DIRECT...ALSO WANTS TO MAKE A POLICE REPORT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-23486	07/04/2022 08:14:44	PUBLIC	Initiated	No	88	M3	2425 South 900 East	A	MALE WITH ZIP TIE AROUND NECK...UNABLE TO REMOVE...IS NOT RESTRICTING BREATHING OR SWALLOWING...STANDING OUTSIDE STATION 3...AT FRONT DOORS
<b>Count: 1</b>									
<b>CAD Officer in Charge: Schreiner, Jared</b>									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shepherd, Tyler</b>									
CF22-23780	07/06/2022 10:01:25	GRASS	Initiated	No	88	EW6091, EW6092, M11, BC2, EW6061, BC1, LT2, LT8, M1, M14, M3, M7, M2, E10, E13, E41, LT5, UT10, FD151, FD154, FD157, M5, WT9, FD120, EW6062	2 I215W SB TO U201 WB Freeway	C	215 SB TO WB 201... RH SIDE OF OFFRAMP// SIZE OF TENNIS COURT// COMP PASSERBY
<b>Count: 1</b>									
<b>CAD Officer in Charge: Steadman, Karl</b>									
CF22-22460	06/26/2022 12:14:37	APT	Initiated	No	86	M8, M5, M2, M1, LT8, LT5, BC1, BC2, E10, E4, LT2, M3, UT10, FD120, FD155	761 South 300 East	A	APT SMOKE AND FLAMES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
<b>Count: 2</b>									



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 1</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-23455	07/04/2022 00:40:14	ALARMF	Officer reviewed	No	100	M8	851 South EDISON Street	A	ONE FIRE ALARM IN CENTRAL HALLWAY, PS WATER DAMAGE FROM UPSTAIRS...
CF22-22636	06/27/2022 19:54:24	MISCF	Initiated	No	88	M8	250 East 2100 South	A	FENCE ON FIRE
CF22-22645	06/27/2022 21:46:26	MISCF	Initiated	No	88	M8	40 East HERBERT Avenue	A	HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT
CF22-22668	06/28/2022 05:43:34	GRASS	Initiated	No	88	M8, EW6061, EW6062	77 West 1300 South	A	PARKING ACROSS THE STR.....SOME GRASS ON FIRE
<b>Count: 5</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY
CF22-	04/23/2022	PUBLIC	Initiated	No	87	LT2	50 South MAIN	B	CAFE RIO...3 YOM...ESCALATOR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
14085	13:51:32						Street		STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP ... APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
<b>Count: 18</b>									
<b>CAD Officer in Charge: Valente, Gianni</b>									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
<b>Count: 2</b>									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-23827	07/06/2022 15:04:38	ALARMF	Initiated	No	87	LT2	345 West NORTH TEMPLE Street	C	FIRE ALARM FOR BYU SL CENTER// SEC 801 240 9335... 1ST FLR JANITORS CLOSET EAST// TECH WORKING ON SYSTEM FALSE ALARM
CF22-22307	06/25/2022 08:57:44	MISCF	Initiated	No	87	M2, M7	625 North WARM SPRINGS Road	C	TRANSIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS
<b>Count: 2</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count: 1</b>									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-23434	07/03/2022 21:59:09	MISCF	Initiated	No	87	M1	680 South 300 East	A	MALE STARTING A FIRE IN THE PARK, SPARKS ARE GETTING IN THE GRASS... WILL BE TOWARDS THE BACK FENCE CLOSER TO PHILIPS PLAZA, RIGHT ACROSS FROM WHERE THE SLIDES ARE
CF22-23449	07/04/2022 00:11:33	STRUCT	Initiated	No	88	BC1, LT2, M1, M2, M8	111 East 300 South	A	BOTTOM LEVEL OF PARKING GARAGE ...RUBBER SMELLING SMOKE... SEEMS LIKE IT IS COMING FROM BASEMENT LEVEL OF PARKING GARAGE... NO FLAMES OR BLACK SMOKE...PS CAR PEELING OUT, BUT COMP THINKS IT IS A LOT OF SMOKE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-21645	06/20/2022 08:02:37	ALARMF	Initiated	No	87	M2	90 South 400 West	C	NO PROBLEM PER GATEWAY SEC
<b>Count:</b> 1									
<b>Count:</b> 147									

**Report Criteria**

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.