

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/13/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT... LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-	06/11/2022	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East	B	ATLANTIC REQUESTING REFUEL

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
20448	15:50:57						PERIMETER		STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-22646	06/27/2022 22:00:20	VEH	Initiated	No	84	FD155	4095 West 5415 South		AUTOZONE, TACOMA
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24302	07/09/2022 20:11:43	ASSAM	Initiated	No	85	GC591, LT8, M2	2700 South LAKE Street	A	CALLBK=(801)821-3548 COMP WAS HIT IN THE FACE WHILE HELPING SOMEONE MOVE... WAS BACKHANDED
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-24385	07/10/2022 11:18:25	ALARMF	Initiated	No	86	E10	720 South VALDEZ Drive		BUSN.. FIRST STEP VALOR HOUSE.. SMOKE ALARM ZONE 57.. DT/11:17
<b>Count: 25</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-24650	07/12/2022 14:25:02	ARESCU	Initiated	No	87	M8, LT8	1110 South 300 West	C	TARGET PARKING LOT...DOG LOCKED IN VEH...BLK CHEV SILVERADO CA/CD95S39...SOUTH SIDE OF ENTRANCE NEAR THE CVS PHARMACY SIDE...DOG HAS BEEN INSIDE FOR 10 MINS ... SEE RELATED CP#: SL22-131667
CF22-21569	06/19/2022 15:58:45	GRASS	Initiated	Yes	87	M8, BC1, FD120, EW6041, EW6042, M2	1100 South 5600 West	C	
<b>Count: 2</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-24628	07/12/2022 10:58:52	ALARMF	Initiated	No	87	M2	404 West 700 South	C	GENERAL FIRE ALARM..ZONE 32 BUSINESS: GRAINERY CANVAS; 801-349-8898 RP BRAD KNUDSEN: 385-212-0829
CF22-24670	07/12/2022 17:30:33	ALARMF	Initiated	No	87	M2	109 East SOUTH TEMPLE Street	C	EAGLE GATE APTS.....FIRE ALARM.....UPMA SEC 801-573-3231
CF22-24767	07/13/2022 11:49:14	COMM	Initiated	No	88	BC1, LT2, LT8, M1, M11, M2, M7, BC2, FD157, FD158	805 West EVERETT Avenue	C	UTAH METAL WORKS .. SEES SMOKES
CF22-24791	07/13/2022 15:56:19	FUEL	Initiated	No	88	H14, M2, E10	100 South STATE Street	C	AT THE CITY CREEK PARKING GARAGE ... GO TO 100 S STATE AND HEAD WBOUND// TAKE THAT ENTRANCE INTO PARKING GARAGE// COMP WILL DIRECT FROM THERE///... SOMEONE DRILLED HOLE IN FUEL TANK // GAS SPILLING// UNK HOW MUCH/THEY ARE PUTTING ABSORBANT DOWN...F150 TRUCK WITH FULL TANK LEAKINGL...
<b>Count: 4</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-24665	07/12/2022 16:40:13	ALARMF	Initiated	No	87	EQ9	256 South 5500 West	C	RC WILLEY.....FIRE ALARM.....ZONE 0 & ZONE 145 RISER 8-1 ISLE 152....801-596-6950
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	No	100	EQ9	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-22353	06/25/2022 15:09:55	GRASS	Initiated	No	88	M7, EW6061, EW6062	1200 West NORTH TEMPLE Street	C	BRUSH FIRE BY THE LIQUOR STORE IN THE EMPTY LOT GRASSG
CF22-24627	07/12/2022 10:50:10	GRASS	Initiated	No	88	EW6061, EW6062, M8, LT8	650 West 800 South	C	FIRE BACK UP AND GOING ON THE SIDE OF THE ROAD... IN BETWEEN FACILITY AND I15... NOT THREATENING A STRUCTURE... WILL BE AT GAT FOR FIRE TRUCK
<b>Count:</b> 2									
<b>CAD Officer in Charge: Bluth, Christopher</b>									
CF22-24315	07/09/2022 21:27:10	TRUCK	Officer reviewed	No	100	E13	1750 East I80E WB Freeway	A	CALLED UP AND SAID TRUCK WHEEL WAS ON FIRE BUT DISCON ON CB.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Buckmiller, Ronald</b>									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
<b>Count:</b> 1									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-23425	07/03/2022 21:15:28	MISCF	Initiated	No	88	M5	1675 South 600 East	A	ON THE SCHOOLS GRASS STARTED BY FIREWORKS..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-24619	07/12/2022 09:41:34	LGASLE	Initiated	No	88	BC1, E13, E4, H10, H14, LT5, M1	555 South FOOTHILL Drive	C	SMELL OF ELECTRICAL SMOKE 20 MIN AGO... NOW SMELLS LIKE GAS... EVAC IN PROGRESS.. NO FLAMES OR SMOKE... CAN SMELL ON 2 DIFFERENT LEVELS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-23375	07/03/2022 10:04:10	PUBLIC	Initiated	No	87	M1, LT5	1310 East 200 South	A	FEMALE STUCK ON 2ND FLOOR BALCONY OF JW CARPENTER MELDRUM HOUSE... SHE IS LOCKED OUT OF HER HOME..NO MNGMENT AVAILABLE.. SHE HAS NO CELL PHONE...COMP CALLING FOR HER
CF22-20871	06/14/2022 20:11:53	APT	Initiated	No	88	E4, M5, M8, BC1, LT8, M6, LT5	447 South BLAIR Street	A	FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR
<b>Count:</b> 2									
<b>CAD Officer in Charge: Davies, Adam</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-24455	07/11/2022 02:37:14	PIPE	Initiated	No	88	E10, LT5	720 South VALDEZ Drive	B	VALOR HOUSE... FLOODING IN ROOM 302 ON 3RD FLOOR ON D WING.. COMING FROM SHOWER.. REQ FIRE RESPOND, MAINT ENROUTE
CF22-23557	07/04/2022 19:12:12	ALARMF	Initiated	No	88	E10	720 South VALDEZ Drive	B	VALOR HOUSE.....SMOKE ZONE 67.... 801 582 0199...
CF22-23619	07/05/2022 03:42:42	ARESCU	Officer reviewed	No	100	E10	395 South 1500 East	B	DUCKLINGS STUCK IN THE STORM DRAIN ON THE EAST SIDE - SEC WILL REMAIN TO DIRECT
<b>Count:</b> 3									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-21930	06/22/2022 09:48:52	GRASS	Initiated	No	88	EQ14, EW6062, EW6061	5600 West 180W EB Freeway	B	PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARLIER TODAY..
<b>Count:</b> 1									
<b>CAD Officer in Charge: DeLeeuw, Brian</b>									
CF22-24055	07/08/2022 08:05:43	ALARMW	Initiated	No	87	LT8, M8	1773 South 300 West	C	COMM WATERFLOW ALARM... NW RISER ROOM...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dyer, Steven</b>									
CF22-22335	06/25/2022 12:56:10	PDASST	Initiated	No	88	M11	1100 North SATORI Circle	C	CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED CP#: AC22-9685 - FF
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-23523	07/04/2022 14:19:55	GRASS	Initiated	No	85	EW6061, EW6131, EW6132	2342 South 700 East	B	CALLBK=(801)695-0147 - GRASS FIRE NEAR THE ENTERANCE TO I-80 WB FROM SB 700 E
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Forbes, Kevin</b>									
CF22-24062	07/08/2022 09:02:21	ALARMF	Initiated	No	87	M11	560 North 2200 West	A	FIRE ALARM.. L3 BUILDING X.. GENERAL FIRE ALARM.. INSIDE # 801-594-2935.. 801-831-1558 SHAY TANNER
CF22-24091	07/08/2022 12:37:20	GRASS	Initiated	No	87	EQ9, EW6091, M11	2280 North ROSE PARK Lane	A	TO THE EAST AT THE GRAVEL PIT... BRUSH ON FIRE... BELOW HOUSES...
<b>Count:</b> 2									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	M3, M5, M8, UT10, E13, BC1, BC2, FD152, LT5	2228 South LAKE Street	B	
<b>Count:</b> 1									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 4									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-20557	06/12/2022 11:02:33	FUEL	Initiated	Yes	100	RD2, RD3	872 East PERIMETER	C	LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CANT CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-24787	07/13/2022 14:36:42	HIGH	Initiated	No	88	BC1, LT5, LT8, M1, M2, M5, M8	650 South 300 East	C	THE TOP OF THE BUILDING IS UNDER CONSTRUCTION ....AND THERE IS SMOKE ALL OVER THE ELEVATOR....POSS COMING DOWN FROM THE SHAFT...REQ FIRE DEPT TO CHECK
CF22-24762	07/13/2022 11:15:44	ALARMF	Initiated	No	87	M5	737 South 1300 East	C	ZONE 9 GENERAL...SARAH DAFT HOME...801 582 5104
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-24300	07/09/2022 20:03:29	GRASS	Initiated	No	100	EW6061, EW6062, EW6091, M8, BC2, FD155, EQ14, LT8, M11, M7	1421 South UTAHNA Drive	A	GRASS AND FENCE ON FIRE..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kajma, Eric</b>									
CF22-22311	06/25/2022 09:59:58	ALARMF	Initiated	No	88	EQ9	230 North ADMIRAL BYRD Road	C	FAIRFIELD ....ZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM...KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
<b>Count:</b> 2									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-23086	07/01/2022 09:02:38	ALARMF	Initiated	No	87	M11	560 North 2200 West	C	GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-23335	07/02/2022 23:10:48	DUMP	Initiated	No	88	E13	2738 South 2000 East	A	DASH MART.. DUMPSTER WAS ON FIRE, COMP THINKS ITS OUT BUT WANTS IT CHECKED OUT.. NO ONE SICK OR INJURED
<b>Count:</b> 2									
<b>CAD Officer in Charge: Key, Brett</b>									
CF22-24363	07/10/2022 07:05:55	REFUEL	Initiated	No	88	RD1, RD5	17 CONCOURSE B SL	A	OO 3311//E175
<b>Count:</b> 1									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE..ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ....SIERRA FORREST PRODUCTS...801 972 3377
<b>Count:</b> 2									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-24789	07/13/2022 15:08:34	MISCF	Initiated	No	100	EQ14	3600 West 500 South	C	TRANSIENT CAMP BURNING GARBAGE .. NORTH SIDE OF 500 S IN DIRT LOT ..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mackintosh, William</b>									
CF22-24492	07/11/2022 11:25:35	ALARMF	Initiated	No	88	M2, H14, HV5, H10	340 South MAIN Street	B	MELTING POT CO ALARM NO ONE SICK OR INJ
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL.....SEE CF22-20441
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-24750	07/13/2022 09:02:45	ALARMF	Initiated	No	87	M11	560 North 2200 West	C	GENERAL FIRE ALARM // BUSN L3 BLDG X... PREMISE # 801 594 2935
<b>Count:</b> 5									
<b>CAD Officer in Charge: Mellor, Ryan</b>									
CF22-19855	06/07/2022 00:42:31	TRUCK	Initiated	No	96	M2, LT2, M7, M11, BC1, BC2, FD154, FD158, M6, H14	47 North 800 Street West	C	BETWEEN NORTH AND SOUTH TEMPLE.....MOBILE HOME ON FIRE.....UNKN IF ANYONE IS INSIDE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-21965	06/22/2022 15:21:09	ALARMW	Initiated	No	87	EQ14	5995 West 300 South	B	COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
<b>Count:</b> 2									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-	05/23/2022	ALARMF	Initiated	No	87	M2	345 West	B	FIRE SMOKE ON 2ND FLR..NORTH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
18019	08:28:20						NORTH TEMPLE Street		HALL WEST....801 240 9058
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
<b>Count:</b> 4									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 3									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-24769	07/13/2022 11:58:18	MISCF	Initiated	No	88	E4	300 West 200 North	C	AP&P PUT OUT SMALL FIRE WITH FIRE EXTINGUISHER/ SMALL GRASS FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-	04/11/2021	PDASST	Initiated	No	88	LT8	1460 South	B	MALE BROKE INTO COMP'S ROOM, HIT

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
10548	09:48:49						STATE Street		HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-22917	06/29/2022 23:53:00	PIPE	Initiated	No	88	LT2	204 West 200 North	B	POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK
<b>Count: 5</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-24655	07/12/2022 15:31:39	ALARMF	Initiated	No	88	M1	866 East SOUTH TEMPLE Street	C	HAVEN BOND HOUSE.....FIRE ALARM.....ZONE 1 COMM FIRE.....RP TROY IRISH 801-580-1062
CF22-24746	07/13/2022 08:39:54	ALARMF	Initiated	No	88	M1	343 South 500 East	C	FIRE ALARM // BUSN ELEVATE ON 5TH // SMOKE FIRE ALARM // PREMISE 801-539-1500 //
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
CF22-24775	07/13/2022 12:36:31	ALARMF	Initiated	No	88	M1	426 South 500 East	C	COMM FIRE ALARM: 426 APT'S..ACTIVATION FROM FRNT ENTRY PULL STATION..NO PREMISE NUMBER..CONTACT JESS WEBB 801-270-1341
CF22-24790	07/13/2022 15:54:58	PUBLIC	Initiated	No	88	M1	225 South 300 East	C	HAVING ISSUES
CF22-24819	07/13/2022 19:11:52	ELEC	Initiated	No	88	M1	444 East 200 South	C	SW CORNER OF GALLERY LIGHTING STRCK TRANSFORMER
<b>Count: 6</b>									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-23486	07/04/2022 08:14:44	PUBLIC	Initiated	No	88	M3	2425 South 900 East	A	MALE WITH ZIP TIE AROUND NECK....UNABLE TO REMOVE....IS NOT RESTRICTING BREATHING OR SWALLOWING....STANDING OUTSIDE STATION 3....AT FRONT DOORS
<b>Count: 1</b>									
<b>CAD Officer in Charge: Schreiner, Jared</b>									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shepherd, Tyler</b>									
CF22-23780	07/06/2022 10:01:25	GRASS	Initiated	No	100	EW6091, EW6092, M11, BC2, EW6061, BC1, LT2, LT8, M1, M14, M3, M7, M2, E10, E13, E41, LT5, UT10, FD151, FD154, FD157, M5, WT9, FD120, EW6062	2 I215W SB TO U201 WB Freeway	C	215 SB TO WB 201... RH SIDE OF OFFRAMP// SIZE OF TENNIS COURT// COMP PASSERBY
CF22-24801	07/13/2022 17:15:33	SMOKE	Initiated	No	88	EQ14, BC2, EW6061, EW6062, BC1, EQ9, LT2, M2, M8, UT10, FD151, FD158	3550 West 500 South	C	SEES ONLY SMOKE EAST OF BANG SOUTH OF I-80....
<b>Count: 2</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-24597	07/12/2022 03:54:40	DUMP	Initiated	No	99	M5, M8	124 East 900 South	B	BEHIND THE PAPA JOHNS.....DUMPSTER ON FIRE.....NOT THREATENING



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
ANYTHING									
<b>Count:</b> 1									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-24263	07/09/2022 16:38:37	SHED	Initiated	No	94	BC1, E41, EW6061, EW6091, LT8, M3, M5, M8, BC41, UT10, BC2, FD155, FD193	2584 South PARK Street	A	SMOKE IN THE BACKYARD...PILE OF WOOD AND WOOD FENCE IS ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Steadman, Karl</b>									
CF22-22460	06/26/2022 12:14:37	APT	Initiated	No	86	M8, M5, M2, M1, LT8, LT5, BC1, BC2, E10, E4, LT2, M3, UT10, FD120, FD155	761 South 300 East	A	APT SMOKE AND FLAMES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
<b>Count:</b> 2									
<b>CAD Officer in Charge: Stevens, Michael</b>									
CF22-24816	07/13/2022 18:53:01	ALERT	Initiated	No	88	BC2, BLU24, GC560, M12, RD1, RD2, RD3, RD4, RD5, RD6	120 RUNWAY 16L34R[AT TW H4	C	TW H CARAVAN AIRCRAFT NO COMMUNICATION
<b>Count:</b> 1									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-24113	07/08/2022 15:12:32	REFUEL	Initiated	No	88	RD2, RD3	60 East PERIMETER	A	US MARSHALLS 737
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 2									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 1									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-22636	06/27/2022 19:54:24	MISCF	Initiated	No	88	M8	250 East 2100 South	A	FENCE ON FIRE
CF22-22645	06/27/2022 21:46:26	MISCF	Initiated	No	88	M8	40 East HERBERT Avenue	A	HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT
CF22-22668	06/28/2022 05:43:34	GRASS	Initiated	No	88	M8, EW6061, EW6062	77 West 1300 South	A	PARKING ACROSS THE STR.....SOME GRASS ON FIRE
<b>Count:</b> 4									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-	03/12/2022	PUBLIC	Initiated	No	87	LT2	250 West 600		SOMEONE STUCK IN THE ELEVATOR ...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
8886	17:43:58						South		2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE ..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
<b>Count:</b>	<b>18</b>								

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Valente, Gianni</b>									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
<b>Count: 2</b>									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-22307	06/25/2022 08:57:44	MISCF	Initiated	No	87	M2, M7	625 North WARM SPRINGS Road	C	TRANSIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS
CF22-24727	07/13/2022 06:25:39	PUBLIC	Initiated	No	88	LT2	75 South WEST TEMPLE Street	C	STUCK IN ELEVATOR BETWEEN 7TH AND 8TH FLOORS.. NO ONE SICK OR INJURED...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count: 1</b>									
<b>CAD Officer in Charge: Whitaker, Darrin</b>									
CF22-24309	07/09/2022 20:28:22	ARESCU	Initiated	No	88	M11	866 West SOUTH TEMPLE Street	A	2 PUPPIES STUCK IN TRUNK... WHI DENALI HD @77CD4/ SHERRIFFS PLATE ... SEE RELATED CP#: SL22-129732
<b>Count: 1</b>									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count: 1</b>									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count: 1</b>									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count: 1</b>									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-23449	07/04/2022 00:11:33	STRUCT	Initiated	No	88	BC1, LT2, M1, M2, M8	111 East 300 South	A	BOTTOM LEVEL OF PARKING GARAGE ...RUBBER SMELLING SMOKE... SEEMS LIKE IT IS COMING FROM BASEMENT LEVEL OF PARKING GARAGE... NO FLAMES OR BLACK SMOKE...PS CAR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									PEELING OUT, BUT COMP THINKS IT IS A LOT OF SMOKE
CF22-23434	07/03/2022 21:59:09	MISCF	Initiated	No	87	M1	680 South 300 East	A	MALE STARTING A FIRE IN THE PARK, SPARKS ARE GETTING IN THE GRASS... WILL BE TOWARDS THE BACK FENCE CLOSER TO PHILIPS PLAZA, RIGHT ACROSS FROM WHERE THE SLIDES ARE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Zwahlen, Jon</b>									
CF22-24059	07/08/2022 08:33:06	HYD	Initiated	No	87	M11	582 North RIVERSIDE Drive	A	HYDRANT HIT YESTERDAY...STILL LEAKING WATER/ALSO SEE SN 24013
CF22-24758	07/13/2022 10:55:46	APT	Initiated	No	87	BC1, E10, E13, LT2, LT8, M3, M8, LT5	2150 South MCCLELLAND Street	C	SUGARFLATS APTS ... 2ND FLR ODOR OF BURNING/ NO FLAMES OR SMOKE SEEN... EYES BURNING//
<b>Count:</b> 2									
<b>Count:</b> 155									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.