

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/18/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                | Address                      | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|------------------|---------|-------|--------------------------|------------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |                  |         |       |                          |                              |         |  |
| CF22-23578                           | 07/04/2022 22:17:40 | MISCF  | Initiated        | No      | 86    | EW6162                   | 250 South 600 West           |         |  |
| CF22-25407                           | 07/17/2022 21:28:09 | ACC    | Initiated        | No      | 87    | UT10                     | 1023 East 900 South          |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated        | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South          | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated        | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle    |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated        | No      | 85    | FD152                    | 8037 South ROYAL Lane        |         | FD152  |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated        | No      | 94    | M3                       | 1237 East BRICKYARD Road     | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated        | No      | 87    | SQ2                      | 307 East 600 South           |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated        | No      | 88    | M2                       | 50 South 500 West            | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated        | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road   |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE   |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated        | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street  | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF22-8910                            | 03/12/2022 22:10:44 | FUEL   | Initiated        | No      | 86    | RD2, RD4                 | 505 TAXIWAY K                |         | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431  |
| CF22-11714                           | 04/04/2022 19:05:16 | PUBLIC | Initiated        | No      | 87    | BC1                      | 211 South 500 East           | A       | TEST TEST TEST   |
| CF22-12397                           | 04/10/2022 00:57:11 | ABITE  | Initiated        | No      | 83    | E43, ME101               | 3663 South 300 West          |         | ... SEE RELATED CP#: LK22-11750 - FM   |
| CF22-15162                           | 05/01/2022 20:46:15 | ELEC   | Initiated        | No      | 86    | BC41, E41                | 700 East I80E EB Freeway     |         | APPX ADDR...POWER POLE ON FIRE..UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA  |
| CF22-16353                           | 05/11/2022 05:23:27 | AUTO   | Initiated        | No      | 84    | MA73                     | 2175 South REDWOOD Road      |         | IN FRONT OF THE MAVERIK  |
| CF22-16448                           | 05/11/2022 19:36:58 | PUBLIC | Officer reviewed | No      | 100   | M2                       | 400 South WEST TEMPLE Street | B       | MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST  |
| CF22-18025                           | 05/23/2022 09:24:39 | FUEL   | Initiated        | No      | 87    | BLU28                    | 765 North 2200 West          |         | FUEL SPILL ON BASE   |
| CF22-17626                           | 05/20/2022 06:39:25 | STROK  | Initiated        | No      | 84    | GC523                    | 1516 East HOLLYWOOD Avenue   |         | C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC-HAS HX OF STROKE  |
| CF22-19058                           | 05/31/2022 16:00:53 | PASST  | Initiated        | No      | 86    | FD157                    | 210 West 500 South           |         | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |

| Incident Number                                  | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                          | Address                        | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|------------------------------------|--------------------------------|---------|---|
| CF22-20448                                       | 06/11/2022 15:50:57 | REFUEL | Initiated        | No      | 88    | RD1, RD3, RD4                      | 58 East PERIMETER              | B       | ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF  |
| CF22-22756                                       | 06/28/2022 19:25:53 | SEIZ   | Initiated        | No      | 84    | GC593                              | 1665 South RIVERSIDE Drive     |         | COMPS FRIEND HAD A SEIZURE  |
| CF22-23787                                       | 07/06/2022 10:18:25 | SMOKE  | Initiated        | No      | 86    | E75                                | 1172 South SWANER Road         |         | COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...   |
| CF22-24384                                       | 07/10/2022 11:13:24 | ARESCU | Initiated        | No      | 86    | LT8, M8                            | 500 South MAIN Street          |         | DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042 |
| CF22-25340                                       | 07/17/2022 12:43:50 | REFUEL | Initiated        | No      | 87    | RD2, RD4                           | 50 East PERIMETER SPOT 3 ROW 2 | B       | TAC AIR LEERJET 45  |
| <b>Count: 24</b>                                 |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Archuleta, Adam</b>    |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-21569                                       | 06/19/2022 15:58:45 | GRASS  | Initiated        | Yes     | 87    | M8, BC1, FD120, EW6041, EW6042, M2 | 1100 South 5600 West           | C       |   |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Baum, Darren</b>       |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-25508                                       | 07/18/2022 14:35:25 | ALARMF | Initiated        | No      | 88    | EQ9                                | 575 North JOHN GLENN Road      | C       | FIRE ALARM SMOEK DETECT EASTON ARCHERY FOUNDATION 801801-523-5232   |
| CF22-21447                                       | 06/18/2022 19:33:05 | LINE   | Initiated        | Yes     | 100   | EQ9                                | 1041 North CATHERINE Street    | C       | LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...  |
| <b>Count: 2</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Bills, Jared</b>       |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-22353                                       | 06/25/2022 15:09:55 | GRASS  | Initiated        | No      | 88    | M7, EW6061, EW6062                 | 1200 West NORTH TEMPLE Street  | C       | BRUSH FIRE BY THE LIQUOR STORE IN THE EMPTY LOT GRASSG  |
| CF22-25488                                       | 07/18/2022 12:25:30 | ALARMF | Initiated        | No      | 100   | M6                                 | 1388 West ANDREW Avenue        | C       | GLENDALE MIDDLE SCHOOL...FIRE ALARM GOING OFF FOR AWHILE  |
| CF22-24627                                       | 07/12/2022 10:50:10 | GRASS  | Initiated        | No      | 88    | EW6061, EW6062, M8, LT8            | 650 West 800 South             | C       | FIRE BACK UP AND GOING ON THE SIDE OF THE ROAD... IN BETWEEN FACILITY AND I15... NOT THREATENING A STRUCTURE... WILL BE AT GAT FOR FIRE TRUCK   |
| <b>Count: 3</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Bluth, Christopher</b> |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-24315                                       | 07/09/2022 21:27:10 | TRUCK  | Officer reviewed | No      | 100   | E13                                | 1750 East I80E WB Freeway      | A       | CALLED UP AND SAID TRUCK WHEEL WAS ON FIRE BUT DISCON ON CB.  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Buckmiller, Ronald</b> |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-21320                                       | 06/17/2022 21:25:07 | REFUEL | Initiated        | No      | 88    | RD4, RD2                           | 60 East PERIMETER              | B       | B6 A320 N523JB  |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |
| <b>CAD Officer in Charge: Burton, Anthony</b>    |                     |        |                  |         |       |                                    |                                |         |   |
| CF22-25161                                       | 07/16/2022 07:31:33 | ALARMF | Initiated        | No      | 87    | M5                                 | 577 South CHIPETA Way          | A       | FIRE ALARM ZONE 8 PREMISE AUDIBLE ACTIVIS.. #801-588-6600   |
| <b>Count: 1</b>                                  |                     |        |                  |         |       |                                    |                                |         |   |

| Incident Number                               | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                    | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|---|----------------------------|---------|--|
| <b>CAD Officer in Charge: Carter, Gary</b>    |                     |        |               |         |       |   |                            |         |  |
| CF22-25151                                    | 07/16/2022 05:51:56 | COMM   | Initiated     | No      | 88    | M2, LT2, M7, M8, UT10, H10, M11, BC1, BC2, FD155, LT8, EQ9, EQ14, UFA196, M6, LT5 | 1115 South PIONEER Road    | A       | SMOKE COMING FROM THE TOP OF A BUILDING.. NO FLAMES ... BLACK SMOKE .. DIRECTORS ROW/PIONEER BLVD ... DLAN   |
| CF20-14622                                    | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156   | 475 South 300 East         |         |  |
| <b>Count: 2</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Coles, Clay</b>     |                     |        |               |         |       |   |                            |         |  |
| CF20-29532                                    | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092  | 10914 West I80W EB Freeway |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE  |
| <b>Count: 1</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Comer, Peter</b>    |                     |        |               |         |       |   |                            |         |  |
| CF21-22812                                    | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12   | 1174 West 600 North        | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, .. ... SEE RELATED CP#: SL21-127090 - FD  |
| <b>Count: 1</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Crandall, Steve</b> |                     |        |               |         |       |   |                            |         |  |
| CF22-20871                                    | 06/14/2022 20:11:53 | APT    | Initiated     | No      | 88    | E4, M5, M8, BC1, LT8, M6, LT5   | 447 South BLAIR Street     | A       | FIRE ALARM...NEG SMOKE/FLAMES...DOES SMELL SMOKE ON 2ND FLOOR, FLOOR   |
| CF22-23375                                    | 07/03/2022 10:04:10 | PUBLIC | Initiated     | No      | 87    | M1, LT5   | 1310 East 200 South        | A       | FEMALE STUCK ON 2ND FLOOR BALCONY OF JW CARPENTER MELDRUM HOUSE... SHE IS LOCKED OUT OF HER HOME..NO MNGMENT AVAILABLE.. SHE HAS NO CELL PHONE..COMP CALLING FOR HER |
| <b>Count: 2</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Davis, Jayde</b>    |                     |        |               |         |       |   |                            |         |  |
| CF22-25492                                    | 07/18/2022 12:44:41 | ALARMF | Initiated     | No      | 88    | M8  | 47 East KENSINGTON Avenue  | C       | GENERAL FIRE..HYDRANT INC...801 674 2189   |
| CF22-25505                                    | 07/18/2022 14:02:34 | ALARMF | Initiated     | No      | 87    | M8  | 1966 South 200 East        | C       | GENERAL FIRE...801 263 4011 801 284 4435   |
| CF22-25461                                    | 07/18/2022 09:09:23 | ALARMF | Initiated     | No      | 88    | M8  | 1078 South 300 East        | C       | COMP WALKING BY AND CAN HEAR A FIRE ALARM GOING OFF AT LOC... LIBERTY ELEMENTARY LEARNING AND CLINIC NO SMOKE OR FIRE  |
| <b>Count: 3</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Davy, Matthew</b>   |                     |        |               |         |       |   |                            |         |  |
| CF22-21930                                    | 06/22/2022 09:48:52 | GRASS  | Initiated     | No      | 88    | EQ14, EW6062, EW6061  | 5600 West I80W EB Freeway  | B       | PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARILER TODAY..                |
| <b>Count: 1</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Dyer, Steven</b>    |                     |        |               |         |       |   |                            |         |  |
| CF22-22335                                    | 06/25/2022 12:56:10 | PDASST | Initiated     | No      | 88    | M11   | 1100 North SATORI Circle   | C       | CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED CP#: AC22-9685 - FF   |
| <b>Count: 1</b>                               |                     |        |               |         |       |   |                            |         |  |
| <b>CAD Officer in Charge: Elton, Richard</b>  |                     |        |               |         |       |   |                            |         |  |
| CF22-   | 07/04/2022          | GRASS  | Initiated     | No      | 85    | EW6061, EW6131,   | 2342 South 700             | B       | CALLBK=(801)695-0147 - GRASS   |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus   | Address                         | Platoon | CAD Narrative  |
|--|---------------------|--------|------------------|---------|-------|---|---------------------------------|---------|--|
| 23523  | 14:19:55            |        |                  |         |       | EW6132  | East                            |         | FIRE NEAR THE ENTERANCE TO I-80 WB FROM SB 700 E   |
| CF22-25481                                     | 07/18/2022 11:49:47 | PIPE   | Initiated        | No      | 88    | LT5   | 1615 South FOOTHILL Drive       | C       | LAMP LIGHTER SQUIRE.. BROKE INTO FOOTHILL FITNESS, BLUE BISTRO.. THEY TOOK COPPER PIPES.. SUSPS ARE STILL ON SCENE.. SUSP ARE TWO TRANSIENTS... WFA/BLOND.. BMA/BLK SHIRT. HAVE A DOG WITH THEM.. THEY ARE AT THE MISTER CAR WASH ... SEE RELATED CP#: SL22-135881 |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |                  |         |       |   |                                 |         |  |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Officer reviewed | No      | 100   | M12   | 500 EMPLOYEE LOT[STOP 4         | A       | GARBAGE CAN ON FIRE  |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |                  |         |       |   |                                 |         |  |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated        | No      | 88    | SQ2   | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: George, Brady</b>    |                     |        |                  |         |       |   |                                 |         |  |
| CF22-12763                                     | 04/12/2022 19:46:48 | HOUSE  | Initiated        | Yes     | 98    | FD152, BC2, BC1, E13, UT10, M8, M5, M3, LT5   | 2228 South LAKE Street          | B       |  |
| CF22-25363                                     | 07/17/2022 16:52:14 | WILD   | Initiated        | No      | 86    | EW6061, LT8, EW6132, E6111, EW6041, EW6131, EQ14, EW6062, EW6091, EW6042, M6, EW6092, M5, M7, M8, UT10, M11, BC1, BC2, FD115, FD120, FD151, FD153 | 7200 West I80W EB Freeway       | B       |  |
| <b>Count:</b><br>2                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |                  |         |       |   |                                 |         |  |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated        | No      | 86    | M7  | 300 North 700 West              | B       | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...   |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated        | No      | 88    | M7  | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE  |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated        | No      | 86    | M7, FD155   | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA   |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated        | No      | 87    | H14   | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS   |
| <b>Count:</b><br>4                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Harp, Michael</b>    |                     |        |                  |         |       |   |                                 |         |  |
| CF22-20557                                     | 06/12/2022 11:02:33 | FUEL   | Initiated        | Yes     | 100   | RD2, RD3  | 872 East PERIMETER              | C       | LARGE GUEL SPILL AT OLD ATLANTIC NORTH OF SPOT 33. ACTIVELY LEAKING OUT OF RIGHT WING FUEL VENT. NOTHING IN THE DRAINS. APPROX 2 GALLONS OF JET-A.   |
| <b>Count:</b><br>1                             |                     |        |                  |         |       |   |                                 |         |  |
| <b>CAD Officer in Charge: Henthorne, David</b> |                     |        |                  |         |       |   |                                 |         |  |

| Incident Number                                    | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                  | Address                      | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|----------------------------|------------------------------|---------|---|
| CF22-9449  | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191                      | 1300 South 700 East          |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD   |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Hill, John</b>           |                     |        |               |         |       |                            |                              |         |   |
| CF22-24052   | 07/08/2022 07:08:08 | GRASS  | Initiated     | No      | 87    | EW6131, EW6132             | 1229 East WILMINGTON Avenue  |         | LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING   |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Jepperson, Chad</b>      |                     |        |               |         |       |                            |                              |         |   |
| CF22-24936   | 07/14/2022 15:35:10 | LGASLE | Initiated     | No      | 88    | BC2, EQ9, H10, H14, M2, M6 | 1768 West NORTHSTAR Drive    | A       | GAS LEAK FROM A GAS LINE.....CAN HEAR IT AND SMELL IT   |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Jorgensen, Brandon</b>   |                     |        |               |         |       |                            |                              |         |   |
| CF22-25386   | 07/17/2022 19:08:08 | FUEL   | Initiated     | No      | 88    | M11                        | 6338 West 700 North          | B       | AMAZON...EMPLOYEE SHOWED UP WITH GAS TANK LEAKING... TANK HAD BEEN FULL... NOT LEAKING ANY MORE, UNK SIZE OF TANK, IS AN OLDER ACURA SUV... AT THE FRONT OF THE BLDG, ON ARRIVAL, SHOULD BE ON THE RIGHT SIDE OF THE BLDG. NOTHING ON FIRE. LEAK IS VISIBLE THROUGHOUT PARKING LOT. |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Kajma, Eric</b>          |                     |        |               |         |       |                            |                              |         |   |
| CF22-19880   | 06/07/2022 07:21:24 | ALARMF | Initiated     | No      | 88    | EQ9                        | 5825 West HAROLD GATTY Drive | C       | GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377   |
| CF22-22311   | 06/25/2022 09:59:58 | ALARMF | Initiated     | No      | 88    | EQ9                        | 230 North ADMIRAL BYRD Road  | C       | FAIRFIELD ....ZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331   |
| <b>Count:</b><br>2                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Kartson, Constantine</b> |                     |        |               |         |       |                            |                              |         |   |
| CF22-23335   | 07/02/2022 23:10:48 | DUMP   | Initiated     | No      | 88    | E13                        | 2738 South 2000 East         | A       | DASH MART.. DUMPSTER WAS ON FIRE, COMP THINKS ITS OUT BUT WANTS IT CHECKED OUT.. NO ONE SICK OR INJURED   |
| CF22-23086   | 07/01/2022 09:02:38 | ALARMF | Initiated     | No      | 87    | M11                        | 560 North 2200 West          | C       | GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935  |
| <b>Count:</b><br>2                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Key, Brett</b>           |                     |        |               |         |       |                            |                              |         |   |
| CF22-24363   | 07/10/2022 07:05:55 | REFUEL | Initiated     | No      | 88    | RD1, RD5                   | 17 CONOURSE B SL             | A       | OO 3311//E175   |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>      |                     |        |               |         |       |                            |                              |         |   |
| CF22-24903   | 07/14/2022 12:01:46 | ALARMF | Initiated     | No      | 88    | M1                         | 169 East 200 South           | A       | FIRE ALARM GENERAL STRATFORD HOTEL.. ZONE 137.. RP LORRAINE 801-301-6888  |
| <b>Count:</b><br>1                                 |                     |        |               |         |       |                            |                              |         |   |
| <b>CAD Officer in Charge: Koetitz, Paul</b>        |                     |        |               |         |       |                            |                              |         |   |
| CF22-19895   | 06/07/2022 10:01:18 | ALARMF | Initiated     | No      | 88    | EQ9                        | 5650 West 610 South          | C       | GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335   |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                            | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--------------------------------------|------------------------------|---------|--|
| CF22-19948                                      | 06/07/2022 17:54:29 | ALARMF | Initiated     | No      | 88    | EQ9                                  | 5825 West HAROLD GATTY Drive | C       | COMMERCIAL ALARM..KEYPAD 13 ...SIERRA FORREST PRODUCTS...801 972 3377  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Krohn, William</b>    |                     |        |               |         |       |                                      |                              |         |  |
| CF22-24789                                      | 07/13/2022 15:08:34 | MISCF  | Initiated     | No      | 100   | EQ14                                 | 3600 West 500 South          | C       | TRANSIENT CAMP BURNING GARBAGE .. NORTH SIDE OF 500 S IN DIRT LOT ..   |
| CF22-25487                                      | 07/18/2022 12:19:55 | MISCF  | Initiated     | No      | 88    | EQ14                                 | 3534 West 500 South          | C       | PC ... SEE RELATED CP#: SL22-135930  |
| <b>Count: 2</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Maddux, John</b>      |                     |        |               |         |       |                                      |                              |         |  |
| CF22-20472                                      | 06/11/2022 19:18:27 | PUBLIC | Initiated     | No      | 87    | HV5                                  | 301 South WAKARA Way         |         | FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH  |
| CF22-20473                                      | 06/11/2022 19:19:29 | PUBLIC | Initiated     | No      | 87    | HV5                                  | 595 North PERRYS HOLLOW Road |         | DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL...SEE CF22-20441  |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated     | No      | 86    | M5, LT5                              | 600 East 900 South           |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646   |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated     | No      | 87    | LT5                                  | 1086 South 800 East          |         |  |
| <b>Count: 4</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Menlove, Gary</b>     |                     |        |               |         |       |                                      |                              |         |  |
| CF22-21965                                      | 06/22/2022 15:21:09 | ALARMW | Initiated     | No      | 87    | EQ14                                 | 5995 West 300 South          | B       | COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM  |
| CF22-24370                                      | 07/10/2022 08:52:25 | ALARMF | Initiated     | No      | 86    | M1, M5                               | 660 South 300 East           |         | GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202   |
| <b>Count: 2</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Meyer, Bryon</b>      |                     |        |               |         |       |                                      |                              |         |  |
| CF22-18019                                      | 05/23/2022 08:28:20 | ALARMF | Initiated     | No      | 87    | M2                                   | 345 West NORTH TEMPLE Street | B       | FIRE SMOKE ON 2ND FLR..NORTH HALL WEST...801 240 9058  |
| <b>Count: 1</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |               |         |       |                                      |                              |         |  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                                | 120 South STATE Street       |         |  |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154                                | 1246 East BONNER Way         |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154                                | 1330 East IRA HODGES         |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF22-24038                                      | 07/08/2022 01:38:58 | PUBLIC | Initiated     | No      | 85    | FD154                                | 95 West 7065 South           |         | HOUSE FIRE FOR FD154   |
| <b>Count: 4</b>                                 |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |               |         |       |                                      |                              |         |  |
| CF22-25336                                      | 07/17/2022 12:09:52 | APT    | Initiated     | No      | 94    | M2, M5, BC1, FD153, LT8, M6, LT5, M1 | 999 South MAIN Street        | B       |  |
| CF22-9661                                       | 03/18/2022 21:55:39 | MISCF  | Initiated     | No      | 100   | FD153, LT8                           | 176 West 600 South           | B       | MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE |

| Incident Number                              | Incident Date Time  | Code   | Record Status            | Locked? | Score | Apparatus                              | Address                       | Platoon | CAD Narrative  |
|--|---------------------|--------|--------------------------|---------|-------|--|-------------------------------|---------|--|
|  |                     |        |                          |         |       |  |                               |         | RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL  |
| CF22-4411                                    | 02/04/2022 16:46:39 | COMM   | Initiated                | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South             | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...           |
| CF22-5910                                    | 02/17/2022 01:18:24 | HOUSE  | Ready for Officer review | No      | 100   | BC1, FD153, M8, M5, LT8, M6            | 1535 South WEST TEMPLE Street | B       | ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..   |
| <b>Count:</b><br>4                           |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Nelson, Todd</b>   |                     |        |                          |         |       |  |                               |         |  |
| CF22-22931                                   | 06/30/2022 06:34:43 | FUEL   | Initiated                | No      | 88    | RD2, M11, RD4                          | 303 North 2370 W[SPOT 2 9     | B       | HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239   |
| <b>Count:</b><br>1                           |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Parks, Paul</b>    |                     |        |                          |         |       |  |                               |         |  |
| CF22-12711                                   | 04/12/2022 12:09:11 | ACC    | Initiated                | No      | 86    | SQ6                                    | 223 West FAYETTE Avenue       |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI   |
| <b>Count:</b><br>1                           |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Perkins, Gary</b>  |                     |        |                          |         |       |  |                               |         |  |
| CF21-13024                                   | 05/03/2021 12:24:54 | PUBLIC | Initiated                | No      | 86    | SQ1                                    | 131 East 700 South            |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,   |
| <b>Count:</b><br>1                           |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Reilly, Daniel</b> |                     |        |                          |         |       |  |                               |         |  |
| CF21-10548                                   | 04/11/2021 09:48:49 | PDASST | Initiated                | No      | 88    | LT8                                    | 1460 South STATE Street       | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF                               |
| CF21-11158                                   | 04/16/2021 12:43:25 | PDASST | Initiated                | No      | 84    | GC589                                  | 1364 West GLENROSE Drive      |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-30271                                   | 09/18/2020 17:47:16 | 65A03  | Initiated                | No      | 86    | EW6141, EW6142, M14                    | 1560 West 3900 South          | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL  |
| CF20-23950                                   | 07/29/2020 14:30:19 | 65A03  | Initiated                | No      | 88    | E13                                    | 6650 East I80E WB Freeway     | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2  |
| CF22-22917                                   | 06/29/2022 23:53:00 | PIPE   | Initiated                | No      | 88    | LT2                                    | 204 West 200 North            | B       | POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK   |
| CF22-25384                                   | 07/17/2022 18:38:33 | PUBLIC | Initiated                | No      | 87    | LT2                                    | 764 South 800 East            | B       | WATER IS LEAKING INTO APT FROM AC UNIT CANNOT GET AHOLD OF MAINTANCE   |
| <b>Count:</b><br>6                           |                     |        |                          |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Rock, Nathan</b>   |                     |        |                          |         |       |  |                               |         |  |
| CF22-25465                                   | 07/18/2022 09:36:17 | ALARMF | Initiated                | No      | 88    | M1                                     | 35 East 100 South             | C       | THE REGENT AT CITY CREEK - SMOKE ALARM - ZONE 1  |
| CF22-25469                                   | 07/18/2022 10:15:16 | ALARMF | Initiated                | No      | 88    | M1                                     | 169 East 200 South            | C       | GENERAL FIRE ALARM...ZONE 234...LORAIN RUIZ 801 301 6888   |
| CF22-12186                                   | 04/08/2022 16:10:57 | PUBLIC | Initiated                | Yes     | 100   | M1                                     | 1035 East 300 South           | C       | MALE FELL  |
| <b>Count:</b><br>3                           |                     |        |                          |         |       |  |                               |         |  |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus              | Address                             | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|------------------------|-------------------------------------|---------|---|
| <b>CAD Officer in Charge: Schreiner, Jared</b> |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-20525                                     | 06/12/2022 02:28:30 | TRUCK  | Initiated        | No      | 93    | EQ9, H14, FD152, FD153 | 5209 West 700 South                 | B       | MOTORHOME ON FIRE IN ROAD   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Shafer, Curtis</b>   |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-25516                                     | 07/18/2022 16:11:24 | ALARMF | Initiated        | No      | 88    | M7                     | 837 West NORTH TEMPLE Street        | C       | FIRE ALARM AT GREEN PRINT TEMPLE EAST... 801 635 8669 INSIDE NUMBER... FIRE/SMOKE ALARM, NO SPECIFIC ZONE LISTED  |
| <b>Count: 1</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Sharp, Dallas</b>    |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-25205                                     | 07/16/2022 14:23:19 | ALARMW | Initiated        | No      | 88    | M2, LT2                | 336 West 300 South                  | B       | WATERFLOW ALARM..BUSINESS UFFENS MARKET PLACE HOA..208-880-7517 RP CHARLES BLACKWOOD : 385-441-0182   |
| CF22-25227                                     | 07/16/2022 17:06:25 | ALARMF | Initiated        | No      | 88    | M2                     | 336 West 300 South                  | B       | COMM FIRE ALARM.. UFFENS MARKET PLACE HOA.. RP CHARLES BLACKWOOD 385-441-0182   |
| <b>Count: 2</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Shumway, Brandon</b> |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-25283                                     | 07/17/2022 00:54:20 | GRASS  | Initiated        | No      | 88    | M2, EW6061, EW6062     | 400 South WEST TEMPLE Street        | B       | WEST SIDE OF ADDR.... FIELD ON FIRE.... SIZE OF A TENNIS COURT...   |
| CF22-24597                                     | 07/12/2022 03:54:40 | DUMP   | Initiated        | No      | 99    | M5, M8                 | 124 East 900 South                  | B       | BEHIND THE PAPA JOHNS.....DUMPSTER ON FIRE.....NOT THREATENING ANYTHING   |
| <b>Count: 2</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Stevens, John</b>    |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-21969                                     | 06/22/2022 15:50:22 | PUBLIC | Initiated        | No      | 86    | SQ1                    | 1280 East STRINGHAM Avenue          |         | GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1 |
| CF22-23791                                     | 07/06/2022 10:37:21 | SMOKE  | Initiated        | No      | 86    | SQ1                    | 500 South 200 East                  |         | COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON  |
| <b>Count: 2</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Stevens, Michael</b> |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-25432                                     | 07/18/2022 02:45:11 | APFA   | Initiated        | No      | 87    | RD1, M12               | 18 CONCOURSE A SL[LVL1 DL BAG AREA] | B       | ALARM GOING OFF IN THE AREA   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Stringam, Reed</b>   |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-3584                                      | 01/29/2022 17:26:29 | MISCF  | Officer reviewed | No      | 100   | ET1                    | 575 North JOHN GLENN Road           | A       | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,   |
| <b>Count: 1</b>                                |                     |        |                  |         |       |                        |                                     |         |   |
| <b>CAD Officer in Charge: Taylor, Matthew</b>  |                     |        |                  |         |       |                        |                                     |         |   |
| CF22-8895                                      | 03/12/2022 18:48:19 | PUBLIC | Initiated        | No      | 87    | E13                    | 2695 South 900 East                 |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/  |
| <b>Count: 1</b>                                |                     |        |                  |         |       |                        |                                     |         |   |



| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                     | Address                      | Platoon | CAD Narrative  |
|---|---------------------|--------|------------------|---------|-------|-------------------------------|------------------------------|---------|--|
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |                  |         |       |                               |                              |         |  |
| CF22-22636  | 06/27/2022 19:54:24 | MISCF  | Initiated        | No      | 88    | M8                            | 250 East 2100 South          | A       | FENCE ON FIRE  |
| CF22-22645  | 06/27/2022 21:46:26 | MISCF  | Initiated        | No      | 88    | M8                            | 40 East HERBERT Avenue       | A       | HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT  |
| CF22-22668  | 06/28/2022 05:43:34 | GRASS  | Initiated        | No      | 88    | M8, EW6061, EW6062            | 77 West 1300 South           | A       | PARKING ACROSS THE STR.....SOME GRASS ON FIRE  |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated        | No      | 87    | M5, M8                        | 10758 South REDWOOD Road     | A       | GOING TO STATION 61  |
| <b>Count:<br/>4</b>                               |                     |        |                  |         |       |                               |                              |         |  |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |                  |         |       |                               |                              |         |  |
| CF22-8886   | 03/12/2022 17:43:58 | PUBLIC | Initiated        | No      | 87    | LT2                           | 250 West 600 South           |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER  |
| CF22-14079  | 04/23/2022 13:23:13 | PUBLIC | Initiated        | No      | 88    | LT2                           | 45 West SOUTH TEMPLE Street  | B       | STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY |
| CF22-14085  | 04/23/2022 13:51:32 | PUBLIC | Initiated        | No      | 87    | LT2                           | 50 South MAIN Street         | B       | CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE  |
| CF22-14138  | 04/23/2022 22:06:31 | PUBLIC | Initiated        | No      | 88    | LT2                           | 411 East SOUTH TEMPLE Street | B       | PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED   |
| CF22-11273  | 04/01/2022 06:52:06 | COMM   | Initiated        | No      | 84    | BC1, M8, M7, LT2, M2, LT8, M1 | 224 West 600 South           | B       | STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D   |
| CF22-18034  | 05/23/2022 10:28:29 | ALARMF | Initiated        | No      | 87    | M2                            | 169 East 200 South           | B       | GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ  |
| CF22-18036  | 05/23/2022 10:54:55 | FUEL   | Initiated        | No      | 88    | M2, LT2, H10                  | 241 North 300 West           | B       | BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR   |
| CF22-18046  | 05/23/2022 11:49:36 | ALARMF | Officer reviewed | No      | 100   | M2                            | 185 North WEST TEMPLE Street | B       | FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231  |
| CF22-18106  | 05/23/2022 20:19:15 | ALARMF | Initiated        | No      | 90    | M2                            | 230 West 500 South           | B       | GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466  |
| CF22-18161  | 05/24/2022 10:16:17 | ALARMF | Initiated        | No      | 87    | M2                            | 353 West 200 South           | B       | COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076   |
| CF22-18165  | 05/24/2022 10:50:47 | ALARMF | Initiated        | Yes     | 99    | M2, M5                        | 350 South 200 East           | B       | GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080  |
| CF22-17243  | 05/17/2022 10:20:47 | ALARMF | Officer reviewed | No      | 100   | M2                            | 320 South 200 West           | B       | PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO  |
| CF22-17292  | 05/17/2022 16:27:16 | PUBLIC | Officer reviewed | No      | 100   | M2                            | 350 North MAIN Street        | B       | M2   |
| CF22-16377  | 05/11/2022 10:14:36 | COMM   | Initiated        | No      | 88    | LT5, M1, M2, LT2, M3, M5      | 964 South 3800 West          | B       | RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER   |
| CF22-   | 05/06/2022          | SMOKE  | Initiated        | No      | 88    | M2                            | 750 North                    | B       | CAN SEE SMOKE ON THE   |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                             | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|-------------------------------------|---------|---|
| 15710  | 08:56:51            |        |               |         |       |  | VICTORY Road                        |         | HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID   |
| CF22-15730                                     | 05/06/2022 11:38:31 | COMM   | Initiated     | No      | 86    | M2, M3, E4, M5, M8, E10, BC1, LT8, LT5 | 220 South 200 East                  | B       | FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM  |
| CF22-15772                                     | 05/06/2022 18:06:47 | ALARMF | Initiated     | No      | 88    | M2                                     | 524 North MAIN Street               | B       | FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.  |
| CF22-15773                                     | 05/06/2022 18:34:03 | ARESCU | Initiated     | No      | 87    | M2, LT2                                | 48 West MARKET Street               | B       | 4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259 |
| <b>Count:</b><br>18                            |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Valente, Gianni</b>  |                     |        |               |         |       |  |                                     |         |   |
| CF22-23374                                     | 07/03/2022 10:05:57 | LINE   | Initiated     | No      | 88    | M2                                     | North VICTORY RD / N BECK Street    | A       | EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS  |
| CF22-23441                                     | 07/03/2022 23:19:23 | MISCF  | Initiated     | No      | 88    | M2                                     | 241 North 300 West                  | A       | 3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497   |
| <b>Count:</b><br>2                             |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Vaughn, Jeffrey</b>  |                     |        |               |         |       |  |                                     |         |   |
| CF22-22307                                     | 06/25/2022 08:57:44 | MISCF  | Initiated     | No      | 87    | M2, M7                                 | 625 North WARM SPRINGS Road         | C       | TRANISIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Visser, Otto</b>     |                     |        |               |         |       |  |                                     |         |   |
| CF20-25507                                     | 08/11/2020 18:49:47 | ACC    | Initiated     | No      | 85    | FD164                                  | 475 South 300 East                  |         | OTTO VISSOR VS LANDSCAPE VEH  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Wardell, Kip</b>     |                     |        |               |         |       |  |                                     |         |   |
| CF22-23269                                     | 07/02/2022 14:26:16 | PUBLIC | Initiated     | No      | 85    | SQ1                                    | 55 South MAIN Street                |         | COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Whitney, Russell</b> |                     |        |               |         |       |  |                                     |         |   |
| CF22-21164                                     | 06/16/2022 21:44:55 | PDASST | Initiated     | No      | 86    | FD152, FD153                           | 1750 East MURRAY HOLLADAY Road East |         | THREE STORIES...IN BEDROOM IN APT LISTED  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |   |
| <b>CAD Officer in Charge: Winkler, Scott</b>   |                     |        |               |         |       |  |                                     |         |   |
| CF22-19507                                     | 06/03/2022 23:04:34 | PDASST | Initiated     | No      | 87    | EW6041                                 | 64 East 300 North                   |         | JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                     |         |   |

| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                            | Address                      | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|--------------------------------------|------------------------------|---------|--|
| <b>CAD Officer in Charge: Workman, Michael</b>   |                     |        |               |         |       |                                      |                              |         |  |
| CF22-24907                                       | 07/14/2022 12:09:29 | VEH    | Initiated     | No      | 88    | EQ14                                 | 2595 West CUSTER Road        | A       | CAR ON FIRE...WHITE JEEP ON STREET ON FIRE....   |
| <b>Count: 1</b>                                  |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |                                      |                              |         |  |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159                                | 7673 South HIGHLAND Drive    |         | STRUCTURE FIRE UFA   |
| <b>Count: 1</b>                                  |                     |        |               |         |       |                                      |                              |         |  |
| <b>CAD Officer in Charge: Zwahlen, Jon</b>       |                     |        |               |         |       |                                      |                              |         |  |
| CF22-24758                                       | 07/13/2022 10:55:46 | APT    | Initiated     | No      | 87    | BC1, E10, E13, LT2, LT8, M3, M8, LT5 | 2150 South MCCLELLAND Street | C       | SUGARFLATS APTS ... 2ND FLR ODOR OF BURNING/ NO FLAMES OR SMOKE SEEN... EYES BURNING// |
| <b>Count: 1</b>                                  |                     |        |               |         |       |                                      |                              |         |  |
| <b>Count: 139</b>                                |                     |        |               |         |       |                                      |                              |         |  |

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).