

NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/22/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC-HAS HX OF STROKE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									SEE RELATED CP#: SL22-102338 - FD
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-26041	07/22/2022 12:55:06	ALERT	Initiated	No	100	BC2, RD1, RD2, RD3, RD4, RD6, M12, BLU24	560 RUNWAY 1735	B	RW 17 EXEC JET 502 20 MILE FINAL RIGHT ENGINE SHUT DOWN ... SEE RELATED CP#: AP22-22686
CF22-26071	07/22/2022 16:41:59	REFUEL	Initiated	No	87	RD2	60 East PERIMETER	B	***THIS IS A TEST****
CF22-26072	07/22/2022 16:44:29	REFUEL	Initiated	No	87	RD2	60 East PERIMETER	B	***THIS IS A TEST***
CF22-26076	07/22/2022 16:15:00	REFUEL	Initiated	No	93	BC2, RD2, RD3, RD4	60 East PERIMETER	B	***THIS IS A TEST***
Count: 28									
CAD Officer in Charge: Archuleta, Adam									
CF22-21569	06/19/2022 15:58:45	GRASS	Initiated	Yes	87	M8, BC1, FD120, EW6041, EW6042, M2	1100 South 5600 West	C	
Count: 1									
CAD Officer in Charge: Baum, Darren									
CF22-25508	07/18/2022 14:35:25	ALARMF	Initiated	No	88	EQ9	575 North JOHN GLENN Road	C	FIRE ALARM SMOEK DETECT EASTON ARCHERY FOUNDATION 801801-523-5232
CF22-25570	07/19/2022 03:22:50	ALARMF	Initiated	No	88	EQ9	6050 West 700 South	C	ZONE 5 PUMP ROOM SMOKE - WEST PORT C - RP ANDREW BRIGGS 385-379-2368 - REF# DFS1505
CF22-25575	07/19/2022 04:25:50	COMM	Initiated	No	88	LT2, M7, M11, BC2, LT8, EQ9, EQ14	6060 West 700 South	C	ALARM GOING OFF AND HAS SEEN SMOKE OUT OF A PIPE NEXT TO A FIRE RISER ROOM INTERMITTINGLY - EVERYONE IS OUT OF THE BLDG - CALLER IS ON THE W SIDE OF OF THE BLDG WITH ABOUT 20 OTHER ENMPLOYEES
CF22-25648	07/19/2022 16:37:35	ALARMF	Initiated	No	88	EQ9	777 North 5600 West	C	GEN FIRE ALARM - RP ERIC 385-228-8901
CF22-25664	07/19/2022 18:53:19	SMOKE	Initiated	No	88	EQ9	5600 West 180W EB Freeway	C	IN THE MEDIAN...SAW WHI SMOKE...NO FLAMES SEEN.....
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	Yes	100	EQ9	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
Count: 6									
CAD Officer in Charge: Bills, Jared									
CF22-25535	07/18/2022 19:55:44	PUBLIC	Initiated	No	88	M6	720 South 900 West	C	LOCKED 8 MONTH OLD DAUGHTER IN THE HOUSE.... NO KEYS TO GET IN ... SEE RELATED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CP#: SL22-136211									
Count:									
1									
CAD Officer in Charge: Bluth, Christopher									
CF22-24315	07/09/2022 21:27:10	TRUCK	Officer reviewed	No	100	E13	1750 East I80E WB Freeway	A	CALLED UP AND SAID TRUCK WHEEL WAS ON FIRE BUT DISCON ON CB.
Count:									
1									
CAD Officer in Charge: Buchta, Jared									
CF22-26012	07/22/2022 08:24:45	ALARMW	Initiated	No	85	M3, LT5	1242 East WILMINGTON Avenue	A	NORDSTROM.. FIRE ALARM ZONE 26 RISER PULL STATION AND ZONE 24 WATERFLOW.. RP # MIKE LARSEN 801-928-1624 RP DAN LONG 801-319-3562
Count:									
1									
CAD Officer in Charge: Buckmiller, Ronald									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
Count:									
1									
CAD Officer in Charge: Burton, Anthony									
CF22-25161	07/16/2022 07:31:33	ALARMF	Initiated	No	87	M5	577 South CHIPETA Way	A	FIRE ALARM ZONE 8 PREMISE AUDIBLE ACTIVIS.. #801-588-6600
Count:									
1									
CAD Officer in Charge: Bush, Joseph									
CF22-25715	07/20/2022 07:58:36	ALARMF	Initiated	No	87	E10	2016 East LAIRD Drive	C	ZONE 14 GENERAL...BRETT BLUTH...801 879 3542
Count:									
1									
CAD Officer in Charge: Carter, Gary									
CF22-25151	07/16/2022 05:51:56	COMM	Initiated	No	88	LT5, M6, EQ9, EQ14, UFA196, BC2, FD155, LT8, M2, LT2, M7, M8, UT10, M11, BC1	1115 South PIONEER Road	A	SMOKE COMING FROM THE TOP OF A BUILDING.. NO FLAMES ... BLACK SMOKE .. DIRECTORS ROW/PIONEER BLVD ... DLAN
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count:									
2									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count:									
1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, SEE RELATED CP#: SL21-127090 - FD
Count:									
1									
CAD Officer in Charge: Dahle, Chad									
CF22-26019	07/22/2022 09:32:42	ALARMF	Initiated	No	87	M1	35 East 100 South	B	SUITE 200 // BUSN THE REGION AT CITY CREEK // ZONE 1 SMOKE // NO PREMISE NUMBER // REF I55647
CF22-26079	07/22/2022 17:22:20	ALARMF	Initiated	No	86	M1, EW6062, EW6061, BC2	777 East SOUTH TEMPLE Street	B	ZONE 13E SMOKE...BONNEVILLE APTS...215 260 9287
Count:									
2									
CAD Officer in Charge: Davy, Matthew									
CF22-	06/22/2022	GRASS	Initiated	No	88	EQ14, EW6062,	5600 West I80W	B	PER CASE SS22-3016, CALLED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
21930	09:48:52					EW6061	EB Freeway		COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARILER TODAY..
Count: 1									
CAD Officer in Charge: Dyer, Steven									
CF22-22335	06/25/2022 12:56:10	PDASST	Initiated	No	88	M11	1100 North SATORI Circle	C	CALLBK=(801)595-8192 BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN SEE RELATED CP#: AC22-9685 - FF
Count: 1									
CAD Officer in Charge: Elton, Richard									
CF22-23523	07/04/2022 14:19:55	GRASS	Initiated	No	85	EW6061, EW6131, EW6132	2342 South 700 East	B	CALLBK=(801)695-0147 - GRASS FIRE NEAR THE ENTERANCE TO I-80 WB FROM SB 700 E
CF22-25585	07/19/2022 08:19:24	WATER	Initiated	No	87	M5, LT5	2304 South 800 East	C	WEST SIDE OF THE ROAD ,WATER COMING OUT OF SOME TYPE OF METAL COVER ON THE SIDEWALK . COMP DID NOT WANT TO GIVE CONTACT INFO . NO FURTHER ... SEE RELATED CP#: SL22-136490
Count: 2									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
CF22-26066	07/22/2022 16:15:58	FIRE	Initiated	No	98	M11, BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12	18 CONCOURSE A SL	B	AIRCRAFT FIRE WEST GEAR SMOKE AND FLAME LOADED AIRCRAFT
Count: 2									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: George, Brady									
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	FD152, BC2, BC1, E13, UT10, M8, M5, M3, LT5	2228 South LAKE Street	B	
CF22-25363	07/17/2022 16:52:14	WILD	Initiated	No	86	EW6061, LT8, EW6132, E6111, EW6041, EW6131, EQ14, EW6062, EW6091, EW6042, M6, EW6092, M5, M7, M8, UT10, M11, BC1, BC2, FD115, FD120, FD151, FD153	7200 West I80W EB Freeway	B	
Count: 2									
CAD Officer in Charge: Gillies, Matthew									
CF22-26077	07/22/2022 17:19:05	PUBLIC	Initiated	No	88	LT8	1450 South WEST TEMPLE Street	B	ANTI FREEZE LEAKING FROM THE FIRE SYSTEM SPINKLER HEAD IN THE DINING ROOM...HAS PUT IN A MAINT REQUEST AND HAS NOT BEEN ADDRESSED YET...
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-25983	07/22/2022 01:47:54	APT	Initiated	No	83	M2, LT2, M7, M11, BC2, LT8, M6	940 West NORTH TEMPLE Street	A	COOKING SOMETHING SMOKE CAME OUT OF THE ELECTRIC OVEN .. SET OFF THE ALARM.. CO ALARM WENT OFF AS WELL.. COMP WANTS IT CHECKED OUT.. ALARM NO LONGER GOING OFF... NOT SICK OR INJURED
CF22-25934	07/21/2022 17:40:48	ALARMF	Initiated	No	87	M7	2 South 400 West	A	GATEWAY BLOCK F // ZONE 0 // PREMISE 801-456-0040
CF22-25790	07/20/2022 18:42:42	LOCKP	Initiated	No	88	M7	1024 North 1300 West	A	1 YO CHILD ACCIDENTALLY LOCKED INSIDE....WHI NISSAN SENTRA.....VEH IS RUNNING W/ AIR ON....NOT IN DISTRESS AT THIS TIME..... SEE RELATED CP#: SL22-137568
CF22-25799	07/20/2022 19:25:47	ALARMF	Initiated	No	90	M7	23 North 900 West	A	ZONE GEN ZONE 6 CLOUD KITCHENS RP JESSE 561-927-7870
CF22-25765	07/20/2022 15:19:44	LOCKP	Initiated	No	88	M7	522 North 1400 West	A	BLK 2017 JEEP GRAND CHEROKEE...COMPS 2 YO DAUGHTER STUCK IN THE CAR...HAS BEEN INSIDE FOR 10 MINS ... SEE RELATED CP#: SL22-137437
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count: 9									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Hill, John									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-24936	07/14/2022 15:35:10	LGASLE	Initiated	No	88	M2, BC2, EQ9, M6, H14	1768 West NORTHSTAR Drive	A	GAS LEAK FROM A GAS LINE.....CAN HEAR IT AND SMELL IT
Count: 1									
CAD Officer in Charge: Jorgensen, Brandon									
CF22-25386	07/17/2022 19:08:08	FUEL	Initiated	No	88	M11	6338 West 700 North	B	AMAZON...EMPLOYEE SHOWED UP WITH GAS TANK LEAKING... TANK HAD BEEN FULL... NOT LEAKING ANY MORE, UNK SIZE OF TANK, IS AN OLDER ACURA SUV... AT THE FRONT OF THE BLDG, ON ARRIVAL, SHOULD BE ON THE RIGHT SIDE OF THE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									BLDG. NOTHING ON FIRE. LEAK IS VISIBLE THROUGHOUT PARKING LOT.
Count:									
1									
CAD Officer in Charge: Kajma, Eric									
CF22-22311	06/25/2022 09:59:58	ALARMF	Initiated	No	88	EQ9	230 North ADMIRAL BYRD Road	C	FAIRFIELDZONE 1 GENERAL....ALI PETERSON 801 783 9259...ONSITE 801 355 3331
CF22-19880	06/07/2022 07:21:24	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	GEN FIRE ALARM....KEY PAD 13 SIERRIA FOREST PRODUCTS...801 972 3377
Count:									
2									
CAD Officer in Charge: Kartson, Constantine									
CF22-23086	07/01/2022 09:02:38	ALARMF	Initiated	No	87	M11	560 North 2200 West	C	GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935
CF22-23335	07/02/2022 23:10:48	DUMP	Initiated	No	88	E13	2738 South 2000 East	A	DASH MART.. DUMPSTER WAS ON FIRE, COMP THINKS ITS OUT BUT WANTS IT CHECKED OUT.. NO ONE SICK OR INJURED
CF22-25638	07/19/2022 15:52:54	ALARMF	Initiated	No	87	M5	545 South 700 East	C	GEN FIRE ALARM - ZONE 0 & 1
CF22-25619	07/19/2022 13:14:01	WATER	Initiated	No	87	M5, LT5	650 South 1100 East	C	WATER MAIN BREAK NEAR JUDGE MEMORIAL
CF22-25708	07/20/2022 06:01:23	ALARMF	Initiated	No	88	M5	1228 South 900 East	C	2ND FLOOR GEN FIRE ALARM - VBH CORE WOMENS - INSIDE #801-883-5378
CF22-25821	07/20/2022 23:18:44	ALARMF	Initiated	No	87	M3, E13	2315 South ONEIDA Street	A	FIRE ALARM GOING OFF FOR THE LAST 20 MINS... NO SMOKE OR FLAMES...COMP UNSURE IF ITS A FIRE OR CARBON MONOXIDE ALARM GOING OFF...
Count:									
6									
CAD Officer in Charge: Knowlton, John									
CF22-25656	07/19/2022 17:32:56	ARESCU	Initiated	No	88	LT5	602 East 500 South	C	TL 45 MINS... TROLLEY SQAURE... DOG IN VEH... WINDOWS ARE DOWN... DOG NEG IN DISTRESS... E SIDE OF THE PROP BY SPARKS STORE ... SEE RELATED CP#: SL22-136850
CF22-25592	07/19/2022 09:03:05	ALARMF	Initiated	No	87	M5	250 South 1850 East	C	GENERAL FIRE ALARM UUPD ENROUTE
Count:									
2									
CAD Officer in Charge: Kochevar, Kevin									
CF22-25725	07/20/2022 09:32:52	ALARMF	Initiated	No	87	M1	35 East 100 South	A	SMOKE ALARM ...ZONE 1..BUSINESS: THE REGENT AT CITY CREEK: TONY : 763-607-1603 REF# I55647
CF22-25773	07/20/2022 16:15:19	WATER	Initiated	No	88	M1	338 East SOUTH TEMPLE Street	A	COMP STATES WATER IS COMING THE OLD DEA BLDG..COMP STATES A CONSIDERABLE AMOUNT OF WATER..
Count:									
2									
CAD Officer in Charge: Koetitz, Paul									
CF22-26038	07/22/2022 12:15:15	ALARMF	Initiated	No	88	EQ14	750 West SOUTH TEMPLE Street	B	ELEVATOR ALARM... ALARM CO COULD HEAR A M INSIDE THE ELEVATOR, BUT THERE WAS A LANGUAGE BARRIER...
CF22-26094	07/22/2022 18:58:46	ALARMF	Initiated	No	88	EQ14	777 North 5600 West	B	COMMERCIAL FIRE ALARM... ZONE 1 GENERAL FIRE... NO RP GIVEN
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUSINESS...DSA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ...SIERRA FORREST PRODUCTS...801 972 3377
Count: 4									
CAD Officer in Charge: Krohn, William									
CF22-24789	07/13/2022 15:08:34	MISCF	Initiated	No	100	EQ14	3600 West 500 South	C	TRANSIENT CAMP BURNING GARBAGE .. NORTH SIDE OF 500 S IN DIRT LOT ..
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
CF22-25909	07/21/2022 14:49:52	PUBLIC	Initiated	No	88	EQ14	4285 West 1385 South	A	SEMI SERVICE... CHANGED THE LOCKS TO THE BUSN... WOULD LIKE KEY SWAPPED OUT FROM KNOX BOX.
CF22-25866	07/21/2022 10:45:04	ALARMF	Initiated	No	87	EQ14	1811 West 1700 South	A	BUSN STANDARD PLUMBING // ZONE 993 GENERAL FIRE // NO PREMISE NUMBER // RP JOHN 801-556-4992
CF22-25950	07/21/2022 19:59:58	FUEL	Initiated	No	88	M6, H14	1953 West CALIFORNIA Avenue	A	STM.. SAPP BROTHERS...CAUGHT M SIPHONING GAS FROM HIS SEMI TRUCK ... SEE RELATED CP#: SL22-138380
CF22-26050	07/22/2022 14:29:04	ARESCU	Initiated	No	87	LT5	1154 East BRICKYARD Road	B	KOHL'S, EAST SIDE OF BLDG/ 3 ROWS BACK. DOG HAS BEEN LEFT IN A DARK BLUE NISSAN FRONTIER/ W265FJ . HAS BEEN LEFT IN THE VEH OVER 10 MINS/ PANTING/ MEDIUM SIZE DOG ... SEE RELATED CP#: SL22-138902
CF22-26053	07/22/2022 14:43:06	VEH	Initiated	No	88	M5, E10, H10, FD152, FD153	2262 South HIGHLAND Drive	B	IN PARKING LOT OF MOVIE THEATER...78 VW BUS ON FIRE
Count: 9									
CAD Officer in Charge: Menlove, Gary									
CF22-21965	06/22/2022 15:21:09	ALARMW	Initiated	No	87	EQ14	5995 West 300 South	B	COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
Count: 2									
CAD Officer in Charge: Meyer, Bryon									
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
Count: 4									
CAD Officer in Charge: Moser, Shane									
CF22-25336	07/17/2022 12:09:52	APT	Initiated	No	94	M2, M5, BC1, FD153, LT8, M6, LT5, M1	999 South MAIN Street	B	
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST TEMPLE Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-26062	07/22/2022 15:42:05	ALARMF	Initiated	No	87	M8	1966 South 200 East	B	FIRE ALARM GENERAL ZONE 1 SLCO HIGHRISE..
CF22-26091	07/22/2022 18:49:25	VEH	Initiated	No	88	M8	700 South I15 NB Freeway	B	PULLED OFF TO RIGHT HAND SIDE...BLK TRUCK SMOKING FROM THE ENGINE COMPARTMENT...JUST SOUTH OF 600 S
Count: 6									
CAD Officer in Charge: Myers, Eric									
CF22-25539	07/18/2022 20:18:48	ALARMF	Initiated	No	86	E4, M5, M1	76 South 500 East	C	GEN FIRE ALARM ZONE 1 - NO RP INFO
Count: 1									
CAD Officer in Charge: Nelson, Todd									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
Count: 1									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL.... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF22-22917	06/29/2022 23:53:00	PIPE	Initiated	No	88	LT2	204 West 200 North	B	POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK
CF22-25384	07/17/2022 18:38:33	PUBLIC	Initiated	No	87	LT2	764 South 800 East	B	WATER IS LEAKING INTO APT FROM AC UNIT CANNOT GET AHOLD OF MAINTANCE
Count: 6									
CAD Officer in Charge: Rock, Nathan									
CF22-25465	07/18/2022 09:36:17	ALARMF	Initiated	No	88	M1	35 East 100 South	C	THE REGENT AT CITY CREEK - SMOKE ALARM - ZONE 1
CF22-25469	07/18/2022 10:15:16	ALARMF	Initiated	No	88	M1	169 East 200 South	C	GENERAL FIRE ALARM...ZONE 234...LORAIN RUIZ 801 301 6888
CF22-25538	07/18/2022 20:10:41	WATER	Initiated	No	88	M1	532 East 400 South	C	BY GREAT CLIPS.. WATER COMING OUT OF GROUND BY THE GRASS AREA
CF22-25674	07/19/2022 20:26:10	ALARMF	Initiated	No	87	M7, M1	135 East 100 South	C	CITY CREEK HARMONS, COMP IS SECURITY, FIRE ALARM WENT OFF BECAUSE THEY ARE SANDING THE CONCRETE DOWN AND A LOT OF SMOKE CAME FROM IT... THE PARKING AREA
CF22-25679	07/19/2022 21:10:50	MISCF	Initiated	No	88	M1	680 South 300 East	C	OPEN FLAME IN TAUFER PARK IN THE MIDDLE OF THE HOMELESS CAMP...
CF22-25595	07/19/2022 09:34:17	ALARMF	Initiated	No	87	M1	35 East 100 South	C	SMOKE DETECTOR ALARM..ZONE 1...BUSINESS: REGENT AT CITY CREEK: RP TONY SISTAND: 763-607-1603
CF22-25596	07/19/2022 09:40:06	ALARMF	Initiated	No	87	M1	28 South STATE Street	C	GENERAL FIRE ALARM..BUISNESS...CENTER FOOD COURT...RP TONY FOSS 385-226-3766
CF22-25644	07/19/2022 16:17:45	ALARMF	Initiated	No	88	M1	10 East SOUTH TEMPLE Street	C	GENERAL FIRE ALARM...ZONE 2 ..BUISNESS ZIONS BANK TOWER..SEC 801-573-3231
CF22-25626	07/19/2022 14:24:27	ALARMF	Initiated	No	88	M1	660 South 300 East	C	GENERAL FIRE ALARM... LJUBO DRAGICEVIC... 801 531 0202
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
Count: 10									
CAD Officer in Charge: Rushton, Joel									
CF22-25923	07/21/2022 16:11:34	ALARMF	Initiated	No	87	M6	876 West 700 South	A	ZONE 1 GENERAL FIRE // RP DAUNTE 801-200-8594
Count: 1									
CAD Officer in Charge: Schreiner, Jared									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
Count: 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: Sharp, Dallas									
CF22-25205	07/16/2022 14:23:19	ALARMW	Initiated	No	88	M2, LT2	336 West 300 South	B	WATERFLOW ALARM..BUSINESS UFFENS MARKET PLACE HOA..208-880-7517 RP CHARLES BLACKWOOD : 385-441-0182
CF22-25227	07/16/2022 17:06:25	ALARMF	Initiated	No	88	M2	336 West 300 South	B	COMM FIRE ALARM.. UFFENS MARKET PLACE HOA.. RP CHARLES BLACKWOOD 385-441-0182
Count: 2									
CAD Officer in Charge: Shepherd, Tyler									
CF22-26078	07/22/2022 16:57:23	GRASS	Initiated	No	88	BC2, EW6061, EQ14, EW6062, EW6091, EW6092	700 South 5600 West	B	
Count: 1									
CAD Officer in Charge: Shumway, Brandon									
CF22-25283	07/17/2022 00:54:20	GRASS	Initiated	No	88	M2, EW6061, EW6062	400 South WEST TEMPLE Street	B	WEST SIDE OF ADDR.... FIELD ON FIRE.... SIZE OF A TENNIS COURT...
CF22-24597	07/12/2022 03:54:40	DUMP	Initiated	No	99	M5, M8	124 East 900 South	B	BEHIND THE PAPA JOHNS.....DUMPSTER ON FIRE.....NOT THREATENING ANYTHING
CF22-26032	07/22/2022 11:27:47	WATER	Initiated	No	88	M6	1400 West 600 North	B	WATER COMING OUT OF STREET AND STREET BUCKLED.. ALSO FROM NEIGHBORS HOUSE AT 632
Count: 3									
CAD Officer in Charge: Stevens, John									
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
Count: 2									
CAD Officer in Charge: Stevens, Michael									
CF22-25704	07/20/2022 02:53:35	APFA	Initiated	No	88	RD1	120 CONCOURSE A GL[DL BAG AREA]	C	CO2 ALARM IN THE AREA AGAIN
Count: 1									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
CF22-25870	07/21/2022 11:11:22	ALERT	Initiated	No	98	BC2, RD1, RD2, RD3, RD4, RD5, BLU21	560 RUNWAY 1735	A	CITATION 25 - ETA 6 MIN SMOKE INDICATOR ... SEE RELATED CP#: AP22-22569
Count: 2									
CAD Officer in Charge: Taylor, Matthew									
CF22-26025	07/22/2022 10:26:29	LOCKP	Initiated	No	88	E13	2332 East 2100 South	B	LOCKED OUT OF BLK TOYOTA CAMERY. HAS MEDS INSIDE THAT SHE NEEDS. ADAMANT THAT PD OR FIRE COME HELP HER ... SEE RELATED CP#: SL22-138738
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
IN THE BLDG/									
Count:									
2									
CAD Officer in Charge: Turner, Cary									
CF22-22636	06/27/2022 19:54:24	MISCF	Initiated	No	88	M8	250 East 2100 South	A	FENCE ON FIRE
CF22-22645	06/27/2022 21:46:26	MISCF	Initiated	No	88	M8	40 East HERBERT Avenue	A	HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT
CF22-22668	06/28/2022 05:43:34	GRASS	Initiated	No	88	M8, EW6061, EW6062	77 West 1300 South	A	PARKING ACROSS THE STR.....SOME GRASS ON FIRE
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count:									
4									
CAD Officer in Charge: Valdez, Christopher									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAYER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									BURNING...SMELLED LIKE MELTED RUBBER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF VEH NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
Count: 18									
CAD Officer in Charge: Valente, Gianni									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
Count: 2									
CAD Officer in Charge: Vaughn, Jeffrey									
CF22-22307	06/25/2022 08:57:44	MISCF	Initiated	No	87	M2, M7	625 North WARM SPRINGS Road	C	TRANSIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS
Count: 1									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Wardell, Kip									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
Count: 1									
CAD Officer in Charge: Whitney, Russell									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Workman, Michael									
CF22-24907	07/14/2022 12:09:29	VEH	Initiated	No	88	EQ14	2595 West CUSTER Road	A	CAR ON FIRE...WHITE JEEP ON STREET ON FIRE....
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count: 175									

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).