

# NFIRS - All UNLOCKED BY OFFICER IN CHARGE (2020)

07/26/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER .. SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-16448	05/11/2022 19:36:58	PUBLIC	Officer reviewed	No	100	M2	400 South WEST TEMPLE Street	B	MOTORCYCLE VS VEH ... SEE RELATED CP#: SL22-86752 - ,WASHDOWN REQUEST
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC-HAS HX OF STROKE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									SEE RELATED CP#: SL22-102338 - FD
CF22-20448	06/11/2022 15:50:57	REFUEL	Initiated	No	88	RD1, RD3, RD4	58 East PERIMETER	B	ATLANTIC REQUESTING REFUEL STANDBY FOR ONE OF THEIR PLANES, ALREADY ON THE RAMP. 949FF
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-26071	07/22/2022 16:41:59	REFUEL	Initiated	No	87	RD2	60 East PERIMETER	B	***THIS IS A TEST****
CF22-26072	07/22/2022 16:44:29	REFUEL	Initiated	No	87	RD2	60 East PERIMETER	B	***THIS IS A TEST***
CF22-26301	07/23/2022 22:46:56	WATER	Initiated	No	88	E13	2705 East PARLEYS Way	B	WALMART SPRINKLERS SPEWING, CALLER DISCONNECTED, UNKN FURTHER
CF22-26639	07/26/2022 13:21:38	ALARMF	Initiated	No	86	M7	1105 West 1000 North	A	FIRE ALARM GOING OFF THE LAST HOUR
<b>Count: 28</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-26612	07/26/2022 09:33:05	ALARMF	Initiated	No	87	M1	35 East 100 South	A	REF # 155647 .. FIRE ALARM ZONE 1 SMOKE.. REGENT AT CITY CREEK.. RP BLAKECOX 801-618-5500
CF22-26668	07/26/2022 16:52:25	PUBLIC	Initiated	No	88	M1	165 South 300 East	A	3 OCCUPANTS STUCK IN ELEVATOR 2 ADULTS 1 CHILD... NEG INJ...
<b>Count: 2</b>									
<b>CAD Officer in Charge: Baum, Darren</b>									
CF22-26513	07/25/2022 15:38:04	ALARMF	Initiated	No	87	EQ9	1355 South 4700 West	C	DROP TIME 1532... GENERAL ALARM PER ALARM COMPANY...
CF22-26542	07/25/2022 19:25:09	ALARMF	Initiated	No	87	EQ9	5575 West AMELIA EARHART Drive	C	GEN FIRE ALARM - INSIDE#801-537-7020
CF22-21447	06/18/2022 19:33:05	LINE	Initiated	Yes	100	EQ9	1041 North CATHERINE Street	C	LINE DOWN IN BACK YARD OF HOUSE.. NOT SEEING ANY SPARKING...
<b>Count: 3</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-25535	07/18/2022 19:55:44	PUBLIC	Initiated	No	88	M6	720 South 900 West	C	LOCKED 8 MONTH OLD DAUGHTER IN THE HOUSE.... NO KEYS TO GET IN ... SEE RELATED CP#: SL22-136211
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bluth, Christopher</b>									
CF22-24315	07/09/2022 21:27:10	TRUCK	Officer reviewed	No	100	E13	1750 East I80E WB Freeway	A	CALLED UP AND SAID TRUCK WHEEL WAS ON FIRE BUT DISCON ON CB.
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buchta, Jared</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-26012	07/22/2022 08:24:45	ALARMW	Initiated	No	85	M3, LT5	1242 East WILMINGTON Avenue	A	NORDSTROM.. FIRE ALARM ZONE 26 RISER PULL STATION AND ZONE 24 WATERFLOW.. RP # MIKE LARSEN 801-928-1624 RP DAN LONG 801-319-3562
<b>Count:</b> 1									
<b>CAD Officer in Charge: Buckmiller, Ronald</b>									
CF22-21320	06/17/2022 21:25:07	REFUEL	Initiated	No	88	RD4, RD2	60 East PERIMETER	B	B6 A320 N523JB
<b>Count:</b> 1									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-25161	07/16/2022 07:31:33	ALARMF	Initiated	No	87	M5	577 South CHIPETA Way	A	FIRE ALARM ZONE 8 PREMISE AUDIBLE ACTIVIS.. #801-588-6600
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-26603	07/26/2022 08:24:50	ARESCU	Initiated	No	88	E10	913 South DIESTEL Road	C	COMP CAT IS IN A TREE AND CAT GET DOWN.. COMP IS WORRIED THE CAT WILL JUMP
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ..... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davy, Matthew</b>									
CF22-21930	06/22/2022 09:48:52	GRASS	Initiated	No	88	EQ14, EW6062, EW6061	5600 West I80W EB Freeway	B	PER CASE SS22-3016, CALLED COMP BACK SHE SAID THAT ITS ON I80 JUST EAST OF 5600 W EXIT.. NEAR EXIT 115 ... SMALL FIRE SMOLDERING FROM EARILER TODAY..
<b>Count:</b> 1									
<b>CAD Officer in Charge: Dyer, Steven</b>									
CF22-22335	06/25/2022 12:56:10	PDASST	Initiated	No	88	M11	1100 North SATORI Circle	C	CALLBK=(801)595-8192 ..... BABY DUCKS STUCK IN THE DRAIN RIGHT BY SCHOOL CROSSING SIGN ..... SEE RELATED CP#: AC22-9685 - FF
<b>Count:</b> 1									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-23523	07/04/2022 14:19:55	GRASS	Initiated	No	85	EW6061, EW6131, EW6132	2342 South 700 East	B	CALLBK=(801)695-0147 - GRASS FIRE NEAR THE ENTERANCE TO I-80 WB FROM SB 700 E
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-	01/28/2022	FIRE	Officer	No	100	M12	500 EMPLOYEE	A	GARBAGE CAN ON FIRE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
3459	15:59:33		reviewed				LOT[STOP 4		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: George, Brady</b>									
CF22-25363	07/17/2022 16:52:14	WILD	Initiated	No	86	EW6061, LT8, EW6132, E6111, EW6041, EW6131, EQ14, EW6062, EW6091, EW6042, M6, EW6092, M5, M7, M8, UT10, M11, BC1, BC2, FD115, FD120, FD151, FD153	7200 West I80W EB Freeway	B	
CF22-12763	04/12/2022 19:46:48	HOUSE	Initiated	Yes	98	FD152, BC2, BC1, E13, UT10, M8, M5, M3, LT5	2228 South LAKE Street	B	
<b>Count:</b> 2									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDNT GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF22-25934	07/21/2022 17:40:48	ALARMF	Initiated	No	87	M7	2 South 400 West	A	GATEWAY BLOCK F // ZONE 0 // PREMISE 801-456-0040
CF22-25983	07/22/2022 01:47:54	APT	Initiated	No	83	M2, LT2, M7, M11, BC2, LT8, M6	940 West NORTH TEMPLE Street	A	COOKING SOMETHING SMOKE CAME OUT OF THE ELECTRIC OVEN .. SET OFF THE ALARM.. CO ALARM WENT OFF AS WELL... COMP WANTS IT CHECKED OUT.. ALARM NO LONGER GOING OFF... NOT SICK OR INJURED
CF22-25765	07/20/2022 15:19:44	LOCKP	Initiated	No	88	M7	522 North 1400 West	A	BLK 2017 JEEP GRAND CHEROKEE...COMPS 2 YO DAUGHTER STUCK IN THE CAR...HAS BEEN INSIDE FOR 10 MINS ... SEE RELATED CP#: SL22-137437
CF22-25790	07/20/2022 18:42:42	LOCKP	Initiated	No	88	M7	1024 North 1300 West	A	1 YO CHILD ACCIDENTALLY LOCKED INSIDE....WHI NISSAN SENTRA....VEH IS RUNNING W/ AIR ON....NOT IN DISTRESS AT THIS TIME..... SEE RELATED CP#: SL22-137568
CF22-25799	07/20/2022 19:25:47	ALARMF	Initiated	No	90	M7	23 North 900 West	A	ZONE GEN ZONE 6 CLOUD KITCHENS RP JESSE 561-927-7870
<b>Count:</b> 9									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-	03/17/2022	ACC	Initiated	No	86	FD191	1300 South 700		OFFICER FD27 CALLED OUT

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
9449	13:06:09						East		SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-26471	07/25/2022 10:27:44	PDASST	Officer reviewed	No	100	LT5	701 East 2100 South	C	KINGS JEWELRY...SOMEONE ON CAMERA WENT ON TO THE ROOFAT 330AM AND LEFT BACKPACKS...POSS RELATED TO 141056 ... SEE RELATED CP#: SL22-141102 - ,REQ LADDER TO GET ONTO ROOF
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-26660	07/26/2022 16:17:06	WATER	Initiated	No	88	M6	735 South CHEYENNE Street	A	LARGE SINK HOLE IN ROAD...FLOODING IN STREET...COMP RECEIVED INFO FROM POSTAL DELIVERY DRIVER
CF22-24936	07/14/2022 15:35:10	LGASLE	Initiated	No	88	M2, BC2, EQ9, M6, H14	1768 West NORTHSTAR Drive	A	GAS LEAK FROM A GAS LINE.....CAN HEAR IT AND SMELL IT
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jorgensen, Brandon</b>									
CF22-25386	07/17/2022 19:08:08	FUEL	Initiated	No	88	M11	6338 West 700 North	B	AMAZON...EMPLOYEE SHOWED UP WITH GAS TANK LEAKING... TANK HAD BEEN FULL... NOT LEAKING ANY MORE, UNK SIZE OF TANK, IS AN OLDER ACURA SUV... AT THE FRONT OF THE BLDG, ON ARRIVAL, SHOULD BE ON THE RIGHT SIDE OF THE BLDG. NOTHING ON FIRE. LEAK IS VISIBLE THROUGHOUT PARKING LOT.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-25638	07/19/2022 15:52:54	ALARMF	Initiated	No	87	M5	545 South 700 East	C	GEN FIRE ALARM - ZONE 0 & 1
CF22-25619	07/19/2022 13:14:01	WATER	Initiated	No	87	M5, LT5	650 South 1100 East	C	WATER MAIN BREAK NEAR JUDGE MEMORIAL
CF22-25708	07/20/2022 06:01:23	ALARMF	Initiated	No	88	M5	1228 South 900 East	C	2ND FLOOR GEN FIRE ALARM - VBH CORE WOMENS - INSIDE #801-883-5378
CF22-25821	07/20/2022 23:18:44	ALARMF	Initiated	No	87	M3, E13	2315 South ONEIDA Street	A	FIRE ALARM GOING OFF FOR THE LAST 20 MINS... NO SMOKE OR FLAMES...COMP UNSURE IF ITS A FIRE OR CARBON MONOXIDE ALARM GOING OFF...
CF22-23086	07/01/2022 09:02:38	ALARMF	Initiated	No	87	M11	560 North 2200 West	C	GENERAL FIRE ALARM...L3 COMMUNICATIONS BLDG X...801 594 2935
CF22-23335	07/02/2022 23:10:48	DUMP	Initiated	No	88	E13	2738 South 2000 East	A	DASH MART.. DUMPSTER WAS ON FIRE, COMP THINKS ITS OUT BUT WANTS IT CHECKED OUT.. NO ONE SICK OR INJURED
<b>Count:</b> 6									
<b>CAD Officer in Charge: Knowlton, John</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-25592	07/19/2022 09:03:05	ALARMF	Initiated	No	87	M5	250 South 1850 East	C	GENERAL FIRE ALARM UUPD ENROUTE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-25773	07/20/2022 16:15:19	WATER	Initiated	No	88	M1	338 East SOUTH TEMPLE Street	A	COMP STATES WATER IS COMING THE OLD DEA BLDG..COMP STATES A CONSIDERABLE AMOUNT OF WATER..
CF22-25725	07/20/2022 09:32:52	ALARMF	Initiated	No	87	M1	35 East 100 South	A	SMOKE ALARM ...ZONE 1..BUSINESS: THE REGENT AT CITY CREEK: TONY : 763-607-1603 REF# I55647
<b>Count: 2</b>									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-19895	06/07/2022 10:01:18	ALARMF	Initiated	No	88	EQ9	5650 West 610 South	C	GENERAL FIRE...ZONE 2...BUISNESS...DSA FREIGHT...801-230-2335
CF22-19948	06/07/2022 17:54:29	ALARMF	Initiated	No	88	EQ9	5825 West HAROLD GATTY Drive	C	COMMERCIAL ALARM..KEYPAD 13 ....SIERRA FORREST PRODUCTS...801 972 3377
<b>Count: 2</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 4</b>									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-21965	06/22/2022 15:21:09	ALARMW	Initiated	No	87	EQ14	5995 West 300 South	B	COSTCO DISTRUBUTION CENTER // RISE 1, 2,3, 4 AND 5 WATERFLOW // PREMISE 801-333-3561 // PER SEC BAILEY, NO ASSISTANCE NEEDED // NO FIRE PROBLEM
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
CF22-26658	07/26/2022 16:12:54	MISCF	Initiated	No	88	EQ14	3600 West 500 South	A	CONCERNED TRANSIENTS ARE BURNING MATERIALS THEY SHOULDNT BE AND IS REQ IT CHECKED OUT - THIS WILL BE ON THE N SIDE OF THE ROAD
<b>Count: 3</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-26666	07/26/2022 16:50:52	ALARMF	Initiated	No	88	M2	588 North 300 West	A	ZONE 1-6 GENERAL FIRE FIRE ALARM AT MARMELADE... LAUREN WOLF 661 219 3050 DT 1650
CF22-18019	05/23/2022 08:28:20	ALARMF	Initiated	No	87	M2	345 West NORTH TEMPLE Street	B	FIRE SMOKE ON 2ND FLR..NORTH HALL WEST....801 240 9058
<b>Count: 2</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-	09/07/2020	65B02A	Initiated	No	88	FD154	1246 East		FD154 ... SEE RELATED CP#:

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
28530	03:45:47						BONNER Way		SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
<b>Count:</b> 4									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-26091	07/22/2022 18:49:25	VEH	Initiated	No	88	M8	700 South I15 NB Freeway	B	PULLED OFF TO RIGHT HAND SIDE...BLK TRUCK SMOKING FROM THE ENGINE COMPARTMENT...JUST SOUTH OF 600 S
CF22-26234	07/23/2022 14:45:11	ALARMW	Initiated	No	87	M8, LT8	945 South 300 West	B	ZONE 204 WATERFLOW, RISER ROOM...RP JEN PH # 801-949-5706
CF22-26258	07/23/2022 17:09:23	PUBLIC	Initiated	No	88	M8	125 West 900 South	B	MWA 50S LONG BLONDE HAIR/WHI SHIRT/BLK SHORTS... PULLING OUT CITY WIRING ON THE STREET.... SEE RELATED CP#: SL22-139914
CF22-26062	07/22/2022 15:42:05	ALARMF	Initiated	No	87	M8	1966 South 200 East	B	FIRE ALARM GENERAL ZONE 1 SLCO HIGHRISE..
CF22-26267	07/23/2022 18:17:18	TREE	Initiated	No	87	EW6162, EW6161, M8, M1	600 North I15 NB Freeway	B	EAST SIDE OF THE FREEWAY...TREE ON FIRE...FIRE IS HALF WAY UP THE TREE...PER GC530
CF22-26295	07/23/2022 21:54:12	ALARMF	Initiated	No	88	M8	1966 South 200 East	B	GENERAL FIRE..ZONE 1 BUSINESS:: SLCO HOUSING ;ON CALL SERVICE 801-263-4011
CF22-25336	07/17/2022 12:09:52	APT	Initiated	No	94	M2, M5, BC1, FD153, LT8, M6, LT5, M1	999 South MAIN Street	B	
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-5910	02/17/2022 01:18:24	HOUSE	Ready for Officer review	No	100	BC1, FD153, M8, M5, LT8, M6	1535 South WEST Temple Street	B	ACROSS THE STREET FROM DISP ADDRESS... POSS HOUSE FIRE... ALSO SAYING TREE ON FIRE..
CF22-9661	03/18/2022 21:55:39	MISCF	Initiated	No	100	FD153, LT8	176 West 600 South	B	MALE AT THE MOTEL WHO LIT THINGS IN HIS ROOM ON FIRE, BURNED THINGS IN THE MICROWAVE... COMP KICKED HIM OUT, HE IS STILL ON PROPERTY CAUSING PROBLEMS AND SCREAMING, REFUSING TO LEAVE... TRYING TO ASSAULT A SECURITY GUARD RIGHT NOW... CONFIRMED PHYSICAL ... SEE RELATED CP#: SL22-48879 - ,69YO M C/B/A TROUBLE BREATHIGN... C4 CLEAR FOR MEDICAL
<b>Count:</b> 10									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-25539	07/18/2022 20:18:48	ALARMF	Initiated	No	91	E4	76 South 500 East	C	GEN FIRE ALARM ZONE 1 - NO RP INFO
<b>Count:</b> 1									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W\SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count:</b> 1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-22917	06/29/2022 23:53:00	PIPE	Initiated	No	88	LT2	204 West 200 North	B	POWER IS OUT...WATER IN THE HALLWAYS ON THE 1ST FLOOR..POSS PIPE BREAK
CF22-25384	07/17/2022 18:38:33	PUBLIC	Initiated	No	87	LT2	764 South 800 East	B	WATER IS LEAKING INTO APT FROM AC UNIT CANNOT GET AHOLD OF MAINTANCE
<b>Count: 6</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-26605	07/26/2022 08:33:47	PUBLIC	Initiated	No	88	M1	330 East 400 South	A	ELEVATOR ALARM, PS TRAPPED INSIDE, SINGLE OCCUPANT, ALL INFO IN FROM THE ALARM CO...
CF22-12186	04/08/2022 16:10:57	PUBLIC	Initiated	Yes	100	M1	1035 East 300 South	C	MALE FELL
<b>Count: 2</b>									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-25923	07/21/2022 16:11:34	ALARMF	Initiated	No	87	M6	876 West 700 South	A	ZONE 1 GENERAL FIRE // RP DAUNTE 801-200-8594
<b>Count: 1</b>									
<b>CAD Officer in Charge: Schreiner, Jared</b>									
CF22-20525	06/12/2022 02:28:30	TRUCK	Initiated	No	93	EQ9, H14, FD152, FD153	5209 West 700 South	B	MOTORHOME ON FIRE IN ROAD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-24597	07/12/2022 03:54:40	DUMP	Initiated	No	99	M5, M8	124 East 900 South	B	BEHIND THE PAPA JOHNS.....DUMPSTER ON FIRE.....NOT THREATENING ANYTHING
<b>Count: 1</b>									
<b>CAD Officer in Charge: Smith, Travis</b>									
CF22-26263	07/23/2022 18:02:34	SHED	Initiated	No	100	M2, LT2, M7, BC1, FD152, FD153, UFA192, M1	66 South 600 West	B	ABAN SHED ON FIRE... JUST N OF DISP ADDR... NEAR COMMUNITY GARDEN...
<b>Count: 1</b>									



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-26615	07/26/2022 09:53:38	ALARMF	Initiated	No	87	E10	75 South CONNOR Road	A	FIRE ALARM..
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stratton, Richard</b>									
CF22-26651	07/26/2022 15:19:53	APT	Initiated	No	88	BC2, EQ14, LT5, M2, LT2, M7, M11	1841 West MORTON Drive	A	SMOKE COMING FROM THE WATER HEATER - NO FLAMES SEEN
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-25870	07/21/2022 11:11:22	ALERT	Initiated	Yes	100	RD1, RD2, RD3, RD4, RD5, BC2, BLU21	560 RUNWAY 1735	A	CITATION 25 - ETA 6 MIN SMOKE INDICATOR ... SEE RELATED CP#: AP22-22569
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,
<b>Count: 2</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
CF22-26325	07/24/2022 04:19:53	ALARMF	Initiated	No	88	E13	2304 South ONEIDA Street	B	CO ALARM...RESIDENCE...ZONE 26 SITTING ROOM...RP DON PEW PENDING...#801-424-2455
CF22-26344	07/24/2022 07:39:24	ALARMF	Initiated	No	88	E13	2733 East PARLEYS Way	B	GENERAL FIRE..ZONE 95 BUISNESS: WOODBURY CORP.....TIM 801-201-7909
<b>Count: 3</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF22-26648	07/26/2022 15:02:31	ARESCU	Initiated	No	88	M8	328 West 2100 South	A	LARGE BLK SUV W/DOG IN THE VEH...DOG IS DISTRESS...COMP IS AN EMPLOYEE, WILL DIRECT OFFICERS FROM THE ENTRANCE ... SEE RELATED CP#: SL22-142202
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-22636	06/27/2022 19:54:24	MISCF	Initiated	No	88	M8	250 East 2100 South	A	FENCE ON FIRE
CF22-22645	06/27/2022 21:46:26	MISCF	Initiated	No	88	M8	40 East HERBERT Avenue	A	HOMELESS CAMP AT END OF 40 E HEBERT AVE...COMP IS SECURITY FOR PALMER COURT
CF22-22668	06/28/2022 05:43:34	GRASS	Initiated	No	88	M8, EW6061, EW6062	77 West 1300 South	A	PARKING ACROSS THE STR.....SOME GRASS ON FIRE
<b>Count: 5</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-14079	04/23/2022 13:23:13	PUBLIC	Initiated	No	88	LT2	45 West SOUTH TEMPLE Street	B	STUCK IN ELEVATOR - 2 PEOPLE - NEG SICK OR INJURED ... RICHARDS COURT BLDG ..TECH ETA 45 MIN ... MAIN ELEVATORS LEFT HAND SIDE.. STUCK ON FOURTH FLOOR... BEST ACCESS THROUGH MAIN ENTRANCE.. WAVER IN LOBBY
CF22-14085	04/23/2022 13:51:32	PUBLIC	Initiated	No	87	LT2	50 South MAIN Street	B	CAFE RIO...3 YOM...ESCALATOR STUCK WITH FOOT INSIDE
CF22-14138	04/23/2022 22:06:31	PUBLIC	Initiated	No	88	LT2	411 East SOUTH TEMPLE Street	B	PEOPLE STUCK IN ELEVATOR FOR OVER AN HOUR ... NO ONE HAS BEEN OUT TO HELP .. APPROX 6-8 PEOPLE NEG SICK OR INJURED
CF22-11273	04/01/2022 06:52:06	COMM	Initiated	No	84	BC1, M8, M7, LT2, M2, LT8, M1	224 West 600 South	B	STARBUCKS...WAS A FIRE INSIDE AT BREAKER BOX...FIRE IS EXTINGUISHED...THEY HAVE EVAC'D
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
CF22-18034	05/23/2022 10:28:29	ALARMF	Initiated	No	87	M2	169 East 200 South	B	GENERAL FIRE ZONE 89...801 301 6888 LORAIN RUIZ
CF22-18036	05/23/2022 10:54:55	FUEL	Initiated	No	88	M2, LT2, H10	241 North 300 West	B	BEHIND THE STADIUM ON 4TH WEST ....2011 JEEP WRANGLER BLACK GAS LEAKING FROM UNDERNEATH THE DOOR
CF22-18046	05/23/2022 11:49:36	ALARMF	Officer reviewed	No	100	M2	185 North WEST TEMPLE Street	B	FIRE ALARM PANEL UPMA WEST TEMP APTS... RP 801-573-3231
CF22-18106	05/23/2022 20:19:15	ALARMF	Initiated	No	90	M2	230 West 500 South	B	GENERAL ALARM ZONE 3...RP PENDING...#801-328-4466
CF22-18161	05/24/2022 10:16:17	ALARMF	Initiated	No	87	M2	353 West 200 South	B	COMMERCIAL FIRE ALARM.....ART SPACE RUBBER...RP CAMERON 801 502 3076
CF22-18165	05/24/2022 10:50:47	ALARMF	Initiated	Yes	99	M2, M5	350 South 200 East	B	GENERAL FIRE..ZONES 1 & 2 COMM..METRO CONDOS RP ANDY PROWSE 385-270-7502 RP LANCE JACKSON 801-560-2435 REF # N71080
CF22-17243	05/17/2022 10:20:47	ALARMF	Officer reviewed	No	100	M2	320 South 200 West	B	PALLADIO APTS...FIRST FLOOR/NORTH END...FIRE ALARM GOING OFF INSIDE APT...COMP DIDN'T HAVE FURTHER INFO
CF22-17292	05/17/2022 16:27:16	PUBLIC	Officer reviewed	No	100	M2	350 North MAIN Street	B	M2
CF22-16377	05/11/2022 10:14:36	COMM	Initiated	No	88	LT5, M1, M2, LT2, M3, M5	964 South 3800 West	B	RUSH TRUCK LEASING...IDEAL LEASE...THINKS HVAC COMPONENT ON ROOF CAUGHT ON FIRE...NO VISIBLE SMOKE OR FLAMES...SMELLED LIKE BURNING...SMELLED LIKE MELTED RUBBER
CF22-15710	05/06/2022 08:56:51	SMOKE	Initiated	No	88	M2	750 North VICTORY Road	B	CAN SEE SMOKE ON THE HILLSIDE NEAR WHERE THE HOMELESS ENCAMPMENT WAS...ADDR FROM RAPID
CF22-15730	05/06/2022 11:38:31	COMM	Initiated	No	86	M2, M3, E4, M5, M8, E10, BC1, LT8, LT5	220 South 200 East	B	FIRE ALARM GOING OFF...NO FLAMES...CAN SMELL SMOKE...PANEL SHOWS THE ELEVATOR ROOM
CF22-15772	05/06/2022 18:06:47	ALARMF	Initiated	No	88	M2	524 North MAIN Street	B	FIRE ALARM IN HER HOUSE KEEPS GOING OFF AND NOW IS GIVING A CARBON MONOXIDE WARNING.
CF22-15773	05/06/2022 18:34:03	ARESCU	Initiated	No	87	M2, LT2	48 West MARKET Street	B	4 DOGS IN A BLK CHEVY SILVERADO @CW658K.NV.2023.TK/...IN PLOT ACCROSS THE ST N OF .... VEH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									NOT ON ...WINDOWS ARE BEARLY CRACKED .. DOGS SEEM FRANTIC... COMP WILL NOT BE STAYING ON SCENE ... SEE RELATED CP#: SL22-83259
<b>Count:</b> 18									
<b>CAD Officer in Charge: Valente, Gianni</b>									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
<b>Count:</b> 2									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-22307	06/25/2022 08:57:44	MISCF	Initiated	No	87	M2, M7	625 North WARM SPRINGS Road	C	TRANISIETS WITH A CAMPFIRE JUST ON THE NORTH SIDE OF THE OVERPASS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
CF22-26642	07/26/2022 13:41:02	ALARMF	Initiated	No	88	E4	1029 East SOUTH TEMPLE Street	A	REQ CXL...FALSE ALARM.
CF22-26631	07/26/2022 11:43:36	ALARMF	Initiated	No	88	E4	1029 East SOUTH TEMPLE Street	A	RICHOMOND PLACE APTS...SMOKE ZONE 3...ON SITE PH # 801-201-3312
CF22-26663	07/26/2022 16:32:35	ALARMF	Initiated	No	88	E4	2000 East CIRCLE OF HOPE Drive	A	GEN FIRE ALARM
<b>Count:</b> 4									
<b>CAD Officer in Charge: Workman, Michael</b>									
CF22-24907	07/14/2022 12:09:29	VEH	Initiated	No	88	EQ14	2595 West CUSTER Road	A	CAR ON FIRE...WHITE JEEP ON STREET ON FIRE....
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-	09/05/2020	65B02A	Initiated	No	85	FD159	7673 South		STRUCTURE FIRE UFA

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
28397	20:26:22						HIGHLAND Drive		
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-26609	07/26/2022 09:02:51	ALARMF	Initiated	No	87	M11	560 North 2200 West	A	FIRE ALARM.GENERAL L3 BUILDING X... 801-594-2935
<b>Count:</b>									
1									
<b>Count:</b>									
159									

**Report Criteria**

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).