

# Incomplete NFIRs

08/14/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-27533	08/01/2022 16:18:54	HOUSE	Initiated	No	90	M2, LT2, M7, M8, BC1, BC2, FD151, FD152, FD155, FD159, UFA194, M6	954 West 300 South	A	SMOKE COMING OUT WINDOWS OF THE HOME...
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
<b>Count: 25</b>									
<b>CAD Officer in Charge: Ainge, Arnold</b>									
CF22-29276	08/14/2022 00:04:53	ALARMF	Initiated	No	88	M8	1445 South 300 West	A	COMP 'S FIRE ALARM KEEPS GOING OFF... AND CAN HEAR BANGING .. SCARED TO LEAVE APT
CF22-29183	08/13/2022 10:34:14	WATER	Initiated	No	87	M8, EQ14	1516 West 1300 South	A	WATER MAIN BREAK...SMALL GEYSER ABOUT FOOT TALL...NW CORNER OF STEWART AND 1300 S (THINKS IT'S 1516)
<b>Count: 2</b>									
<b>CAD Officer in Charge: Anderson, Daniel</b>									
CF22-28737	08/09/2022 19:18:14	LGASLE	Initiated	No	84	M2, M8, H10, BC1, LT8, H14, M1	175 East 400 South	B	PLANET FITNESS... WANTS THE BUILDING CHECKED FOR CO. FIRE ALARM WENT OFF 2 HRS AGO. EMP SAYING SHE HAS A DEADACHE AND IS DIZZY..
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-28997	08/12/2022 00:03:51	APT	Initiated	No	88	M3, M5, M8, BC1, E41, LT8, LT5	1810 South MAIN Street	C	SMOKE IN THE BASEMENT IN THE LAUNDRY ROOM.... ADVISED TO EVAC ..
CF22-29109	08/12/2022 19:42:01	MISCF	Initiated	No	87	M8	South STATE ST / E HERBERT Avenue	C	PLOT WARMING FIRE NEXT TO POWERLINE
CF22-27959	08/04/2022 13:40:27	MISCF	Initiated	No	88	M8	1300 South WEST TEMPLE Street	B	M STARTING A FIRE IN PARKING LOT JUST N OF BALLPARK... COMP PASSERBY, NFD...
CF22-27962	08/04/2022 13:49:47	ALARMF	Initiated	No	87	M8	1420 South 500 West	B	ZONE 1 FIRE ALARM / AT UTAH JAZZ// PREMISE # 801 325 2033
CF22-28004	08/04/2022 17:03:40	ALARMF	Initiated	No	87	M8	1420 South 500 West	B	FIRE ALARM // BUSN UTAH JAZZ // ZONE 1 FIRE ALARM // 801-325-2033 // REF IP0010
<b>Count: 5</b>									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-29287	08/14/2022 02:14:49	ALARMF	Initiated	No	88	M2	55 North 300 West	A	KSL FIRE ALARM....NO SMOKE OR FLAMES
CF22-29243	08/13/2022 19:51:37	ALARMF	Initiated	No	88	M2	75 South WEST TEMPLE Street	A	ZONE 1 GEN...PREMIS 801-531-0800
<b>Count: 2</b>									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>1</b>									
<b>CAD Officer in Charge: Carter, Kelly</b>									
CF22-28884	08/11/2022 00:01:14	HOUSE	Initiated	No	88	LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6	1064 West 1300 South	B	HOUSE FIRE...BLK SMOKE..FLAMES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Crandall, Steve</b>									
CF22-29241	08/13/2022 19:33:02	ALARMF	Initiated	No	88	M5	1360 East BRYAN Avenue	A	CARBON MONOXICIDE DETECTOR IS SOUNDING IN THE BASEMENT/ NO ONE SICK OR INJURED/ NO SMELL DETECTED
<b>Count: 1</b>									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-28904	08/11/2022 06:05:38	HOUSE	Initiated	No	88	EQ14, M6, M8, BC2, LT8	1064 West 1300 South	B	CAN SEE FLAMES AND SMOKE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF22-28569	08/08/2022 13:49:48	LGASLE	Initiated	No	87	M7, H10, BC1, BC2, LT8, M6, H14, M2	1206 West 200 South	A	EXCAVATORS HIT A GAS LINE 2" LINE SEE SMELL AND HEAR...MORGAN EXCAVATION
<b>Count: 5</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-29184	08/13/2022 10:46:12	ALARMF	Initiated	No	87	EQ9	4883 West DOUGLAS CORRIGAN Way	A	COMM SMOKE DETECTOR, ZONE 42... ROOM 167... REF#57226... ON CALL TO FRONT DESK... STEAM FROM SHOWER
CF22-29189	08/13/2022 11:42:47	ALARMF	Initiated	No	87	EQ9	4883 West DOUGLAS CORRIGAN Way	A	SMOKE DETECTOR... ROOM 124... REF#6030
CF22-29227	08/13/2022 17:01:15	ALARMF	Initiated	No	87	EQ9	4883 West DOUGLAS CORRIGAN Way	A	COMM SMOKE DETECTOR... ROOM 202... REF#7448... PER FRONT DESK, NO ONE IN THE ROOM
CF22-29304	08/14/2022 05:51:36	ALARMF	Initiated	No	88	EQ9	4883 West DOUGLAS CORRIGAN Way	A	ZONE 0 GEN FIRE ZONE 63 RM 107 SMOKE ...RP TAYLOR 841-977-9332
<b>Count: 4</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kauffmann, Jeffrey</b>									
CF22-26012	07/22/2022 08:24:45	ALARMW	Initiated	No	85	M3, LT5	1242 East WILMINGTON Avenue	A	NORDSTROM.. FIRE ALARM ZONE 26 RISER PULL STATION AND ZONE 24 WATERFLOW.. RP # MIKE LARSEN 801-928-1624 RP DAN LONG 801-319-3562
<b>Count: 1</b>									
<b>CAD Officer in Charge: Key, Brett</b>									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-27879	08/03/2022 21:11:36	TREE	Initiated	No	88	M1	256 East 100 South	B	TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED
CF22-27916	08/04/2022 07:06:06	PUBLIC	Initiated	No	88	M1	276 East 300 South	B	CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108.....
<b>Count: 2</b>									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-29105	08/12/2022 19:21:33	ALARMW	Initiated	No	88	EQ14	1851 South 5350 West	C	BUSN: LANDMARK 3 - GENERAL FIRE ALARM, ZONE 5 WATERFLOW, RISER 5
<b>Count: 1</b>									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-28726	08/09/2022 17:33:21	ALARMF	Initiated	No	87	M5	175 East 700 South	B	PLANET FITNESS/WORKDAY/SS OFFICE....AUDIBLE FIRE ALARM....EVACUATION ALARM....COMMERCIAL 5-6 STORY BUILDING....NO SMOKE OR FLAMES SEEN....ENTIRE BLDG ALARM...UNK EXACT START LOCATION
CF22-	06/11/2022	PUBLIC	Initiated	No	87	HV5	301 South		FIRE CASE FOR THE HRT ON MEDICAL

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
20472	19:18:27						WAKARA Way		CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count: 5</b>									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 4</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South B		CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count: 1</b>									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
CF22-28674	08/09/2022 12:56:09	PASST	Initiated	No	100	M3	2210 South 1300 East	B	SILV TOYOTA COROLLA BY THE SPRINGHILL SUITES..... WHITE HUSKY IN THE CAR WITH THE CAR OFF AND THE WINDOWS UP... COMP IS ON SCENE IN A BLK TACOMA..... SEE RELATED CP#: SL22-152953
CF22-28788	08/10/2022 09:29:37	ALARMW	Initiated	No	86	ML106	1243 East BRICKYARD Road	B	WATERFLOW ALARM... 801-869-4400... REF#S340-2752
CF22-28827	08/10/2022 14:33:21	COMM	Initiated	No	86	E13, BC1, E41, LT8, EQ14	2160 South 700 East	B	APPROX 3 HRS AGO .. STARTED SMELLING AN ELEC BURN SMELL .. HAS GOTTEN WORSE .. PEP BOYS
<b>Count: 4</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF22-28867	08/10/2022 19:42:15	PUBLIC	Initiated	No	88	LT2	239 West 600 North	B	COMP REQ FIRE BACK BECAUSE THE PAINT FUMES ARE GOING THROUGH

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									THE COMPLEX AND WANT THE FIRE DEPT TO VENTILATE IT
CF22-28794	08/10/2022 11:25:44	ARESCU	Initiated	No	88	LT2	375 West 200 South	B	DRK GRY TOYOTA SEQUOIA PARKED IN FRONT OF GSBS ARCHITECTS WITH DOG LEFT INSIDE VEH... DOG LOOKS IN DISTRESS... HAS BEEN THERE APPROX AN HOUR... @G642KE ... SEE RELATED CP#: SL22-153634
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ...PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN...YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
<b>Count:</b> 6									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-29215	08/13/2022 15:04:31	ALARMW	Initiated	No	87	LT8, EQ14	1136 South 3600 West	A	BLDG 1 ZONE 4 WATERFLOW ALARM // BUSN SLC I BLDGS// CLARISE IGLET KEYHOLDER 801 673 6166
CF22-29229	08/13/2022 17:19:28	ALARMF	Initiated	No	87	EQ14	1136 South 3600 West	A	SMOKE DETECTOR ALARM... SALT LAKE I BDLG... 801 673 6166
CF22-29306	08/14/2022 07:07:25	ALARMF	Initiated	No	88	EQ14	3555 West NINIGRET Drive	A	GENERAL FIRE ALARM - ZONE 212...BUSN NAME: GAL TILE...R/P # PAT DOHER 801-920-0899
CF22-29260	08/13/2022 21:48:30	ALARMW	Initiated	No	87	LT8, EQ14	1136 South 3600 West	A	SALT LAKE CITY I BUILDING...ZONE 1 WATERFLOW...RP CHARISSE 801-673-6166
<b>Count:</b> 4									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-29257	08/13/2022 21:07:25	PDASST	Initiated	No	88	LT2	55 South 500 West	A	CHERYL KILPACK... STATED SHE TOOK A BOTTLE OF PILLS AT 0200 YESTERDAY... COMP HAS NOT HEARD FROM HER SINCE... REF PREV CASE 155638... SEE RELATED CP#: SL22-156228 - ,FORCE ENTRY
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-27799	08/03/2022 11:37:44	ALARMF	Initiated	No	99	M1	259 South 500 East	B	IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061
<b>Count:</b> 1									
<b>CAD Officer in Charge: Silverthorne, Robert</b>									
CF22-28552	08/08/2022 12:24:32	ALARMF	Initiated	No	91	M3	2544 South IMPERIAL Street	A	BROWN . AREA SMOKE DETECTOR , INSIDE 719 640 7948
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sorensen, Derek</b>									
CF22-27930	08/04/2022 08:58:02	ALARMF	Initiated	No	87	EQ9	5454 West 150 South	B	ZONE 67 SOUTH ELEVATOR FLR 1...NO CONTACT WITH ANYONE...BOBEZ BLDG 1...801 860 8751
<b>Count:</b> 1									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-29196	08/13/2022 12:01:13	PUBLIC	Initiated	No	88	E10	451 South 1400 East	A	UNK # OF PEOPLE STUCK IN ELEVATOR #6... FIRST FLOOR... NO

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									ONE SICK/INJ... SECURITY WILL MEET AT FRONT LOBBY TO DIRECT.
CF22-29303	08/14/2022 05:45:58	ALARMF	Initiated	No	88	E10	375 South 1400 East	A	UNK ZONE GEN FIRE
CF22-29232	08/13/2022 17:58:28	ALARMF	Initiated	No	88	E10	1410 South CHANCELLOR Way	A	CO ALARM // RES JULIA MOFFET // MAIN CO // 801-582-0272 // REF 905632216
<b>Count: 3</b>									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-27931	08/04/2022 09:04:24	DUMP	Initiated	No	87	EW3131	2166 South 1700 East		DUMPSTER FIRE// EW3131
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 2</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 1</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
<b>Count: 1</b>									
<b>CAD Officer in Charge: Valente, Gianni</b>									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
<b>Count: 2</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
ON THE PLATFORM...UTA PD ENR									
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
CF22-29302	08/14/2022 04:52:17	PUBLIC	Initiated	No	88	E4	1950 East CIRCLE OF HOPE Drive	A	UUPD REQ FD RESPOND, CANNOT RESET THE SYSTEM...PER CPT. WINKLER WILL RESPOND AND DO WHAT THEY CAN
<b>Count:</b> 2									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>CAD Officer in Charge: Yamane, Chad</b>									
CF22-28621	08/08/2022 21:27:46	ALARMF	Initiated	No	88	M11	1999 West NORTH TEMPLE Street	A	ZONE 4 BLDG C RISER ROOM - NO RP INFO
CF22-28629	08/08/2022 23:11:48	ALARMF	Initiated	No	88	M11	1616 West NORTHWOOD Avenue	A	CO ALARM, NEG FIRE/SMOKE...NEG SICK...
<b>Count:</b> 2									
<b>Count:</b> 110									

**Report Criteria**

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.