

Incomplete NFIRs

08/20/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	86	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
CF22-29588	08/16/2022 10:28:57	FUEL	Initiated	No	88	RD1, RD5	15 North 3950 W[MENZIES OFF LOAD AREA	B	ABOUT 3 GALLONS//ITS IN A CONTAINMENT AREA//CLEANUP IN PROCESS//JET FUEL ... SEE RELATED CP#: AP22-25470
CF22-30017	08/19/2022 08:27:05	PUBLIC	Initiated	No	86	M2	270 West 300 North	C	TEST CALL FOR M2
Count: 26									
CAD Officer in Charge: Ainge, Arnold									
CF22-30063	08/19/2022 13:29:40	VEH	Initiated	No	88	M8	1427 South 300 West	A	PULLED OVER OUT OF TRAFFIC...SILV F150 VS MAZDA...ONE VEH LEAKING FLUID...IN FRONT OF SMOKE SHOP ... SEE RELATED CP#: SL22-160567
CF22-30151	08/20/2022 03:59:05	DUMP	Initiated	No	88	M8	1000 South MAIN Street	A	DUMPSTER ON FIRE... INFRONT OF DIALYSIS CENTER... ADDR FROM RAPID...
CF22-30157	08/20/2022 06:52:52	ALARMF	Initiated	No	88	M8	1790 South WEST TEMPLE Street	A	FIRE ALARMS GOING OFF....NO SMOKE OR FLAMES
Count: 3									
CAD Officer in Charge: Anderson, Daniel									
CF22-28737	08/09/2022 19:18:14	LGASLE	Initiated	No	84	M2, M8, H10, BC1, LT8, H14, M1	175 East 400 South	B	PLANET FITNESS... WANTS THE BUILDING CHECKED FOR CO. FIRE ALARM WENT OFF 2 HRS AGO. EMP SAYING SHE HAS A DEADACHE AND IS DIZZY..
Count: 1									
CAD Officer in Charge: Bills, Jared									
CF22-29987	08/19/2022 01:53:46	VEH	Initiated	No	88	FD154, M6, UFA193	625 South REDWOOD Road	C	VEH ON FIRE.. FLAMES AND SMOKE ... POSS THREATNING OTHER CARS..
CF22-29962	08/18/2022 21:11:44	VEH	Initiated	No	88	M6	650 South 1200 West	C	
Count: 2									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Carter, Kelly									
CF22-28884	08/11/2022 00:01:14	HOUSE	Initiated	No	88	LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6	1064 West 1300 South	B	HOUSE FIRE...BLK SMOKE..FLAMES
Count: 1									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count:									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YO F C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
CF22-30111	08/19/2022 20:15:30	VEH	Initiated	No	88	M2, LT2, M7, BC1, M6	2300 North I15 NB Freeway	A	ON THE BECK ST OFFRAMP LH SIDE// COMP'S VEH IS SMOKING VEH// 2006 MAZDA WAGON//
CF22-30028	08/19/2022 10:12:04	ALARMF	Initiated	No	87	M7	2177 West NORTH TEMPLE Street	A	FIRE ALARM // ZONE 4 SMOKE // 801-364-5800 // REF AC22340
Count: 6									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Hill, John									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
Count: 1									
CAD Officer in Charge: Jeppson, Zachary									
CF22-29428	08/15/2022 08:14:06	ALARMF	Initiated	No	87	M7	55 South REDWOOD Road	A	ABF FREIGHT SYS...POINT 3 DRIVE FLOW...DAVID KELSER 317 797 2329...REF MP100355
Count: 1									
CAD Officer in Charge: Kartson, Constantine									
CF22-30083	08/19/2022 16:25:37	HOUSE	Officer reviewed	No	100	LT5, M8, E10, E13, BC1	1863 South FOOTHILL Drive	A	SMOKE COMING FROM SIDE OF HOUSE
CF22-	08/20/2022	PIPE	Initiated	No	88	E13, LT5	2641 East	A	WATER PIPE BROKE INSIDE APT.. NO

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
30156	06:10:32						STRINGHAM Avenue		ONE SICK OR INJURED..
Count: 2									
CAD Officer in Charge: Key, Brett									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
Count: 1									
CAD Officer in Charge: Kochevar, Kevin									
CF22-27879	08/03/2022 21:11:36	TREE	Initiated	No	88	M1	256 East 100 South	B	TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED
CF22-27916	08/04/2022 07:06:06	PUBLIC	Initiated	No	88	M1	276 East 300 South	B	CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108.....
Count: 2									
CAD Officer in Charge: Mackintosh, William									
CF22-29655	08/16/2022 17:20:50	ALARMF	Initiated	No	88	M5	1422 East MILITARY Way	B	RESIDENTIAL FIRE ALARM ...POINT 28 SMOKE STUDIO...801 916 3600
CF22-29658	08/16/2022 17:36:50	ALARMF	Initiated	No	88	M5	210 East 400 South	B	FIRE ALARM GENERAL FIRE.... MAIN LIBRARY.... 801-584-0200...
Count: 2									
CAD Officer in Charge: Maddux, John									
CF22-29663	08/16/2022 18:38:38	PUBLIC	Initiated	No	88	LT5	2695 South 900 East	B	ELEVATOR SINGLE OCCUPANT NOT SICK OR INJURED
CF22-28726	08/09/2022 17:33:21	ALARMF	Initiated	No	87	M5	175 East 700 South	B	PLANET FITNESS/WORKDAY/SS OFFICE....AUDIBLE FIRE ALARM....EVACUATION ALARM....COMMERCIAL 5-6 STORY BUILDING....NO SMOKE OR FLAMES SEEN....ENTIRE BLDG ALARM...UNK EXACT START LOCATION
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
Count: 6									
CAD Officer in Charge: Menlove, Gary									
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
CF22-30129	08/19/2022 22:53:05	ODOR	Initiated	No	88	M11	1787 West SHANNON Circle	A	BURNING ODOR OUTSIDE .. UNK SOURCE// NO SMOKE OR FLAMES SEEN
Count: 2									
CAD Officer in Charge: Meyer, Bryon									
CF22-30159	08/20/2022 07:10:12	SMOKE	Initiated	No	87	M2	550 North BONNEVILLE Boulevard	A	SMOKE ON WEST SIDE OF BONNEVILLE ROAD...DOESNT SEE FLAMES
CF22-30117	08/19/2022 21:03:03	FUEL	Initiated	No	87	M2, H10	500 West 200 South	A	SW CORNER// CAR LEAKING GAS/ TOW TRUCK WON'T TOW UNTIL FIRE DEPT APPROVE/ 2000 GMC ENVOY... A GALLON SPILLED
CF22-30076	08/19/2022 15:39:17	ALARMW	Initiated	No	88	M2, LT2	268 South MAIN Street	A	ZONE 2 WATER SHUT OFF ALARM.. MARKET ON MAIN.. NO INSIDE #

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 3									
CAD Officer in Charge: Mortensen, Daniel									
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 4									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
Count: 1									
CAD Officer in Charge: Nelson, Todd									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
Count: 1									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
CF22-28788	08/10/2022 09:29:37	ALARMW	Initiated	No	100	ML106	1243 East BRICKYARD Road	B	WATERFLOW ALARM... 801-869-4400... REF#S340-2752
CF22-28827	08/10/2022 14:33:21	COMM	Initiated	No	100	E13, BC1, E41, LT8, EQ14	2160 South 700 East	B	APPROX 3 HRS AGO .. STARTED SMELLING AN ELEC BURN SMELL .. HAS GOTTEN WORSE .. PEP BOYS
Count: 3									
CAD Officer in Charge: Reilly, Daniel									
CF22-29395	08/14/2022 23:48:43	ALARMF	Initiated	No	87	M11	2177 West NORTH TEMPLE Street	A	ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800
CF22-29674	08/16/2022 20:16:50	HOUSE	Initiated	No	88	M2, LT2, M7, BC1, M1	120 West GIRARD Avenue	B	3 PLEX.....DRYER ON FIRE IN BASEMENT
CF22-29676	08/16/2022 20:45:19	ALARMF	Initiated	No	87	M2	90 South RIO GRANDE Street	B	GATEWAY BLOCK C.....FIRE ALARM.....ZONE 0 GENERAL.....801-456-0040 RP BRIAN HILL 801-674-0608
CF22-29654	08/16/2022 17:20:06	ALARMF	Initiated	No	88	M2	135 South 500 Street West	B	FIRE ALARM... ZONE 0 GENERAL.... GATEWAY BLOCK C1... GATEWAY SEC #801-456-1990...
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-	09/18/2020	65A03	Initiated	No	86	EW6141,	1560 West 3900	B	AUX FROM 14 VECC CH2 // THIS WILL

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
30271	17:47:16					EW6142, M14	South		BE IN SSL
Count: 8									
CAD Officer in Charge: Sharp, Dallas									
CF22-27799	08/03/2022 11:37:44	ALARMF	Initiated	No	99	M1	259 South 500 East	B	IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061
Count: 1									
CAD Officer in Charge: Silverthorne, Robert									
CF22-30015	08/19/2022 08:11:23	TRUCK	Initiated	No	88	M3, H14	2159 South 700 East	C	SEMI ON FIRE // BACK HAULING PORTION
CF22-29520	08/15/2022 20:26:55	HOUSE	Initiated	No	86	M5, E13, BC1, LT5	2540 South GLENMARE Street	B	SMELL OF FIRE INSIDE HOUSE.
CF22-30160	08/20/2022 07:11:51	ALARMF	Initiated	No	88	M3	1168 East 2100 South	A	FIRE ALARM ZONE 5 SMOKE DETECTOR NO RP
Count: 3									
CAD Officer in Charge: Sorensen, Derek									
CF22-27930	08/04/2022 08:58:02	ALARMF	Initiated	No	87	EQ9	5454 West 150 South	B	ZONE 67 SOUTH ELEVATOR FLR 1...NO CONTACT WITH ANYONE...BOBEZ BLDG 1...801 860 8751
Count: 1									
CAD Officer in Charge: Staheli, Brian									
CF22-30058	08/19/2022 13:14:56	PUBLIC	Initiated	No	87	E10	1701 East STUDENT LIFE Way	A	2 PEOPLE STUCK IN ELEVATOR...5TH FLR ELEVATOR 2...NEG SICK/INJ
Count: 1									
CAD Officer in Charge: Steadman, Karl									
CF22-30137	08/20/2022 00:27:59	HOUSE	Initiated	No	88	M2, LT2, M7, UT10, M11, BC1, BC2, FD155, FD159, M6, UFA192	1000 West EUCLID Avenue	A	EAST SIDE OF EUCLID, MOBILE HOME ON FIRE, CORNER HOUSE
Count: 1									
CAD Officer in Charge: Stevens, John									
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
Count: 2									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
CF22-27931	08/04/2022 09:04:24	DUMP	Initiated	No	87	EW3131	2166 South 1700 East		DUMPSTER FIRE// EW3131
CF22-29688	08/16/2022 22:33:43	ALARMF	Initiated	No	87	E13	2363 South FOOTHILL Drive	B	FIRE ALARM.....ZONE 126 CORR SMOKE BY FOOD

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
BAR.....REF#M71505									
Count: 3									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERLY F IN WHEELCHAIR AND A TEENAGER
Count: 1									
CAD Officer in Charge: Valente, Gianni									
CF22-23374	07/03/2022 10:05:57	LINE	Initiated	No	88	M2	North VICTORY RD / N BECK Street	A	EAST SIDE OF STREET...APPX ADDR...POWER LINE DIPPING DOWN/ALMOST TOUCHING GROUND...NO ARCING OR SPARKS
CF22-23441	07/03/2022 23:19:23	MISCF	Initiated	No	88	M2	241 North 300 West	A	3 SUBJS LIGHTING FIREWORKS IN PLOT ... SEE RELATED CP#: SL22-125497
Count: 2									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Wardell, Kip									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
Count: 1									
CAD Officer in Charge: Whitney, Russell									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
CAD Officer in Charge: Yamane, Chad									
CF22-28621	08/08/2022 21:27:46	ALARMF	Initiated	No	88	M11	1999 West NORTH TEMPLE Street	A	ZONE 4 BLDG C RISER ROOM - NO RP INFO
CF22-28629	08/08/2022 23:11:48	ALARMF	Initiated	No	88	M11	1616 West NORTHWOOD Avenue	A	CO ALARM, NEG FIRE/SMOKE...NEG SICK...
Count: 2									
Count: 107									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
-----------------	--------------------	------	---------------	---------	-------	-----------	---------	---------	---------------

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)