

# Incomplete NFIRs

08/30/2022



| Incident Number                      | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                | Address                     | Platoon | CAD Narrative  |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|-----------------------------|---------|--|
| <b>CAD Officer in Charge: (None)</b> |                     |        |               |         |       |                          |                             |         |  |
| CF22-23578                           | 07/04/2022 22:17:40 | MISCF  | Initiated     | No      | 86    | EW6162                   | 250 South 600 West          |         |  |
| CF22-25407                           | 07/17/2022 21:28:09 | ACC    | Initiated     | No      | 87    | UT10                     | 1023 East 900 South         |         |  |
| CF20-40282                           | 12/13/2020 05:39:26 | STRUCT | Initiated     | No      | 87    | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South         | B       | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING  |
| CF20-27024                           | 08/24/2020 16:37:58 | 65A01  | Initiated     | No      | 86    | FD155, FD159             | 7345 South WINESAP Circle   |         | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5   |
| CF20-27832                           | 08/31/2020 17:37:40 | 65B02  | Initiated     | No      | 85    | FD152                    | 8037 South ROYAL Lane       |         | FD152  |
| CF21-17870                           | 06/12/2021 10:11:05 | PUBLIC | Initiated     | No      | 87    | SQ2                      | 307 East 600 South          |         | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...   |
| CF21-19313                           | 06/23/2021 00:06:10 | ALARMF | Initiated     | No      | 94    | M3                       | 1237 East BRICKYARD Road    | B       | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..   |
| CF21-37094                           | 11/07/2021 21:52:52 | PASST  | Initiated     | No      | 88    | M2                       | 50 South 500 West           | B       | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750  |
| CF21-39960                           | 12/02/2021 10:13:37 | ACC    | Initiated     | No      | 83    | FD120                    | 1600 South INDUSTRIAL Road  |         | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR..BC1 AWARE...SAFTEY OFFICER ON SCENE  |
| CF21-24823                           | 08/03/2021 21:52:00 | ALARMF | Initiated     | No      | 95    | LT2, M2                  | 50 West NORTH TEMPLE Street | B       | FALSE ALARM PER CHURCH SECURITY  |
| CF22-8910                            | 03/12/2022 22:10:44 | FUEL   | Initiated     | No      | 86    | RD2, RD4                 | 505 TAXIWAY K               |         | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431  |
| CF22-15162                           | 05/01/2022 20:46:15 | ELEC   | Initiated     | No      | 86    | BC41, E41                | 700 East I80E EB Freeway    |         | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA   |
| CF22-16353                           | 05/11/2022 05:23:27 | AUTO   | Initiated     | No      | 84    | MA73                     | 2175 South REDWOOD Road     |         | IN FRONT OF THE MAVERIK  |
| CF22-17626                           | 05/20/2022 06:39:25 | STROK  | Initiated     | No      | 84    | GC523                    | 1516 East HOLLYWOOD Avenue  |         | C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC-HAS HX OF STROKE  |
| CF22-18025                           | 05/23/2022 09:24:39 | FUEL   | Initiated     | No      | 87    | BLU28                    | 765 North 2200 West         |         | FUEL SPILL ON BASE   |
| CF22-19058                           | 05/31/2022 16:00:53 | PASST  | Initiated     | No      | 86    | FD157                    | 210 West 500 South          |         | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-11714                           | 04/04/2022 19:05:16 | PUBLIC | Initiated     | No      | 87    | BC1                      | 211 South 500 East          | A       | TEST TEST TEST   |
| CF22-12397                           | 04/10/2022 00:57:11 | ABITE  | Initiated     | No      | 83    | E43, ME101               | 3663 South 300 West         |         | ... SEE RELATED CP#: LK22-11750 - FM   |
| CF22-22756                           | 06/28/2022 19:25:53 | SEIZ   | Initiated     | No      | 84    | GC593                    | 1665 South RIVERSIDE Drive  |         | COMPS FRIEND HAD A SEIZURE   |
| CF22-                                | 07/06/2022          | SMOKE  | Initiated     | No      | 86    | E75                      | 1172 South                  |         | COMP CAN SEE BLK SMOKING   |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                        | Platoon | CAD Narrative  |
|--|---------------------|--------|---------------|---------|-------|---|--------------------------------|---------|--|
| 23787  | 10:18:25            |        |               |         |       |   | SWANER Road                    |         | COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...   |
| CF22-24384                                     | 07/10/2022 11:13:24 | ARESCU | Initiated     | No      | 86    | LT8, M8   | 500 South MAIN Street          |         | DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042  |
| CF22-25340                                     | 07/17/2022 12:43:50 | REFUEL | Initiated     | No      | 87    | RD2, RD4  | 50 East PERIMETER[SPOT 3 ROW 2 | B       | TAC AIR LEERJET 45   |
| CF22-29238                                     | 08/13/2022 18:55:56 | PUBLIC | Initiated     | No      | 84    | GC594   | 2100 South MAIN Street         |         | WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO   |
| CF22-28797                                     | 08/10/2022 12:03:28 | REFUEL | Initiated     | No      | 87    | BLUE, BLU23   | 765 North 2200 West            |         | REFUEL STANDBY   |
| CF22-30972                                     | 08/26/2022 04:54:25 | PDASST | Initiated     | No      | 85    | UFA194  | 1655 East CAMPUS CENTER Drive  |         | BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9   |
| CF22-31127                                     | 08/27/2022 09:34:10 | MISCF  | Initiated     | No      | 86    | M11   | 581 North 2360 West            | B       | TEST FOR STATION 11 COMP   |
| CF22-31323                                     | 08/28/2022 20:20:03 | TRAUM  | Initiated     | No      | 85    | GC594   | 268 East 2ND Avenue            |         | IN COTTAGE DOWN THE DRIVEWAY ...   |
| CF22-31488                                     | 08/30/2022 07:18:05 | MISCF  | Initiated     | No      | 87    | M6  |                                | C       | BEND IN THE RIVER PARK.....6 TRANSIENTS IN MIDDLE OF PARK/PAVILLION ....HAVE A SMALL CAMP FIRE ON THE CEMENT ... SEE RELATED CP#: SL22-168295  |
| <b>Count: 28</b>                               |                     |        |               |         |       |   |                                |         |  |
| <b>CAD Officer in Charge: Allen, Aaron</b>     |                     |        |               |         |       |   |                                |         |  |
| CF22-31388                                     | 08/29/2022 13:59:30 | ELEC   | Initiated     | No      | 88    | EW6062, M2, M6, LT5, EQ14, EW6061, LT8, M11, BC2, FD157 | 237 South PUEBLO Street        | C       | FIRE IN THE BACKYARD....POWER LINES  |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                |         |  |
| <b>CAD Officer in Charge: Anderson, Daniel</b> |                     |        |               |         |       |   |                                |         |  |
| CF22-28737                                     | 08/09/2022 19:18:14 | LGASLE | Initiated     | No      | 84    | M2, M8, H10, BC1, LT8, H14, M1                          | 175 East 400 South             | B       | PLANET FITNESS... WANTS THE BUILDING CHECKED FOR CO. FIRE ALARM WENT OFF 2 HRS AGO. EMP SAYING SHE HAS A DEADACHE AND IS DIZZY..   |
| <b>Count: 1</b>                                |                     |        |               |         |       |   |                                |         |  |
| <b>CAD Officer in Charge: Archuleta, Adam</b>  |                     |        |               |         |       |   |                                |         |  |
| CF22-31402                                     | 08/29/2022 16:06:05 | PUBLIC | Initiated     | No      | 88    | LT8   | 1810 South MAIN Street         | C       | 73 YO MOTHER STUCK IN THE TUB.. COMP IS UNABLE TO HER OUT OF THE TUB BY HERSELF  |
| CF22-31366                                     | 08/29/2022 10:48:31 | ALARMF | Initiated     | No      | 88    | M8  | 365 West PAXTON Avenue         | C       | COMMERCIAL ALARM.. PAXTON 365 ..ZONE IS 59 FOURTH FLOOR BY ROOM 422 SMOKE.. DT 1048 ..INSIDE 3852518341  |
| CF22-30595                                     | 08/23/2022 12:39:48 | MISCF  | Initiated     | Yes     | 95    | M8, FD157, FD158  | 615 South 200 Street West      | C       | FIRE IN THE GRASS ON SOUTH SIDE  |
| CF22-30832                                     | 08/25/2022 07:34:18 | SMOKE  | Initiated     | No      | 88    | M8  | 1475 South MAIN Street         | C       | FILLINGS AND EMULSIONS BAKERY...HOMELESS MALE BEHIND BLDG...COMP CAN SMELL SMOKE/CONCERNED HE STARTED A FIRE...CANNOT SEE FLAMES OR SMOKE - CAN ONLY SMELL IT ... SEE RELATED CP#: SL22-164635 - ,PS TRANSIENT FIRE/ONLY SMELL OF SMOKE...NOTHING SEEN |
| <b>Count: 4</b>                                |                     |        |               |         |       |   |                                |         |  |
| <b>CAD Officer in Charge: Bills, Jared</b>     |                     |        |               |         |       |   |                                |         |  |

| Incident Number                             | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus   | Address                            | Platoon | CAD Narrative   |
|---|---------------------|--------|---------------|---------|-------|---|------------------------------------|---------|---|
| CF22-29962                                  | 08/18/2022 21:11:44 | VEH    | Initiated     | No      | 88    | M6  | 650 South 1200 West                | C       |   |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Bush, Joseph</b>  |                     |        |               |         |       |   |                                    |         |   |
| CF22-31411                                  | 08/29/2022 17:29:09 | VEH    | Initiated     | No      | 88    | E10   | 900 South 2200 East                | C       | RIGHT BEFORE 2200 E...ON THE UPHILL....VEH ON FIRE...SUV TYPE VEH   |
| CF22-31429                                  | 08/29/2022 19:57:30 | PUBLIC | Initiated     | No      | 88    | E10   | 265 South FORT DOUGLAS Boulevard   | C       | STUCK IN ELEVATOR...UNKN ELEVATOR NUMBER...1ST FLOOR...SG AND RP ENROUTE  |
| CF22-31436                                  | 08/29/2022 20:53:39 | ALARMF | Initiated     | No      | 87    | E10   | 720 South VALDEZ Drive             | C       | FIRST STEP HOUSE...VALOR...SMOKE FIRE ALARM ZONE 16...#801-582-0199...RP PENDING  |
| <b>Count: 3</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Carter, Gary</b>  |                     |        |               |         |       |   |                                    |         |   |
| CF20-14622                                  | 05/11/2020 13:16:14 | 65B02A | Initiated     | No      | 85    | FD156   | 475 South 300 East                 |         |   |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Carter, Kelly</b> |                     |        |               |         |       |   |                                    |         |   |
| CF22-28884                                  | 08/11/2022 00:01:14 | HOUSE  | Initiated     | No      | 88    | LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6 | 1064 West 1300 South               | B       | HOUSE FIRE...BLK SMOKE..FLAMES  |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Coles, Clay</b>   |                     |        |               |         |       |   |                                    |         |   |
| CF20-29532                                  | 09/12/2020 10:22:19 | 65A03  | Initiated     | No      | 88    | EW6091, EW6092  | 10914 West 180W EB Freeway         |         | EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE   |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Comer, Peter</b>  |                     |        |               |         |       |   |                                    |         |   |
| CF21-22812                                  | 07/19/2021 12:34:17 | PDASST | Initiated     | No      | 88    | M12   | 1174 West 600 North                | A       | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ..... SEE RELATED CP#: SL21-127090 - FD  |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Davies, Adam</b>  |                     |        |               |         |       |   |                                    |         |   |
| CF22-31117                                  | 08/27/2022 08:12:59 | DUMP   | Initiated     | No      | 88    | M1  | 854 South 200 West                 | A       | BUSN HOLDEN APTS...DUMPSTER ON FIRE...AT BACK OF PROPERTY...COMP JUST MOVED HERE AND IS NOT QUITE SURE OF LOCATION  |
| <b>Count: 1</b>                             |                     |        |               |         |       |   |                                    |         |   |
| <b>CAD Officer in Charge: Davis, Jayde</b>  |                     |        |               |         |       |   |                                    |         |   |
| CF22-31378                                  | 08/29/2022 13:26:50 | MISCF  | Initiated     | No      | 88    | EW6061, EW6062, M6  | 1700 South JORDAN RIVER PKWY Trail | C       | ALONG THE RIVER TRAIL BY AT TRUCK REPAIR .. JUST WEST OF THE BUISNESS.. TRANSIENTS HAVE A FIRE GOING.. THERE IS A TREE ABOVE THE FIRE .. THERE ARE 4 PEOPLE AROUND IT |
| CF22-31385                                  | 08/29/2022 13:49:46 | GRASS  | Initiated     | No      | 85    | M11, EW6061, EW6041, EW6042, M6, EW6062                             | 250 South 1300 West                | C       | BETWEEN 1300 AND 1400 W IN THE ALLEY.. WEEDS ON FIRE.. NOT THREATENING ANYTHING .. SMALL GRASS FIRE ABOUT THE SIZE OF A SMALL CAR .. NOT NEAR ANY STRUCTURES          |
| CF22-31442                                  | 08/29/2022 21:48:18 | APT    | Initiated     | No      | 88    | M2, LT2, M7, BC2, LT8, M6, M1                                       | 525 South 500 West                 | C       | 2ND FLOOR HAS LIGTH SMOKE HAZE NO FLAMES SEEN   |
| CF22-31458                                  | 08/29/2022 23:25:20 | APT    | Initiated     | No      | 88    | M7, M11, BC2, LT8, EQ14, M6   | 1467 West 400 South                | C       | 2ND FLOOR APT... SOMETHING ON FIRE... 2 STORY COMPLEX... NOT IN   |

| Incident Number                                | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus                       | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|------------------|---------|-------|---------------------------------|---------------------------------|---------|---|
| COMPS APT..                                    |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>4</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: DeLeeuw, Brian</b>   |                     |        |                  |         |       |                                 |                                 |         |   |
| CF22-31486                                     | 08/30/2022 06:43:19 | ALARMF | Initiated        | No      | 87    | M8                              | 1600 South 300 East             | C       | CALLING IN FIRE ALARM AT WHITTIER ELEMENTARY SCHOOL. WHILE TALKING TO UHP OFFICER TALKED TO PEOPLE ON SCENE SAYING FALSE ALARM TESTING IT.  |
| CF22-31440                                     | 08/29/2022 21:20:42 | LGASLE | Initiated        | No      | 88    | M3, M8, H10, BC1, E41, LT8, H14 | 1749 South STATE Street         | C       | GAS COMING IN VENT.....CAN HEAR A HIGH PITCH WHISTLE.....46 YOF....C/B/A.....MENTIONED THAT HER CHEST WAS HURTING   |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>2</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: Elton, Richard</b>   |                     |        |                  |         |       |                                 |                                 |         |   |
| CF22-31421                                     | 08/29/2022 18:29:43 | WATER  | Initiated        | No      | 87    | M2, LT2                         | 554 South 600 West              | C       | UPRR CREW WAS IN THE AREA WORKING ON THE TRACKS AND SAW WATER BUBBLING UP FROM BETWEEN THE TRAIN TRACKS IN THE YARD /REPORTING A PS WATER MAIN BREAK  |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>1</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: Endemano, Edward</b> |                     |        |                  |         |       |                                 |                                 |         |   |
| CF22-3459                                      | 01/28/2022 15:59:33 | FIRE   | Officer reviewed | No      | 100   | M12                             | 500 EMPLOYEE LOT[STOP 4         | A       | GARBAGE CAN ON FIRE   |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>1</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: Fraser, Patrick</b>  |                     |        |                  |         |       |                                 |                                 |         |   |
| CF21-18617                                     | 06/17/2021 16:52:56 | PUBLIC | Initiated        | No      | 88    | SQ2                             | 48 West 300 South               |         | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU  |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>1</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: Halvorsen, Davin</b> |                     |        |                  |         |       |                                 |                                 |         |   |
| CF21-19889                                     | 06/27/2021 13:50:03 | SMOKE  | Initiated        | No      | 86    | M7                              | 300 North 700 West              | B       | VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...  |
| CF21-19904                                     | 06/27/2021 17:57:23 | ALARMF | Initiated        | No      | 88    | M7                              | 836 West FIG TREE Place         | B       | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE   |
| CF21-19914                                     | 06/27/2021 19:28:56 | VEH    | Initiated        | No      | 86    | M7, FD155                       | 625 North AMERICAN BEAUTY Drive | B       | VEH IS ON FIRE.. HONDA  |
| CF21-34549                                     | 10/18/2021 05:15:22 | HAZMAT | Initiated        | No      | 87    | H14                             | 2125 North REDWOOD Road         |         | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS  |
| <b>Count:</b>                                  |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>4</b>                                       |                     |        |                  |         |       |                                 |                                 |         |   |
| <b>CAD Officer in Charge: Healey, Bruce</b>    |                     |        |                  |         |       |                                 |                                 |         |   |
| CF22-31484                                     | 08/30/2022 06:37:10 | ALARMF | Initiated        | No      | 87    | M3                              | 1168 East 2100 South            | C       | FIRE ALARM SMOKE, BUSN NAME OLD NAVY 801-486-3662, R/P ALEXANDRA 801-903-9710   |
| CF22-31414                                     | 08/29/2022 17:56:47 | ARESCU | Initiated        | No      | 88    | M3                              | 1131 East WILMINGTON Avenue     | C       | DOG INSIDE A VEH...WHI TOYT PRIUS...WINDOWS ALL ROLLED UP..IN THE MIDDLE OF THE PARKING LOT...TOWARDS THE WEST SIDE...PLATE @F131EF/GOLDEN RETRIEVER...OR A YELLOW LAB ... SEE RELATED CP#: SL22-167965 |
| CF22-31417                                     | 08/29/2022 18:15:18 | ALARMF | Initiated        | No      | 87    | E4                              | 1556 East FEDERAL HEIGHTS Drive | C       | FIRE ALARM COMING FROM THE MAIN SMOKE DETECTOR.. CONTACT INFO SCOTT WOLF 323-   |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                         | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|---------------------------------|---------|---|
| 839-8586                                       |                     |        |               |         |       |  |                                 |         |   |
| <b>Count:</b><br>3                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Henthorne, David</b> |                     |        |               |         |       |  |                                 |         |   |
| CF22-9449                                      | 03/17/2022 13:06:09 | ACC    | Initiated     | No      | 86    | FD191  | 1300 South 700 East             |         | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Hill, John</b>       |                     |        |               |         |       |  |                                 |         |   |
| CF22-24052                                     | 07/08/2022 07:08:08 | GRASS  | Initiated     | No      | 87    | EW6131, EW6132   | 1229 East WILMINGTON Avenue     |         | LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING                             |
| CF22-31463                                     | 08/30/2022 00:06:49 | MISCF  | Initiated     | No      | 88    | E13  | 2276 South BENCHMARK Circle     | C       | COMP IS LOOKING AT THE RING CAMERA FOR THE S OF HER PROPERTY-- THINKS THERE IS SOMETHING ON FIRE O BENCHMARK CIR                    |
| <b>Count:</b><br>2                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Jeppson, Zachary</b> |                     |        |               |         |       |  |                                 |         |   |
| CF22-31128                                     | 08/27/2022 09:42:52 | SGASLE | Initiated     | No      | 99    | M7, H10, M1  | 165 South 300 East              | B       | RESIDENT SAYS ROOM SMELLS LIKE GAS .. NOT FEELNG ILL THAT SHE IS AWARE OF   |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Key, Brett</b>       |                     |        |               |         |       |  |                                 |         |   |
| CF22-27549                                     | 08/01/2022 18:13:52 | DUMP   | Initiated     | No      | 88    | M12  | 500 EMPLOYEE LOT                | A       | MULCH FIRE // SHUTTLE STOP 4  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Kochevar, Kevin</b>  |                     |        |               |         |       |  |                                 |         |   |
| CF22-27879                                     | 08/03/2022 21:11:36 | TREE   | Initiated     | No      | 88    | M1   | 256 East 100 South              | B       | TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED                         |
| CF22-27916                                     | 08/04/2022 07:06:06 | PUBLIC | Initiated     | No      | 88    | M1   | 276 East 300 South              | B       | CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108.....                                    |
| <b>Count:</b><br>2                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Koetitz, Paul</b>    |                     |        |               |         |       |  |                                 |         |   |
| CF22-31301                                     | 08/28/2022 17:41:45 | COMM   | Initiated     | No      | 94    | LT2, M8, M11, BC2, FD152, FD153, LT8, UFA194, EQ14, M6 | 1141 South 3200 West            | B       | GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Krohn, William</b>   |                     |        |               |         |       |  |                                 |         |   |
| CF22-31354                                     | 08/29/2022 08:24:08 | MISCF  | Initiated     | No      | 88    | EQ14   | 3720 West 800 South             | B       | WARMNG FIRE.. ON GOING TRANSIENT PROBLEM APPROX 5 CAMPERS .. CLOSEST RAILER TO RR TRACK ON THE GROUND                               |
| CF22-31477                                     | 08/30/2022 04:40:05 | GRASS  | Initiated     | No      | 88    | EQ14, EW6091, EW6092                                   | 1000 South BANGERTER SB Highway | C       | FIRE INBETWEEN 700 - 1300 S - GRASS FIRE - HALF A TENNIS COURT AND SPREADING  |
| <b>Count:</b><br>2                             |                     |        |               |         |       |  |                                 |         |   |
| <b>CAD Officer in Charge: Maddux, John</b>     |                     |        |               |         |       |  |                                 |         |   |
| CF22-30773                                     | 08/24/2022 18:44:47 | LINE   | Initiated     | No      | 88    | M5   | 1045 East 2100 South            | C       | ALLEY JUST NORTH OF QUARTERS & NATURAL GROCERS...LINE DOWN..NEG ARCING, SPARKS, FIRE...COMP LEFT AREA                               |

| Incident Number                                 | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus                              | Address                       | Platoon | CAD Narrative  |
|---|---------------------|--------|---------------|---------|-------|--|-------------------------------|---------|--|
| CF22-30805                                      | 08/24/2022 22:39:24 | MISCF  | Initiated     | No      | 87    | M5                                     | 700 East 1300 South           | C       | NORTH SIDE...TRANSIENT STARTED A FIRE....NOT THREATNING ANYTHING...NOT CONTAINED   |
| CF22-8865                                       | 03/12/2022 14:53:33 | LOCKP  | Initiated     | No      | 86    | M5, LT5                                | 600 East 900 South            |         | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646   |
| CF22-20472                                      | 06/11/2022 19:18:27 | PUBLIC | Initiated     | No      | 87    | HV5                                    | 301 South WAKARA Way          |         | FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH  |
| CF22-20473                                      | 06/11/2022 19:19:29 | PUBLIC | Initiated     | No      | 87    | HV5                                    | 595 North PERRYS HOLLOW Road  |         | DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441   |
| CF22-8935                                       | 03/13/2022 04:27:39 | PUBLIC | Initiated     | No      | 87    | LT5                                    | 1086 South 800 East           |         |  |
| <b>Count: 6</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Menlove, Gary</b>     |                     |        |               |         |       |  |                               |         |  |
| CF22-24370                                      | 07/10/2022 08:52:25 | ALARMF | Initiated     | No      | 86    | M1, M5                                 | 660 South 300 East            |         | GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202   |
| CF22-30887                                      | 08/25/2022 15:49:52 | PUBLIC | Initiated     | No      | 88    | M6                                     | 1593 West SECRET GARDEN Place | A       | MOTHER HAS DEMENTIA AND ON HOSPICE .. TRYING TO MOVE HER IN TO THE HOUSE ..  |
| CF22-31115                                      | 08/27/2022 08:05:09 | MISCF  | Initiated     | No      | 88    | M6                                     | 1084 West FREMONT Avenue      | A       | RIVER PARK.....TRANSIENTS WARMING FIRE....   |
| <b>Count: 3</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Mortensen, Daniel</b> |                     |        |               |         |       |  |                               |         |  |
| CF22-24038                                      | 07/08/2022 01:38:58 | PUBLIC | Initiated     | No      | 85    | FD154                                  | 95 West 7065 South            |         | HOUSE FIRE FOR FD154   |
| CF20-28530                                      | 09/07/2020 03:45:47 | 65B02A | Initiated     | No      | 88    | FD154                                  | 1246 East BONNER Way          |         | FD154 ... SEE RELATED CP#: SL20-161113 - FD  |
| CF20-28546                                      | 09/07/2020 09:39:27 | 65B02A | Initiated     | No      | 83    | FD154                                  | 1330 East IRA HODGES          |         | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN  |
| CF20-16587                                      | 05/29/2020 01:10:39 | ARS IN | Initiated     | No      | 85    | FD154                                  | 120 South STATE Street        |         |  |
| <b>Count: 4</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Moser, Shane</b>      |                     |        |               |         |       |  |                               |         |  |
| CF22-4411                                       | 02/04/2022 16:46:39 | COMM   | Initiated     | No      | 87    | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South             | B       | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| <b>Count: 1</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Myers, Eric</b>       |                     |        |               |         |       |  |                               |         |  |
| CF22-30623                                      | 08/23/2022 15:30:06 | LGASLE | Initiated     | No      | 88    | E4, M7, H10, BC1, LT8, H14, M1         | 4 East KNIGHTSBRIDGE Lane     | C       | COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR  |
| CF22-31451                                      | 08/29/2022 22:53:12 | ALARMF | Initiated     | No      | 88    | E4                                     | 107 North B Street            | C       | SMOKE ALARM KEEPS GOING OFF - ROOMMATE AND CALLER HAVE DB BUT ALSO HAVE ANXIETY - NO FLAMES OR SMOKE   |
| <b>Count: 2</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Nelson, Todd</b>      |                     |        |               |         |       |  |                               |         |  |
| CF22-22931                                      | 06/30/2022 06:34:43 | FUEL   | Initiated     | No      | 88    | RD2, M11, RD4                          | 303 North 2370 W[SPOT 2 9     | B       | HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239   |
| <b>Count: 1</b>                                 |                     |        |               |         |       |  |                               |         |  |
| <b>CAD Officer in Charge: Parks, Paul</b>       |                     |        |               |         |       |  |                               |         |  |
| CF22-12711                                      | 04/12/2022 12:09:11 | ACC    | Initiated     | No      | 86    | SQ6                                    | 223 West FAYETTE Avenue       |         | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI                                     |

| Incident Number                                | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus  | Address                        | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|--|--------------------------------|---------|---|
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Perkins, Gary</b>    |                     |        |               |         |       |  |                                |         |   |
| CF21-13024                                     | 05/03/2021 12:24:54 | PUBLIC | Initiated     | No      | 86    | SQ1  | 131 East 700 South             |         | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Reilly, Daniel</b>   |                     |        |               |         |       |  |                                |         |   |
| CF20-23950                                     | 07/29/2020 14:30:19 | 65A03  | Initiated     | No      | 88    | E13  | 6650 East I80E WB Freeway      | C       | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2   |
| CF21-10548                                     | 04/11/2021 09:48:49 | PDASST | Initiated     | No      | 88    | LT8  | 1460 South STATE Street        | B       | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF                                |
| CF21-11158                                     | 04/16/2021 12:43:25 | PDASST | Initiated     | No      | 84    | GC589  | 1364 West GLENROSE Drive       |         | COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824  |
| CF20-30271                                     | 09/18/2020 17:47:16 | 65A03  | Initiated     | No      | 86    | EW6141, EW6142, M14  | 1560 West 3900 South           | B       | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL   |
| CF22-29395                                     | 08/14/2022 23:48:43 | ALARMF | Initiated     | No      | 87    | M11  | 2177 West NORTH TEMPLE Street  | A       | ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800  |
| CF22-29674                                     | 08/16/2022 20:16:50 | HOUSE  | Initiated     | No      | 88    | M2, LT2, M7, BC1, M1   | 120 West GIRARD Avenue         | B       | 3 PLEX.....DRYER ON FIRE IN BASEMENT  |
| <b>Count:</b><br>6                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Rock, Nathan</b>     |                     |        |               |         |       |  |                                |         |   |
| CF22-31390                                     | 08/29/2022 14:46:00 | ALARMF | Initiated     | No      | 87    | M1   | 480 East SOUTH TEMPLE Street   | C       | LEVEL 6 SE GENERAL FIRE ALARM...385 831 0105  |
| <b>Count:</b><br>1                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Sharp, Dallas</b>    |                     |        |               |         |       |  |                                |         |   |
| CF22-31126                                     | 08/27/2022 09:28:21 | PUBLIC | Initiated     | No      | 88    | M1   | 75 South WEST TEMPLE Street    | B       | PERSON STUCK IN ELEVATOR...#2 STUCK ON 5TH FLOOR...OCCUPIED BY 1...NO MEDICAL INJURIES  |
| CF22-31136                                     | 08/27/2022 10:46:30 | ALARMF | Initiated     | No      | 87    | M1   | 131 South MAIN Street          | B       | FIRE ALARM // UTAH PREFORMING ARTS CENTER // ZONE 1 GENERAL FIRE // 385-227-2946 // REF FP500775  |
| CF22-31149                                     | 08/27/2022 13:07:52 | ALARMF | Initiated     | No      | 87    | M1   | 45 South 700 East              | B       | FIRE ALARM // BUSN BEVERLY HOUSE // ZONE 0 // 801-953-0409 // REF AE101591  |
| CF22-31272                                     | 08/28/2022 13:02:24 | MISCF  | Initiated     | No      | 88    | M1   | 1010 South STATE Street        | B       | BEHIND CAKE SALON IN THE ALLEY WAY...HOMELESS CAMP AREA   |
| CF22-27799                                     | 08/03/2022 11:37:44 | ALARMF | Initiated     | No      | 99    | M1   | 259 South 500 East             | B       | IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061   |
| <b>Count:</b><br>5                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Shepherd, Tyler</b>  |                     |        |               |         |       |  |                                |         |   |
| CF22-31393                                     | 08/29/2022 15:11:04 | BOMBF  | Initiated     | No      | 87    | M2, H10, BC1, M6   | 600 West 200 South             | C       | UTA IS ON SCENE WITH A WHITE VAN THAT HIRES WIRES COMING OUT OF IT. THERE IS ALSO A MALE THERE WITH A DETONATOR BY IT. ... SEE RELATED CP#: SL22-167856 |
| CF22-31369                                     | 08/29/2022 11:43:11 | WILD   | Initiated     | No      | 88    | M7, M11, BC1, BC2, FD151, FD157, FD158, FD180, EW6061, EW6041, EQ9, EQ14, EW6062, EW6091, EW6042 | 650 South BANGERTER NB Highway | C       | EAST SIDE...GRASS FIRE ... POLES CATCHING FIRE... 50 X 50   |
| <b>Count:</b><br>2                             |                     |        |               |         |       |  |                                |         |   |
| <b>CAD Officer in Charge: Shumway, Brandon</b> |                     |        |               |         |       |  |                                |         |   |



| Incident Number                                   | Incident Date Time  | Code   | Record Status    | Locked? | Score | Apparatus    | Address                             | Platoon | CAD Narrative   |
|---|---------------------|--------|------------------|---------|-------|--------------|-------------------------------------|---------|---|
| CF22-30459  | 08/22/2022 13:24:29 | ALARMF | Initiated        | No      | 87    | M6, EQ14     | 863 West 500 South                  | B       | ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Stevens, John</b>       |                     |        |                  |         |       |              |                                     |         |   |
| CF22-23791  | 07/06/2022 10:37:21 | SMOKE  | Initiated        | No      | 86    | SQ1          | 500 South 200 East                  |         | COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON  |
| CF22-21969  | 06/22/2022 15:50:22 | PUBLIC | Initiated        | No      | 86    | SQ1          | 1280 East STRINGHAM Avenue          |         | GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1 |
| <b>Count:</b><br>2                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Stringam, Reed</b>      |                     |        |                  |         |       |              |                                     |         |   |
| CF22-30179  | 08/20/2022 10:49:49 | ACC    | Initiated        | No      | 88    | RD2          | 1085 North 4030 West                | A       | APPARATUS ACCIDENT.. NEG INJURIES .. SAFETY COMM NOTI   |
| CF22-3584   | 01/29/2022 17:26:29 | MISCF  | Officer reviewed | No      | 100   | ET1          | 575 North JOHN GLENN Road           | A       | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,  |
| <b>Count:</b><br>2                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Taylor, Matthew</b>     |                     |        |                  |         |       |              |                                     |         |   |
| CF22-27931  | 08/04/2022 09:04:24 | DUMP   | Initiated        | No      | 87    | EW3131       | 2166 South 1700 East                |         | DUMPSTER FIRE// EW3131  |
| CF22-8895   | 03/12/2022 18:48:19 | PUBLIC | Initiated        | No      | 87    | E13          | 2695 South 900 East                 |         | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/  |
| <b>Count:</b><br>2                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Turner, Cary</b>        |                     |        |                  |         |       |              |                                     |         |   |
| CF20-23422  | 07/25/2020 14:44:13 | 65A05  | Initiated        | No      | 87    | M5, M8       | 10758 South REDWOOD Road            | A       | GOING TO STATION 61   |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Valdez, Christopher</b> |                     |        |                  |         |       |              |                                     |         |   |
| CF22-8886   | 03/12/2022 17:43:58 | PUBLIC | Initiated        | No      | 87    | LT2          | 250 West 600 South                  |         | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Visser, Otto</b>        |                     |        |                  |         |       |              |                                     |         |   |
| CF20-25507  | 08/11/2020 18:49:47 | ACC    | Initiated        | No      | 85    | FD164        | 475 South 300 East                  |         | OTTO VISSOR VS LANDSCAPE VEH  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Wardell, Kip</b>        |                     |        |                  |         |       |              |                                     |         |   |
| CF22-23269  | 07/02/2022 14:26:16 | PUBLIC | Initiated        | No      | 85    | SQ1          | 55 South MAIN Street                |         | COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |
| <b>CAD Officer in Charge: Whitney, Russell</b>    |                     |        |                  |         |       |              |                                     |         |   |
| CF22-21164  | 06/16/2022 21:44:55 | PDASST | Initiated        | No      | 86    | FD152, FD153 | 1750 East MURRAY HOLLADAY Road East |         | THREE STORIES...IN BEDROOM IN APT LISTED  |
| <b>Count:</b><br>1                                |                     |        |                  |         |       |              |                                     |         |   |



| Incident Number                                  | Incident Date Time  | Code   | Record Status | Locked? | Score | Apparatus | Address                   | Platoon | CAD Narrative   |
|--|---------------------|--------|---------------|---------|-------|-----------|---------------------------|---------|---|
| <b>CAD Officer in Charge: Winkler, Scott</b>     |                     |        |               |         |       |           |                           |         |   |
| CF22-19507                                       | 06/03/2022 23:04:34 | PDASST | Initiated     | No      | 87    | EW6041    | 64 East 300 North         |         | JUST WEST OF STATE...NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681 |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |   |
| <b>CAD Officer in Charge: Worthington, Jared</b> |                     |        |               |         |       |           |                           |         |   |
| CF20-28397                                       | 09/05/2020 20:26:22 | 65B02A | Initiated     | No      | 85    | FD159     | 7673 South HIGHLAND Drive |         | STRUCTURE FIRE UFA  |
| <b>Count:</b><br>1                               |                     |        |               |         |       |           |                           |         |   |
| <b>Count:</b><br>116                             |                     |        |               |         |       |           |                           |         |   |

| Report Criteria     |                                  |
|---------------------|----------------------------------|
| Record Status:      | Is Not Equal To Officer reviewed |
| Locked?:            | Is Not Equal To Yes              |
| Incident Date Time: | Is On or After 1/16/2018         |
| Incident Number:    | Begins With CF                   |
| Code:               | Is Not Equal To ARSINV           |
| Code:               | Is Not Equal To APSN             |
| Apparatus:          | Is Not Equal To E41              |
| Apparatus:          | Is Not Equal To E73              |
| Apparatus:          | Is Not Equal To ME117            |

Need help? Call Nicole at 801-799-4103, or [email us](#).