

Incomplete NFIRs

09/22/2022



| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--------------------------------------|---------------------|--------|---------------|---------|-------|--------------------------|-----------------------------|---------|--|
| CAD Officer in Charge: (None) | | | | | | | | | |
| CF22-23578 | 07/04/2022 22:17:40 | MISCF | Initiated | No | 86 | EW6162 | 250 South 600 West | | |
| CF22-25407 | 07/17/2022 21:28:09 | ACC | Initiated | No | 87 | UT10 | 1023 East 900 South | | |
| CF22-32869 | 09/08/2022 20:23:15 | REFUEL | Initiated | No | 87 | M12 | 24 TAXIWAY H[TESTTEST | B | |
| CF20-40282 | 12/13/2020 05:39:26 | STRUCT | Initiated | No | 87 | BC2, EQ14, EQ9, LT2, M11 | 4201 West 700 South | B | IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING |
| CF20-27024 | 08/24/2020 16:37:58 | 65A01 | Initiated | No | 86 | FD155, FD159 | 7345 South WINESAP Circle | | ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5 |
| CF20-27832 | 08/31/2020 17:37:40 | 65B02 | Initiated | No | 85 | FD152 | 8037 South ROYAL Lane | | FD152 |
| CF21-17870 | 06/12/2021 10:11:05 | PUBLIC | Initiated | No | 87 | SQ2 | 307 East 600 South | | OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU... |
| CF21-19313 | 06/23/2021 00:06:10 | ALARMF | Initiated | No | 94 | M3 | 1237 East BRICKYARD Road | B | RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099.. |
| CF21-24823 | 08/03/2021 21:52:00 | ALARMF | Initiated | No | 95 | LT2, M2 | 50 West NORTH TEMPLE Street | B | FALSE ALARM PER CHURCH SECURITY |
| CF21-37094 | 11/07/2021 21:52:52 | PASST | Initiated | No | 88 | M2 | 50 South 500 West | B | MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750 |
| CF21-39960 | 12/02/2021 10:13:37 | ACC | Initiated | No | 83 | FD120 | 1600 South INDUSTRIAL Road | | CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE |
| CF22-8910 | 03/12/2022 22:10:44 | FUEL | Initiated | No | 95 | RD2, RD4 | 505 TAXIWAY K | | ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431 |
| CF22-15162 | 05/01/2022 20:46:15 | ELEC | Initiated | No | 86 | BC41, E41 | 700 East I80E EB Freeway | | APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA |
| CF22-16353 | 05/11/2022 05:23:27 | AUTO | Initiated | No | 84 | MA73 | 2175 South REDWOOD Road | | IN FRONT OF THE MAVERIK |
| CF22-17626 | 05/20/2022 06:39:25 | STROK | Initiated | No | 84 | GC523 | 1516 East HOLLYWOOD Avenue | | C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE |
| CF22-18025 | 05/23/2022 09:24:39 | FUEL | Initiated | No | 87 | BLU28 | 765 North 2200 West | | FUEL SPILL ON BASE |
| CF22-19058 | 05/31/2022 16:00:53 | PASST | Initiated | No | 86 | FD157 | 210 West 500 South | | EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD |
| CF22-11714 | 04/04/2022 19:05:16 | PUBLIC | Initiated | No | 87 | BC1 | 211 South 500 East | A | TEST TEST TEST |
| CF22-12397 | 04/10/2022 00:57:11 | ABITE | Initiated | No | 83 | E43, ME101 | 3663 South 300 West | | ... SEE RELATED CP#: LK22-11750 - FM |
| CF22-22756 | 06/28/2022 19:25:53 | SEIZ | Initiated | No | 84 | GC593 | 1665 South RIVERSIDE Drive | | COMPS FRIEND HAD A SEIZURE |
| CF22-23787 | 07/06/2022 10:18:25 | SMOKE | Initiated | No | 86 | E75 | 1172 South SWANER Road | | COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM... |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|---|--------------------------------|---------|--|
| CF22-24384 | 07/10/2022 11:13:24 | ARESCU | Initiated | No | 86 | LT8, M8 | 500 South MAIN Street | | DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042 |
| CF22-25340 | 07/17/2022 12:43:50 | REFUEL | Initiated | No | 87 | RD2, RD4 | 50 East PERIMETER[SPOT 3 ROW 2 | B | TAC AIR LEERJET 45 |
| CF22-28797 | 08/10/2022 12:03:28 | REFUEL | Initiated | No | 87 | BLUE, BLU23 | 765 North 2200 West | | REFUEL STANDBY |
| CF22-29238 | 08/13/2022 18:55:56 | PUBLIC | Initiated | No | 84 | GC594 | 2100 South MAIN Street | | WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO |
| CF22-30972 | 08/26/2022 04:54:25 | PDASST | Initiated | No | 85 | UFA194 | 1655 East CAMPUS CENTER Drive | | BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9 |
| CF22-31323 | 08/28/2022 20:20:03 | TRAUM | Initiated | No | 85 | GC594 | 268 East 2ND Avenue | | IN COTTAGE DOWN THE DRIVEWAY ... |
| CF22-31702 | 08/31/2022 20:40:39 | HEAD | Initiated | No | 84 | GC591 | 225 South 300 East | | LIBERTY MIDTOWN: C FELL HIT HEAD AND NOT THINKING CLEARLY.. |
| CF22-31939 | 09/02/2022 16:13:45 | WATER | Initiated | No | 88 | M8 | 700 East 2700 South | B | T/L 5 MINS.....2 NORTH BOUND LANES ON THE EAST SIDE..... THE STREET IS FLOODING..... NEG THREATENING STRUCTURES... WATER IS COMING FROM THE MIDDLE LANE OF TRAFFIC..... NEG DAMAGE TO COMMERCIAL OR PERSONAL PROPERTY..... CITY OWNS THE STREET..... NO HAZARDOUS CONDITIONS |
| CF22-32737 | 09/08/2022 02:47:44 | HOUSE | Initiated | No | 87 | E4, M5, M8, BC1, LT5 | 377 South 500 East | A | CALLBK=(801)403-8491... FLAMES SEEN., FRONT OF THE HOUSE |
| CF22-32778 | 09/08/2022 10:02:35 | APFA | Initiated | No | 88 | RD1, EQ14 | 3 PARKING STRUCTURE GL | B | PG WEST (NODE 11) ELEVATOR 11 SHAFT SMOKE DETECTOR |
| CF22-34523 | 09/21/2022 10:31:10 | ALERT | Initiated | No | 86 | BC2, RD1, RD2, RD4, RD5, RD6, GC587, BLU20, BLU28 | 800 RUNWAY 16L34R[ETA 1137 | B | KC135 W/RIGHT HYDRAULIC ISSUES |
| Count: 32 | | | | | | | | | |
| CAD Officer in Charge: Allen, Aaron | | | | | | | | | |
| CF22-1349 | 01/11/2022 04:10:44 | MISCF | Officer reviewed | No | 100 | M8, FD155 | 2019 South MAIN Street | A | CAN SEE A FIRE .. BUSHES ON FIRE NEXT TO WELLS FARGO VACANT BLDG EAST SIDE OF MAIN .. FIRE NOT THREATENING ANY STRUCTURE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Anderson, Daniel | | | | | | | | | |
| CF22-32101 | 09/03/2022 15:56:28 | PUBLIC | Initiated | No | 88 | LT2 | 580 South 500 West | B | ELEVATORS IN APT ARE INOP... UNK IF PEOPLE ARE STUCK INSIDE... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Archuleta, Adam | | | | | | | | | |
| CF22-30595 | 08/23/2022 12:39:48 | MISCF | Initiated | Yes | 95 | M8, FD157, FD158 | 615 South 200 Street West | C | FIRE IN THE GRASS ON SOUTH SIDE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Arnesen, Aaron | | | | | | | | | |
| CF22-33203 | 09/11/2022 12:07:47 | ALARMW | Initiated | No | 88 | LT5, M1 | 455 South 700 East | C | ZONE 67 WATERFLOW, AND GENERAL FIRE ALARM...R/P # MCKENNA TRACY 801-864-2021 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Berg, Thomas | | | | | | | | | |
| CF22-32511 | 09/06/2022 15:40:42 | MISCF | Initiated | No | 86 | FD151, FD154, FD159 | 52 East 300 South | | 1 MALE DETAINED.. CODE 4... IN RELATION TO CASE 32433 |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|---|-------------------------------|---------|--|
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bills, Jared | | | | | | | | | |
| CF22-29962 | 08/18/2022 21:11:44 | VEH | Initiated | No | 88 | M6 | 650 South 1200 West | C | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Bush, Joseph | | | | | | | | | |
| CF22-6900 | 02/24/2022 19:34:37 | ALARMF | Officer reviewed | No | 100 | E10 | 1701 East STUDENT LIFE Way | C | STUDENT DORM ..UNK ZONE ..UUPD ENROUTE |
| CF22-32383 | 09/05/2022 18:37:21 | FUEL | Initiated | No | 87 | H10 | 1300 East 200 South | | SEE CF22-32381 - NEED KITTY LITTER FOR A LEAK, PER CPT. MADDUX START H10 FOR THAT |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Carter, Gary | | | | | | | | | |
| CF20-14622 | 05/11/2020 13:16:14 | 65B02A | Initiated | No | 85 | FD156 | 475 South 300 East | | |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Carter, Kelly | | | | | | | | | |
| CF22-28884 | 08/11/2022 00:01:14 | HOUSE | Initiated | No | 88 | LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6 | 1064 West 1300 South | B | HOUSE FIRE...BLK SMOKE..FLAMES |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Clark, Jeffrey | | | | | | | | | |
| CF22-34360 | 09/20/2022 11:45:25 | REFUEL | Initiated | No | 86 | RD1, RD2, RD3, RD6 | 9 TAXIWAY Y | B | UA/OO FLIGHT#6939 A CRJ-200 ETA 1158. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Coles, Clay | | | | | | | | | |
| CF20-29532 | 09/12/2020 10:22:19 | 65A03 | Initiated | No | 88 | EW6091, EW6092 | 10914 West I80W EB Freeway | | EW6091 // FIELDD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Comer, Peter | | | | | | | | | |
| CF21-22812 | 07/19/2021 12:34:17 | PDASST | Initiated | No | 88 | M12 | 1174 West 600 North | A | A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Davies, Adam | | | | | | | | | |
| CF22-32745 | 09/08/2022 04:53:16 | SMOKE | Officer reviewed | No | 100 | BC1, E4, LT2, M2, M1 | 574 East 100 South | A | COMP CAN SEE AND SMELL SMOKE... LOOKING EAST FROM THE ROOM BEHIND DISPATCHED ADDRESS. POSS BEHIND THE OASIS CAFE.. |
| CF22-32763 | 09/08/2022 08:11:32 | ALARMF | Initiated | No | 87 | M1 | 45 South 700 East | A | SMOKE DETECTOR// APT 8 BEDROOM... BEVERLY HOUSE... PREMISE 801 953 0409// KEYHOLDER JOHN BRANUM 385 266 4119 |
| CF22-32786 | 09/08/2022 11:15:33 | ALARMW | Initiated | No | 88 | EQ9 | 3195 West PROFESSIONAL Circle | B | FIRE ALARM.. FRESH WATER SYSTEMS.. WATER FLOW ALARM.. ZONE 11.. INSIDE # DAREN 801-859-9880 |
| CF22-31117 | 08/27/2022 08:12:59 | DUMP | Initiated | No | 88 | M1 | 854 South 200 West | A | BUSN HOLDEN APTS...DUMPSTER ON FIRE...AT BACK OF PROPERTY...COMP JUST MOVED HERE AND IS NOT QUITE SURE OF LOCATION |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Doyle, Chad | | | | | | | | | |
| CF22- | 09/15/2022 | ALARMF | Initiated | No | 88 | E10 | 1494 South | B | SMOKE ALARM UPPER.... HOMEOWNE |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|----------------------------|---------------------------------|---------|---|
| 33748 | 17:58:34 | | | | | | CANTERBURY Drive | | VONRICK MURRY... 801-582-5942... |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Elton, Richard | | | | | | | | | |
| CF22-33544 | 09/14/2022 07:56:02 | ALARMF | Initiated | No | 88 | M1 | 350 South 200 East | A | ZONE 2 GENERAL...METRO CONDOS...RP ANDY KRAUS 385 270 7502 |
| CF22-34081 | 09/18/2022 07:33:05 | ALARMF | Initiated | No | 88 | M2 | 150 West 500 South | C | FIRE ALARM... ZONE 0... SHERATON HOTEL.... RP 801-867-7909 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Endemano, Edward | | | | | | | | | |
| CF22-3459 | 01/28/2022 15:59:33 | FIRE | Officer reviewed | No | 100 | M12 | 500 EMPLOYEE LOT[STOP 4 | A | GARBAGE CAN ON FIRE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Fraser, Patrick | | | | | | | | | |
| CF21-18617 | 06/17/2021 16:52:56 | PUBLIC | Initiated | No | 88 | SQ2 | 48 West 300 South | | CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Halvorsen, Davin | | | | | | | | | |
| CF21-19889 | 06/27/2021 13:50:03 | SMOKE | Initiated | No | 86 | M7 | 300 North 700 West | B | VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING... |
| CF21-19904 | 06/27/2021 17:57:23 | ALARMF | Initiated | No | 88 | M7 | 836 West FIG TREE Place | B | CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE |
| CF21-19914 | 06/27/2021 19:28:56 | VEH | Initiated | No | 86 | M7, FD155 | 625 North AMERICAN BEAUTY Drive | B | VEH IS ON FIRE.. HONDA |
| CF21-34549 | 10/18/2021 05:15:22 | HAZMAT | Initiated | No | 87 | H14 | 2125 North REDWOOD Road | | BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Henthorne, David | | | | | | | | | |
| CF22-9449 | 03/17/2022 13:06:09 | ACC | Initiated | No | 86 | FD191 | 1300 South 700 East | | OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Hill, John | | | | | | | | | |
| CF22-24052 | 07/08/2022 07:08:08 | GRASS | Initiated | No | 87 | EW6131, EW6132 | 1229 East WILMINGTON Avenue | | LARGE FIRE IN PARK...CALLER CANT CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jepperson, Chad | | | | | | | | | |
| CF22-1209 | 01/10/2022 06:41:02 | APT | Officer reviewed | No | 100 | LT8, EQ14, M6, M7, M8, BC2 | 1601 West SNOW QUEEN Place | A | PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jeppson, Zachary | | | | | | | | | |
| CF22-31982 | 09/02/2022 21:20:40 | VEH | Initiated | No | 93 | M7, FD153 | 1350 West NORTH TEMPLE Street | B | TRANSIENT LIT BED OF TRUCK ON FIRE.... FEMALE LEFT RUNNING |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Jorgensen, Brandon | | | | | | | | | |
| CF22-33084 | 09/10/2022 13:23:30 | HOUSE | Initiated | No | 89 | LT2, M11, BC2, EQ9, EQ14 | 1132 North MORTON HILLS Circle | C | SMOKE INSIDE HOME..2 STORY HOME..ADV TO EVAC HOME |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|--|------------------------------|---------|---|
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kartsones, Constantine | | | | | | | | | |
| CF22-31838 | 09/01/2022 20:07:31 | ALARMF | Initiated | No | 99 | E13 | 2629 South 1700 East | A | RESIDENTIAL FIRE ALARM .. SMOKE DETECTOR .. RP DENNIS DURANGO 801-556-7045.. |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Key, Brett | | | | | | | | | |
| CF22-27549 | 08/01/2022 18:13:52 | DUMP | Initiated | No | 88 | M12 | 500 EMPLOYEE LOT | A | MULCH FIRE // SHUTTLE STOP 4 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Kochevar, Kevin | | | | | | | | | |
| CF22-27879 | 08/03/2022 21:11:36 | TREE | Initiated | No | 88 | M1 | 256 East 100 South | B | TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED |
| CF22-27916 | 08/04/2022 07:06:06 | PUBLIC | Initiated | No | 88 | M1 | 276 East 300 South | B | CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108..... |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Koetitz, Paul | | | | | | | | | |
| CF22-31301 | 08/28/2022 17:41:45 | COMM | Initiated | No | 94 | LT2, M8, M11, BC2, FD152, FD153, LT8, UFA194, EQ14, M6 | 1141 South 3200 West | B | GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Lightfoot, Aaron | | | | | | | | | |
| CF22-33877 | 09/16/2022 16:08:25 | LINE | Initiated | No | 88 | E13 | 2350 South FOOTHILL Drive | C | IN FRONT OF HOME2SUITES....RMP HAS BEEN NOTIED BY COMP...LINES HANGING DOWN LOW OVER THE ROAD..COMP CONCERNED IF THEY ARE HIT IT WILL TAKE DOWN THE POLES |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Mackintosh, William | | | | | | | | | |
| CF22-31998 | 09/02/2022 23:50:15 | SMOKE | Initiated | No | 87 | M6 | 3490 West 1820 South | B | JUST NORTH OF THE DISPATCHED ADDRESS AT PULL SERVICE STORAGE....SMELLS LIKE A MECHANICAL SMOKY SMELL...CAN SEE SMOKE IN THE AIR |
| CF22-7498 | 03/02/2022 00:52:18 | MISCF | Officer reviewed | No | 99 | EW6061, EW6062, M6 | 1887 South 700 West | B | BETWEEN 2100 S AND 1700 S, BETWEEN 900 W AND 700 W...APPEARS TO BE SOME KIND OF OUTSIDE FIRE, CALLER VIEWING THIS FROM AFAR |
| CF22-3693 | 01/30/2022 17:43:27 | PUBLIC | Officer reviewed | No | 100 | LT5 | 475 East 900 South | B | HELPING TURNING FIRE ALARM OFF...TOILET PAPER CAUGHT ON FIRE IT IS OUT JUST NEEDS HELP WITH TURNING THE ALARM OFF.... |
| Count: 3 | | | | | | | | | |
| CAD Officer in Charge: Maddux, John | | | | | | | | | |
| CF22-8865 | 03/12/2022 14:53:33 | LOCKP | Initiated | No | 86 | M5, LT5 | 600 East 900 South | | NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646 |
| CF22-20472 | 06/11/2022 19:18:27 | PUBLIC | Initiated | No | 87 | HV5 | 301 South WAKARA Way | | FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH |
| CF22-20473 | 06/11/2022 19:19:29 | PUBLIC | Initiated | No | 87 | HV5 | 595 North PERRYS HOLLOW Road | | DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL.....SEE CF22-20441 |
| CF22-8935 | 03/13/2022 04:27:39 | PUBLIC | Initiated | No | 87 | LT5 | 1086 South 800 East | | |
| Count: 4 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|---|----------------------------|---------|---|
| CAD Officer in Charge: McNeill, John | | | | | | | | | |
| CF22-1761 | 01/14/2022 16:05:32 | MISCF | Officer reviewed | No | 100 | E10 | 1800 East PRINCETON Avenue | C | CALLBK=(734)476-2323 LAIRD PARK KIDS LIT A CHRISTMAS TREE ON FIRE ON THE SW CORNER...LOOKS LIKE A NEIGHBOR IS GETTING A FIRE EXTINGUISHER |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Menlove, Gary | | | | | | | | | |
| CF22-24370 | 07/10/2022 08:52:25 | ALARMF | Initiated | No | 86 | M1, M5 | 660 South 300 East | | GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Meyer, Bryon | | | | | | | | | |
| CF22-1922 | 01/16/2022 01:44:24 | APT | Officer reviewed | No | 100 | M7, M8, BC2, FD155, FD159, LT8, M1, M2, LT2 | 360 South 400 West | A | SOMEONE JUST BROKE INTO THE BUILDING.. IN THE MAIN ENTRANCE BROKE THE GLASS TO ENTER .. MHA BLK JACKET SHORT HAIR, ... SEE RELATED CP#: SL22-9204 |
| CF22-33542 | 09/14/2022 07:40:13 | ALARMF | Initiated | No | 87 | M2, M8 | 555 South MAIN Street | A | COMM GENERAL FIRE ZONE 2... 801 258 6986... RP RICHARD BELT 801 209 4798...REF AE101447-1 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Mortensen, Daniel | | | | | | | | | |
| CF20-28530 | 09/07/2020 03:45:47 | 65B02A | Initiated | No | 88 | FD154 | 1246 East BONNER Way | | FD154 ... SEE RELATED CP#: SL20-161113 - FD |
| CF20-28546 | 09/07/2020 09:39:27 | 65B02A | Initiated | No | 83 | FD154 | 1330 East IRA HODGES | | FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN |
| CF20-16587 | 05/29/2020 01:10:39 | ARS IN | Initiated | No | 85 | FD154 | 120 South STATE Street | | |
| CF22-24038 | 07/08/2022 01:38:58 | PUBLIC | Initiated | No | 85 | FD154 | 95 West 7065 South | | HOUSE FIRE FOR FD154 |
| Count: 4 | | | | | | | | | |
| CAD Officer in Charge: Moser, Shane | | | | | | | | | |
| CF22-4411 | 02/04/2022 16:46:39 | COMM | Initiated | No | 87 | BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5 | 44 West 300 South | B | CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR... |
| CF22-34399 | 09/20/2022 17:01:26 | ALARMF | Initiated | No | 100 | M8 | 1535 South EDISON Street | B | FRONT PULL STATION ALARM - CHILD CARE CENTER...DT 1700...NO INSIDE # |
| CF22-32112 | 09/03/2022 17:08:05 | MISCF | Initiated | No | 100 | M5, FD153, LT8 | 1016 South STATE Street | B | PILES OF GARBAGE ON FIRE NEXT TO CAKE... PS ON HERBERT..... PS HOMELESS FIRE |
| CF22-34552 | 09/21/2022 13:39:09 | ALARMF | Initiated | No | 87 | M8 | 223 West 700 South | B | FIRE ALARM...NO ZONE INFO...UTAH NON PROFIT HOUSING...RP MARY JANE 801 301 1891 |
| CF22-34402 | 09/20/2022 17:13:50 | ALARMF | Initiated | No | 100 | M8 | 1575 South STATE Street | B | FIRE ALARM GOING OFF AT THE DAYCARE///TROOPERS ENR BUT DID NOT SEE ANYTHING BUT STILL WANT A RESPONSE |
| CF22-34502 | 09/21/2022 08:13:47 | MISCF | Initiated | No | 91 | M8 | 180 West 1300 South | B | FIRE BETW TRAX RAIL & OLD SEAR WAREHOUSE...LOTS OF SMOKE...JUST SOUTH OF 1300 S |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Myers, Eric | | | | | | | | | |
| CF22-30623 | 08/23/2022 15:30:06 | LGASLE | Initiated | No | 88 | E4, M7, H10, BC1, LT8, H14, M1 | 4 East KNIGHTSBRIDGE Lane | C | COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR |
| CF22-34142 | 09/18/2022 17:43:19 | ALARMF | Initiated | No | 87 | E4 | 1395 East 100 South | A | RESIDENTIAL SMOKE DETECTOR ALARM... CONTACT DANIEL RONDEAU PHONE NUMBER 801-232-2624... |
| Count: 2 | | | | | | | | | |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|--------------------------------|-------------------------------|---------|---|
| CAD Officer in Charge: Nelson, Todd | | | | | | | | | |
| CF22-22931 | 06/30/2022 06:34:43 | FUEL | Initiated | No | 88 | RD2, M11, RD4 | 303 North 2370 W[SPOT 2 9 | B | HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Parks, Paul | | | | | | | | | |
| CF22-12711 | 04/12/2022 12:09:11 | ACC | Initiated | No | 86 | SQ6 | 223 West FAYETTE Avenue | | SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Perkins, Gary | | | | | | | | | |
| CF21-13024 | 05/03/2021 12:24:54 | PUBLIC | Initiated | No | 86 | SQ1 | 131 East 700 South | | CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Reilly, Daniel | | | | | | | | | |
| CF20-23950 | 07/29/2020 14:30:19 | 65A03 | Initiated | No | 88 | E13 | 6650 East I80E WB Freeway | C | E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2 |
| CF21-10548 | 04/11/2021 09:48:49 | PDASST | Initiated | No | 88 | LT8 | 1460 South STATE Street | B | MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF |
| CF21-11158 | 04/16/2021 12:43:25 | PDASST | Initiated | No | 84 | GC589 | 1364 West GLENROSE Drive | | COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824 |
| CF20-30271 | 09/18/2020 17:47:16 | 65A03 | Initiated | No | 86 | EW6141, EW6142, M14 | 1560 West 3900 South | B | AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL |
| CF22-29395 | 08/14/2022 23:48:43 | ALARMF | Initiated | No | 87 | M11 | 2177 West NORTH TEMPLE Street | A | ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800 |
| Count: 5 | | | | | | | | | |
| CAD Officer in Charge: Rock, Nathan | | | | | | | | | |
| CF22-4812 | 02/07/2022 23:33:00 | MISCF | Officer reviewed | No | 100 | M1 | 479 South 600 East | C | SMITHS GAS STATION.....SAYS THERE IS SOME GRASS WOOD AND PAPER BURNING BY THE GAS STATION.....SAYS IT IS THREATENING BLDG AND GAS PUMPS |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Rockwood, Wade | | | | | | | | | |
| CF22-34336 | 09/20/2022 08:02:16 | ALARMW | Initiated | No | 87 | T74, EQ14 | 1711 South 4650 West | A | WATER FLOW..ZONE 1 AND ZONE 4.. 801 575 7868 KARLA KNIGHT |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Sharp, Dallas | | | | | | | | | |
| CF22-34400 | 09/20/2022 17:03:03 | ARESCU | Initiated | No | 88 | M1 | 210 East 400 South | B | T/L15 MINS... E OF LIBRARY GREEN SPACE... 2 DOGS BARKING IN CAR NOT RUNNING BLK FORD F150 @1K8CG/ ... 89 DEGREES... ANIMAL CONTROL CASE #14526 ... SEE RELATED CP#: SL22-185235 |
| CF22-34405 | 09/20/2022 17:16:04 | LGASLE | Initiated | No | 88 | H10, BC1, H14, LT5, M1, M2, E4 | 86 North B Street | B | GAS SMELL COMING FROM THE LAUNDRY ROOM....FACING COURTYARD AND TO THE RIGHT ITS THE DOOR WITH KEYPAD IS THE LAUNDRY ROOM |
| CF22-34422 | 09/20/2022 18:55:57 | LGASLE | Initiated | No | 88 | E4, M7, H10, BC1, H14, LT5, M1 | 86 North B Street | B | REQ FIRE BACK OUT TO EVACUATE BLDG |
| CF22-34592 | 09/21/2022 17:42:19 | ARESCU | Initiated | No | 88 | M1 | 554 South 300 East | B | OLDER WHITE FORD MUSTANG WITH TWO DOGS LOCKED INSIDE... SHEETS COVERING ALL THE WINDOWS... @0C3BW ... SEE RELATED CP#: SL22-186100 |
| CF22-34607 | 09/21/2022 20:47:39 | PUBLIC | Initiated | No | 88 | M1 | 210 East 400 South | B | SOMEONE STUCK IN THE ELEVATOR .. POSS 2ND FLOOR.. ELEVATOR E2 .. |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|---|---------------------|--------|------------------|---------|-------|--------------|----------------------------------|---------|---|
| | | | | | | | | | COMP WILL DIRECT .. WEST DOORS BEST ACCESS |
| CF22-27799 | 08/03/2022 11:37:44 | ALARMF | Initiated | No | 99 | M1 | 259 South 500 East | B | IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061 |
| Count: 6 | | | | | | | | | |
| CAD Officer in Charge: Shumway, Brandon | | | | | | | | | |
| CF22-33755 | 09/15/2022 18:47:56 | PUBLIC | Initiated | No | 88 | E4 | 295 South FORT DOUGLAS Boulevard | B | STUCK IN ELEVATOR...THINKS SHE IS ON THE 1ST FLR |
| CF22-30459 | 08/22/2022 13:24:29 | ALARMF | Initiated | No | 87 | M6, EQ14 | 863 West 500 South | B | ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Stevens, John | | | | | | | | | |
| CF22-21969 | 06/22/2022 15:50:22 | PUBLIC | Initiated | No | 86 | SQ1 | 1280 East STRINGHAM Avenue | | GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1 |
| CF22-23791 | 07/06/2022 10:37:21 | SMOKE | Initiated | No | 86 | SQ1 | 500 South 200 East | | COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Stringam, Reed | | | | | | | | | |
| CF22-3584 | 01/29/2022 17:26:29 | MISCF | Officer reviewed | No | 100 | ET1 | 575 North JOHN GLENN Road | A | CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,, |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Taylor, Matthew | | | | | | | | | |
| CF22-8895 | 03/12/2022 18:48:19 | PUBLIC | Initiated | No | 87 | E13 | 2695 South 900 East | | SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/ |
| CF22-27931 | 08/04/2022 09:04:24 | DUMP | Initiated | No | 87 | EW3131 | 2166 South 1700 East | | DUMPSTER FIRE// EW3131 |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Turner, Cary | | | | | | | | | |
| CF20-23422 | 07/25/2020 14:44:13 | 65A05 | Initiated | No | 87 | M5, M8 | 10758 South REDWOOD Road | A | GOING TO STATION 61 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Valdez, Christopher | | | | | | | | | |
| CF22-8886 | 03/12/2022 17:43:58 | PUBLIC | Initiated | No | 87 | LT2 | 250 West 600 South | | SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Visser, Otto | | | | | | | | | |
| CF20-25507 | 08/11/2020 18:49:47 | ACC | Initiated | No | 85 | FD164 | 475 South 300 East | | OTTO VISSOR VS LANDSCAPE VEH |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Wardell, Kip | | | | | | | | | |
| CF22-23269 | 07/02/2022 14:26:16 | PUBLIC | Initiated | No | 85 | SQ1 | 55 South MAIN Street | | COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Whitney, Russell | | | | | | | | | |
| CF22-21164 | 06/16/2022 21:44:55 | PDASST | Initiated | No | 86 | FD152, FD153 | 1750 East MURRAY | | THREE STORIES...IN BEDROOM IN APT LISTED |

| Incident Number | Incident Date Time | Code | Record Status | Locked? | Score | Apparatus | Address | Platoon | CAD Narrative |
|--|---------------------|--------|------------------|---------|-------|---|---------------------------|---------|--|
| | | | | | | | HOLLADAY Road East | | |
| CF22-5926 | 02/17/2022 07:53:25 | APT | Officer reviewed | No | 100 | M2, LT2, E4, M5, BC1, FD152, FD153, LT5, M1 | 120 South 300 East | B | SMOKE INSIDE 4TH FLOOR |
| Count: 2 | | | | | | | | | |
| CAD Officer in Charge: Winkler, Scott | | | | | | | | | |
| CF22-19507 | 06/03/2022 23:04:34 | PDASST | Initiated | No | 87 | EW6041 | 64 East 300 North | | JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681 |
| Count: 1 | | | | | | | | | |
| CAD Officer in Charge: Worthington, Jared | | | | | | | | | |
| CF20-28397 | 09/05/2020 20:26:22 | 65B02A | Initiated | No | 85 | FD159 | 7673 South HIGHLAND Drive | | STRUCTURE FIRE UFA |
| Count: 1 | | | | | | | | | |
| Count: 123 | | | | | | | | | |

Report Criteria

- Record Status: Is Not Equal To Officer reviewed
- Locked?: Is Not Equal To Yes
- Incident Date Time: Is On or After 1/16/2018
- Incident Number: Begins With CF
- Code: Is Not Equal To ARSINV
- Code: Is Not Equal To APSN
- Apparatus: Is Not Equal To E41
- Apparatus: Is Not Equal To E73
- Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).