

# Incomplete NFIRs

09/23/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-32869	09/08/2022 20:23:15	REFUEL	Initiated	No	87	M12	24 TAXIWAY H[TESTTEST	B	
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	95	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
CF22-30972	08/26/2022 04:54:25	PASST	Initiated	No	85	UFA194	1655 East CAMPUS CENTER Drive		BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9
CF22-31323	08/28/2022 20:20:03	TRAUM	Initiated	No	85	GC594	268 East 2ND Avenue		IN COTTAGE DOWN THE DRIVEWAY ...
CF22-31702	08/31/2022 20:40:39	HEAD	Initiated	No	84	GC591	225 South 300 East		LIBERTY MIDTOWN: C FELL HIT HEAD AND NOT THINKING CLEARLY..
CF22-32737	09/08/2022 02:47:44	HOUSE	Initiated	No	87	E4, M5, M8, BC1, LT5	377 South 500 East	A	CALLBK=(801)403-8491... FLAMES SEEN., FRONT OF THE HOUSE
CF22-32778	09/08/2022 10:02:35	APFA	Initiated	No	88	RD1, EQ14	3 PARKING STRUCTURE GL	B	PG WEST ( NODE 11 ) ELEVATOR 11 SHAFT SMOKE DETECTOR
<b>Count:</b> 30									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-1349	01/11/2022 04:10:44	MISCF	Officer reviewed	No	100	M8, FD155	2019 South MAIN Street	A	CAN SEE A FIRE .. BUSHES ON FIRE NEXT TO WELLS FARGO VACANT BLDG EAST SIDE OF MAIN .. FIRE NOT THREATENING ANY STRUCTURE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Anderson, Daniel</b>									
CF22-32101	09/03/2022 15:56:28	PUBLIC	Initiated	No	88	LT2	580 South 500 West	B	ELEVATORS IN APT ARE INOP... UNK IF PEOPLE ARE STUCK INSIDE...
<b>Count:</b> 1									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-30595	08/23/2022 12:39:48	MISCF	Initiated	Yes	95	M8, FD157, FD158	615 South 200 Street West	C	FIRE IN THE GRASS ON SOUTH SIDE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-33203	09/11/2022 12:07:47	ALARMW	Initiated	No	88	LT5, M1	455 South 700 East	C	ZONE 67 WATERFLOW, AND GENERAL FIRE ALARM...R/P # MCKENNA TRACY 801-864-2021
<b>Count:</b> 1									
<b>CAD Officer in Charge: Berg, Thomas</b>									
CF22-32511	09/06/2022 15:40:42	MISCF	Initiated	No	86	FD151, FD154, FD159	52 East 300 South		1 MALE DETAINED.. CODE 4... IN RELATION TO CASE 32433
<b>Count:</b> 1									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-34702	09/22/2022 17:05:55	MISCF	Initiated	No	88	M6	646 South POST Street	C	NEIGHBOR BURNING BRUSH // WHOLE NEIGHBORHOOD SMOKEY
CF22-34705	09/22/2022 17:10:56	FUEL	Initiated	No	87	M7, M6	1147 West 2100 South	C	VEH BROKEN DOWN IN THE MIDDLE OF THE ROAD AND NO ONE AROUND IT. RED SATURN... FRONT AXLE IS COMPLETELY BROKEN. IN THE WB MIDDLE LANE... SEE RELATED CP#: SL22-186876 - FD

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-34752	09/23/2022 04:38:58	SMOKE	Initiated	No	88	M6	900 West 300 South	C	COMP SAW SMOKE BETWEEN 300 S-200 S S SIDE OF THE OVER PASS .. NO FLAMES SEEN
<b>Count:</b> 3									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-34741	09/23/2022 00:09:25	ALARMF	Initiated	No	88	E10	2070 East MICHIGAN Avenue	C	CO ALARM GOING OFF IN HOME... MAIN ROOM... NO ONE FEELING SICK... WILL WAIT OUTSIDE
CF22-32383	09/05/2022 18:37:21	FUEL	Initiated	No	87	H10	1300 East 200 South		SEE CF22-32381 - NEED KITTY LITTER FOR A LEAK, PER CPT. MADDUX START H10 FOR THAT
CF22-6900	02/24/2022 19:34:37	ALARMF	Officer reviewed	No	100	E10	1701 East STUDENT LIFE Way	C	STUDENT DORM ..UNK ZONE ..UUPD ENROUTE
<b>Count:</b> 3									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Kelly</b>									
CF22-28884	08/11/2022 00:01:14	HOUSE	Initiated	No	88	LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6	1064 West 1300 South	B	HOUSE FIRE...BLK SMOKE..FLAMES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-34360	09/20/2022 11:45:25	REFUEL	Officer reviewed	No	98	RD1, RD2, RD3, RD6	9 TAXIWAY Y	B	UA/OO FLIGHT#6939 A CRJ-200 ETA 1158.
<b>Count:</b> 1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-32745	09/08/2022 04:53:16	SMOKE	Officer reviewed	No	100	BC1, E4, LT2, M2, M1	574 East 100 South	A	COMP CAN SEE AND SMELL SMOKE... LOOKING EAST FROM THE ROOM BEHIND DISPATCHED ADDRESS. POSS BEHIND THE OASIS CAFE..
CF22-32763	09/08/2022 08:11:32	ALARMF	Initiated	No	87	M1	45 South 700 East	A	SMOKE DETECTOR// APT 8 BEDROOM... BEVERLY HOUSE... PREMISE 801 953 0409// KEYHOLDER JOHN BRANUM 385 266 4119
CF22-32786	09/08/2022 11:15:33	ALARMW	Initiated	No	88	EQ9	3195 West PROFESSIONAL Circle	B	FIRE ALARM.. FRESH WATER SYSTEMS.. WATER FLOW ALARM.. ZONE 11.. INSIDE # DAREN 801-859-9880
CF22-31117	08/27/2022 08:12:59	DUMP	Initiated	No	88	M1	854 South 200 West	A	BUSN HOLDEN APTS...DUMPSTER ON FIRE...AT BACK OF PROPERTY...COMP JUST MOVED HERE AND IS NOT QUITE SURE OF LOCATION
<b>Count:</b> 4									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF22-33748	09/15/2022 17:58:34	ALARMF	Initiated	No	88	E10	1494 South CANTERBURY Drive	B	SMOKE ALARM UPPER.... HOMEOWNE VONRICK MURRY... 801-582-5942...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-33544	09/14/2022 07:56:02	ALARMF	Initiated	No	88	M1	350 South 200 East	A	ZONE 2 GENERAL...METRO CONDOS...RP ANDY KRAUS 385 270 7502
<b>Count: 1</b>									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
<b>Count: 4</b>									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-34710	09/22/2022 18:12:11	FUEL	Initiated	No	88	RD2, RD3	505 East PERIMETER	C	JET A FUEL LEAK FROM TANK 6 ... SEE RELATED CP#: AP22-29777 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Healey, Bruce</b>									
CF22-34739	09/22/2022 23:51:31	ALARMF	Initiated	No	87	M3	1213 East 3300 South	C	COMMERCIAL FIRE ALARM... ZONE 13 SMOKE... RP YOBAN MORRIS 8016717320.. REF# MA106493
<b>Count: 1</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count: 1</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-34745	09/23/2022 01:12:27	ODOR	Initiated	No	88	M5	604 South 1300 East	C	CO ALARM GOING OFF FOR SEVERAL HOURS... SMELL OF UNK CHEMICALS COMING FROM BASEMENT...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-1209	01/10/2022 06:41:02	APT	Officer reviewed	No	100	LT8, EQ14, M6, M7, M8, BC2	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-31982	09/02/2022 21:20:40	VEH	Initiated	No	93	M7, FD153	1350 West NORTH TEMPLE Street	B	TRANSIENT LIT BED OF TRUCK ON FIRE.... FEMALE LEFT RUNNING
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kartstone, Constantine</b>									
CF22-31838	09/01/2022 20:07:31	ALARMF	Initiated	No	99	E13	2629 South 1700 East	A	RESIDENTIAL FIRE ALARM .. SMOKE DETECTOR .. RP DENNIS DURANGO 801-556-7045..
<b>Count: 1</b>									
<b>CAD Officer in Charge: Key, Brett</b>									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
<b>Count: 1</b>									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									
CF22-27879	08/03/2022 21:11:36	TREE	Initiated	No	88	M1	256 East 100 South	B	TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED
CF22-27916	08/04/2022 07:06:06	PUBLIC	Initiated	No	88	M1	276 East 300 South	B	CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108.....
<b>Count: 2</b>									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-31301	08/28/2022 17:41:45	COMM	Initiated	No	94	LT2, M8, M11, BC2, FD152, FD153, LT8, UFA194, EQ14, M6	1141 South 3200 West	B	GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP
<b>Count: 1</b>									
<b>CAD Officer in Charge: Krohn, William</b>									
CF22-34722	09/22/2022 20:06:19	GRASS	Initiated	No	88	EW6061, EQ14, EW6062	1500 South REDWOOD Road	C	EAST OF...SOMETHING ONFIRE...UNKN WHAT IT IS...FLAMES 7-8 FT HIGH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mackintosh, William</b>									
CF22-31998	09/02/2022 23:50:15	SMOKE	Initiated	No	87	M6	3490 West 1820 South	B	JUST NORTH OF THE DISPATCHED ADDRESS AT PULL SERVICE STORAGE....SMELLS LIKE A MECHANICAL SMOKY SMELL...CAN SEE SMOKE IN THE AIR
CF22-7498	03/02/2022 00:52:18	MISCF	Officer reviewed	No	99	EW6061, EW6062, M6	1887 South 700 West	B	BETWEEN 2100 S AND 1700 S, BETWEEN 900 W AND 700 W...APPEARS TO BE SOME KIND OF OUTSIDE FIRE, CALLER VIEWING THIS FROM AFAR
CF22-3693	01/30/2022 17:43:27	PUBLIC	Officer reviewed	No	100	LT5	475 East 900 South	B	HELPING TURNING FIRE ALARM OFF...TOILET PAPER CAUGHT ON FIRE IT IS OUT JUST NEEDS HELP WITH TURNING THE ALARM OFF....

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 3									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 4									
<b>CAD Officer in Charge: McNeill, John</b>									
CF22-1761	01/14/2022 16:05:32	MISCF	Officer reviewed	No	100	E10	1800 East PRINCETON Avenue	C	CALLBK=(734)476-2323 LAIRD PARK KIDS LIT A CHRISTMAS TREE ON FIRE ON THE SW CORNER...LOOKS LIKE A NEIGHBOR IS GETTING A FIRE EXTINGUISHER
<b>Count:</b> 1									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-1922	01/16/2022 01:44:24	APT	Officer reviewed	No	100	M7, M8, BC2, FD155, FD159, LT8, M1, M2, LT2	360 South 400 West	A	SOMEONE JUST BROKE INTO THE BUILDING.. IN THE MAIN ENTRANCE BROKE THE GLASS TO ENTER .. MHA BLK JACKET SHORT HAIR, ... SEE RELATED CP#: SL22-9204
CF22-33542	09/14/2022 07:40:13	ALARMF	Initiated	No	87	M2, M8	555 South MAIN Street	A	COMM GENERAL FIRE ZONE 2... 801 258 6986... RP RICHARD BELT 801 209 4798...REF AE101447-1
<b>Count:</b> 2									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
<b>Count:</b> 4									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-32112	09/03/2022 17:08:05	MISCF	Initiated	No	100	M5, FD153, LT8	1016 South STATE Street	B	PILES OF GARBAGE ON FIRE NEXT TO CAKE... PS ON HERBERT..... PS HOMELESS FIRE
<b>Count:</b> 2									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-30623	08/23/2022 15:30:06	LGASLE	Initiated	No	88	E4, M7, H10, BC1, LT8, H14, M1	4 East KNIGHTSBRIDGE Lane	C	COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR
CF22-	09/22/2022	ALARMF	Initiated	No	87	E4	100 North MARIO	C	ZONE 1 GENERAL FIRE ALARM

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
34686	14:36:22						CAPECCHI Drive		
CF22-34142	09/18/2022 17:43:19	ALARMF	Initiated	No	87	E4	1395 East 100 South	A	RESIDENTIAL SMOKE DETECTOR ALARM... CONTACT DANIEL RONDEAU PHONE NUMBER 801-232-2624...
<b>Count:</b> 3									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count:</b> 1									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count:</b> 1									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-29395	08/14/2022 23:48:43	ALARMF	Initiated	No	87	M11	2177 West NORTH TEMPLE Street	A	ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800
<b>Count:</b> 5									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-4812	02/07/2022 23:33:00	MISCF	Officer reviewed	No	100	M1	479 South 600 East	C	SMITHS GAS STATION.....SAYS THERE IS SOME GRASS WOOD AND PAPER BURNING BY THE GAS STATION.....SAYS IT IS THREATENING BLDG AND GAS PUMPS
<b>Count:</b> 1									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-34336	09/20/2022 08:02:16	ALARMW	Initiated	No	87	T74, EQ14	1711 South 4650 West	A	WATER FLOW..ZONE 1 AND ZONE 4.. 801 575 7868 KARLA KNIGHT
<b>Count:</b> 1									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-34592	09/21/2022 17:42:19	ARESCU	Initiated	No	88	M1	554 South 300 East	B	OLDER WHITE FORD MUSTANG WITH TWO DOGS LOCKED INSIDE... SHEETS COVERING ALL THE WINDOWS... @0C3BW ... SEE RELATED CP#: SL22-186100
CF22-34607	09/21/2022 20:47:39	PUBLIC	Initiated	No	88	M1	210 East 400 South	B	SOMEONE STUCK IN THE ELEVATOR .. POSS 2ND FLOOR.. ELEVATOR E2 .. COMP WILL DIRECT .. WEST DOORS BEST ACCESS
CF22-27799	08/03/2022 11:37:44	ALARMF	Initiated	No	99	M1	259 South 500 East	B	IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 3									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-33755	09/15/2022 18:47:56	PUBLIC	Initiated	No	88	E4	295 South FORT DOUGLAS Boulevard	B	STUCK IN ELEVATOR...THINKS SHE IS ON THE 1ST FLR
CF22-30459	08/22/2022 13:24:29	ALARMF	Initiated	No	87	M6, EQ14	863 West 500 South	B	ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164
<b>Count:</b> 2									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
<b>Count:</b> 2									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count:</b> 1									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
CF22-27931	08/04/2022 09:04:24	DUMP	Initiated	No	87	EW3131	2166 South 1700 East		DUMPSTER FIRE// EW3131
<b>Count:</b> 2									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count:</b> 1									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-5926	02/17/2022 07:53:25	APT	Officer reviewed	No	100	M2, LT2, E4, M5, BC1, FD152, FD153, LT5, M1	120 South 300 East	B	SMOKE INSIDE 4TH FLOOR
<b>Count:</b> 2									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>Count:</b> 119									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV  
 Code: Is Not Equal To APSN  
 Apparatus: Is Not Equal To E41  
 Apparatus: Is Not Equal To E73  
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).