

# Incomplete NFIRs

10/07/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-32869	09/08/2022 20:23:15	REFUEL	Initiated	No	87	M12	24 TAXIWAY H[TESTTEST	B	
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	95	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD- DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
CF22-30972	08/26/2022 04:54:25	PDASST	Initiated	No	85	UFA194	1655 East CAMPUS CENTER Drive		BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9
CF22-31323	08/28/2022 20:20:03	TRAUM	Initiated	No	85	GC594	268 East 2ND Avenue		IN COTTAGE DOWN THE DRIVEWAY ...
CF22-31702	08/31/2022 20:40:39	HEAD	Initiated	No	84	GC591	225 South 300 East		LIBERTY MIDTOWN: C FELL HIT HEAD AND NOT THINKING CLEARLY..
CF22-32737	09/08/2022 02:47:44	HOUSE	Initiated	No	87	E4, M5, M8, BC1, LT5	377 South 500 East	A	CALLBK=(801)403-8491... FLAMES SEEN., FRONT OF THE HOUSE
<b>Count: 29</b>									
<b>CAD Officer in Charge: Anderson, Daniel</b>									
CF22-32101	09/03/2022 15:56:28	PUBLIC	Initiated	No	88	LT2	580 South 500 West	B	ELEVATORS IN APT ARE INOP... UNK IF PEOPLE ARE STUCK INSIDE...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-30595	08/23/2022 12:39:48	MISCF	Initiated	Yes	95	M8, FD157, FD158	615 South 200 Street West	C	FIRE IN THE GRASS ON SOUTH SIDE
<b>Count: 1</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-33203	09/11/2022 12:07:47	ALARMW	Initiated	No	88	LT5, M1	455 South 700 East	C	ZONE 67 WATERFLOW, AND GENERAL FIRE ALARM...R/P # MCKENNA TRACY 801-864-2021
CF22-36525	10/06/2022 13:54:37	ALARMW	Initiated	No	88	L73, M6	2455 West 1500 South	A	WATERFLOW ALARM. ZONE 171 INTERMOUNTAIN SPACE.. INSIDE # 801-661-6429
<b>Count: 2</b>									
<b>CAD Officer in Charge: Berg, Thomas</b>									
CF22-32511	09/06/2022 15:40:42	MISCF	Initiated	No	86	FD151, FD154, FD159	52 East 300 South		1 MALE DETAINED.. CODE 4... IN RELATION TO CASE 32433
<b>Count: 1</b>									
<b>CAD Officer in Charge: Bills, Jared</b>									
CF22-36307	10/05/2022 01:23:13	GRASS	Initiated	No	86	M8, EW6061, EW6062, EW6091, EW6092	1100 West 900 South	C	1100 W .... BETWEEN 900 S - 1000 S ... APPEARS TO BE A GRASS FIRE AND APPEARS TO BE GETTING BIGGER PER COMP ... ALSO APPEARS SOMEONE IS ATTEMPTING TO PUT THE FIRE OUT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Buhler, Jason</b>									
CF22-36161	10/04/2022 03:36:40	ALARMF	Initiated	No	88	M1	169 East 200 South	B	FIRE ALARM.....ZONE 211 GENERAL FIRE.....RP LORAIN RUIZ 801-301-6888
CF22-36162	10/04/2022 03:52:47	ALARMF	Initiated	No	88	M1	169 East 200 South	B	FIRE ALARM.....ZONE 211 GENERAL FIRE.....RP LORAIN RUIZ 801-301-6888

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 2									
<b>CAD Officer in Charge: Burton, Anthony</b>									
CF22-36489	10/06/2022 09:14:50	ALARMF	Initiated	No	87	M1	451 South STATE Street	A	SLCCORP BLDG...COMM FIRE ALARM 801 301 0901
CF22-36556	10/06/2022 17:31:51	COMM	Initiated	No	87	LT2, M5, M8, E10, BC1, LT8, LT1, M1	220 South 200 East	A	FIRE ALARM GOING OFF SMOKE IN THE ELEVATOR, BUISNESS, 3 FLOORS,
CF22-36565	10/06/2022 18:12:25	ALARMF	Initiated	No	88	M1	607 East 200 South	A	GENERAL FIRE ALARM POINT 993...801 363 0203 COURTNEY 502 438 3173
<b>Count:</b> 3									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-36435	10/05/2022 21:00:56	PUBLIC	Initiated	No	87	E10	451 South 1400 East	C	S SIDE OF THE STADIUM .. ELEVATOR STUCK... ONE PERSON INSIDE.. NEG SICK OR INJURED ..SEC ON SCENE
CF22-36254	10/04/2022 17:39:05	FUEL	Initiated	No	87	H10, BC41, E41	900 South I15 NB Freeway		BLK TUNDRA...NEVADA PLATE...75RDR ...HIT A PIECE OF METAL ..HIT THE FUEL TANK...LEAKING APPROX 20 GALLONS..ON THE RIGHT SHOULDER..COMP IS APPROX 100 YARDS NORTH OF VEH
CF22-32383	09/05/2022 18:37:21	FUEL	Initiated	No	87	H10	1300 East 200 South		SEE CF22-32381 - NEED KITTY LITTER FOR A LEAK, PER CPT. MADDUX START H10 FOR THAT
<b>Count:</b> 3									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b> 1									
<b>CAD Officer in Charge: Carter, Kelly</b>									
CF22-28884	08/11/2022 00:01:14	HOUSE	Initiated	No	88	LT2, M7, M8, UT10, M11, BC1, BC2, FD152, LT8, EQ9, EQ14, UFA196, M6	1064 West 1300 South	B	HOUSE FIRE...BLK SMOKE..FLAMES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-34360	09/20/2022 11:45:25	REFUEL	Officer reviewed	No	98	RD1, RD2, RD3, RD6	9 TAXIWAY Y	B	UA/OO FLIGHT#6939 A CRJ-200 ETA 1158.
CF22-36607	10/07/2022 00:57:40	ODOR	Initiated	No	88	RD1	160 CONCOURSE B GL	A	STRONG SMELL OF PAINT THINNER OR EPOXY
<b>Count:</b> 2									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Davies, Adam</b>									
CF22-36492	10/06/2022 09:58:31	LOCKP	Initiated	No	88	LT8	1305 West 1400 South	A	COMP'S 2 YO DAUGHTER LOCKED INSIDE THE VEH...WHI CHEV TAHOE...HAS BEEN INSIDE 3 MINS...VEH NOT RUNNING...CHILD IN

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
DISTRESS ... SEE RELATED CP#: SL22-197726									
CF22-35855	10/01/2022 19:46:36	PUBLIC	Initiated	No	87	M5, LT1	587 South ELIZABETH Street	A	DOOR CODE 5877 // 3 PEOPLE STUCK IN ELEVATOR // STUCK BETWEEN 2 AND 3// NO ONE SICK
CF22-32786	09/08/2022 11:15:33	ALARMW	Initiated	No	88	EQ9	3195 West PROFESSIONAL Circle	B	FIRE ALARM.. FRESH WATER SYSTEMS.. WATER FLOW ALARM.. ZONE 11.. INSIDE # DAREN 801-859-9880
<b>Count:</b> 3									
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF22-33748	09/15/2022 17:58:34	ALARMF	Initiated	No	88	E10	1494 South CANTERBURY Drive	B	SMOKE ALARM UPPER.... HOMEOWNE VONRICK MURRY... 801-582-5942...
CF22-36072	10/03/2022 11:38:56	ALARMF	Initiated	No	88	E10	1421 East PENROSE Drive	B	RESD FIRE ALARM, UPSTAIRS SMOKE AND HEAT...RESD NAME DAVE RIDDER 801-557-4156...SPOKE W/ RESD, FALSE ALARM
<b>Count:</b> 2									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-33544	09/14/2022 07:56:02	ALARMF	Initiated	No	88	M1	350 South 200 East	A	ZONE 2 GENERAL...METRO CONDOS...RP ANDY KRAUS 385 270 7502
<b>Count:</b> 1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count:</b> 1									
<b>CAD Officer in Charge: Gillies, Matthew</b>									
CF22-36178	10/04/2022 07:42:32	COMM	Initiated	No	88	M2, M5, M7, M8, BC1, LT8, LT1, M1	135 West 1300 South	B	LUCKY 13 SMOKE COMING FROM TOP OF BLDG ... NO FLAMES
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hafen, Mark</b>									
CF22-34936	09/24/2022 13:05:07	ALARMF	Initiated	No	87	M11	2333 West NORTH TEMPLE Street	A	FIRE ALARM.... ZONE 993 FIRE.... THE POINT.... SITE 801-539-8852... RP TODD RICKMAN 801-558-8309
CF22-34958	09/24/2022 16:27:22	LINE	Initiated	No	88	M11	1633 West 1000 North	A	TRANSPORTING A GRATER AND HOOKED AN OVERHEAD LINE... COMP WILL STAY IN TRK... LINE IS ON MACHINERY AND GROUND BUT NOT IN TRAFFIC
<b>Count:</b> 2									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-36490	10/06/2022 09:29:08	LOCKP	Initiated	No	88	M7	1213 North COLORADO Street	A	1YR OLD DAUGHTER LOCKED IN VEH..VEH NOT RUNNING...NOT IN DISTRESS, IS LOCKED IN A CAR SEAT ... SEE RELATED CP#: SL22-197716
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-	06/27/2021	ALARMF	Initiated	No	88	M7	836 West FIG	B	CO ALARM SOUNDING TWICE, COMP

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
19904	17:57:23						TREE Place		HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAINING OF BURNING SENSATION AND VISION LOSS
<b>Count:</b> 5									
<b>CAD Officer in Charge: Harp, Michael</b>									
CF22-34710	09/22/2022 18:12:11	FUEL	Initiated	No	88	RD2, RD3	505 East PERIMETER	C	JET A FUEL LEAK FROM TANK 6 ... SEE RELATED CP#: AP22-29777 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Harwood, Blake</b>									
CF22-36491	10/06/2022 09:55:07	ALARMW	Initiated	No	87	T74, EQ9	4285 West 1385 South	A	FIRE ALARM // SEMI SERVICE INC // ZONE 201 NO DESCRIPTION.... ZONE 14 NO DESCRIPTION... ZONE 206 WATERFLOW // 385-234-6244
CF22-36495	10/06/2022 10:27:28	ALARMW	Initiated	No	87	EQ9	5787 West HAROLD GATTY Drive	A	FFE TRUCKING...ZONE 3 WATER FLOW...ROBERT SCHMIDT 214 876 8861
CF22-36588	10/06/2022 21:47:52	TRUCK	Initiated	No	88	EQ9, H14	7200 West 180W EB Freeway	A	BEFORE THE EXIT -- SEMI ON FIRE
<b>Count:</b> 3									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-1209	01/10/2022 06:41:02	APT	Officer reviewed	No	100	LT8, EQ14, M6, M7, M8, BC2	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
CF22-35148	09/26/2022 04:51:16	ALARMF	Initiated	No	88	M6	2455 West 1500 South	A	INTERMOUNTAIN SPACE...SMOKE ZONE 001...RP TYLER PAIGE 801-661-6429..
<b>Count:</b> 2									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-31982	09/02/2022 21:20:40	VEH	Initiated	No	93	M7, FD153	1350 West NORTH TEMPLE Street	B	TRANSIENT LIT BED OF TRUCK ON FIRE.... FEMALE LEFT RUNNING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kartson, Constantine</b>									
CF22-36573	10/06/2022 19:10:51	ALARMF	Initiated	No	88	E13	1835 South 1700 East	A	CARBON MONOXIDE ALARM GOING OFF
<b>Count:</b> 1									
<b>CAD Officer in Charge: Key, Brett</b>									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
<b>Count:</b> 1									
<b>CAD Officer in Charge: Kochevar, Kevin</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-27879	08/03/2022 21:11:36	TREE	Initiated	No	88	M1	256 East 100 South	B	TREE ON FIRE..IN THE BACK LOT OF THE LINCON ARMS APTS IS SMOLDERING ..NO FLAMES... POWER LINE POSS INVOLVED
CF22-27916	08/04/2022 07:06:06	PUBLIC	Initiated	No	88	M1	276 East 300 South	B	CONTAINER OF GAS INSIDE BUILDNG BY THE BACK DOOR, COMP IS CONCERNED.....CODE TO GET IN 2108.....
<b>Count:</b> 2									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-31301	08/28/2022 17:41:45	COMM	Initiated	No	94	LT2, M8, M11, BC2, FD152, FD153, LT8, UFA194, EQ14, M6	1141 South 3200 West	B	GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-35240	09/26/2022 20:12:08	ALARMF	Initiated	No	88	M5	660 South 300 East	B	FIRE ALARM, IN APT.. KADA JANDRICK 385-212-0872. RP JEFF 801-414-3695..RP IS ENROUTE ETA 10 MINS, HE IS REQ FIRE COME OUT
CF22-35326	09/27/2022 14:46:29	ALARMF	Initiated	No	87	M1	645 South 1300 East	B	ZONE 993 FIRE ALARM // ODYSSEY MH BLDG... NO PREMISE # ... CONTACT MONTE 801 347 8700
CF22-35355	09/27/2022 18:14:21	ALARMF	Initiated	No	88	M5	1076 East 200 South	B	IVY HOUSE ..ALARM GOING OFF FOR 45 MIN... THIS IS AN ONGOING PROBLEM..SAID THERE IS NO PROP MNGER ON SITE..COMP DOES NOT LIVE AT THIS ADDRESS...
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 7									
<b>CAD Officer in Charge: Menlove, Gary</b>									
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
<b>Count:</b> 1									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-36402	10/05/2022 17:22:30	ALARMF	Initiated	No	88	M1	380 South 400 East	C	REF # S45419 FIRE ALARM ZONE 55 SMOKE AND ZONE 0 GENERAL.. BLOCK 44.. INSIDE # JULIUS 912-531-2094
<b>Count:</b> 1									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
<b>Count:</b> 4									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-32112	09/03/2022 17:08:05	MISCF	Initiated	No	100	M5, FD153, LT8	1016 South STATE Street	B	PILES OF GARBAGE ON FIRE NEXT TO CAKE... PS ON HERBERT..... PS HOMELESS FIRE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-30623	08/23/2022 15:30:06	LGASLE	Initiated	No	88	E4, M7, H10, BC1, LT8, H14, M1	4 East KNIGHTSBRIDGE Lane	C	COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR
CF22-35174	09/26/2022 10:09:26	ALARMF	Initiated	No	87	EQ14	3463 West 1987 South	B	FIRE ALARM.... FIRE ALARM SMOKE.... EVANS COMM LAUNDRY.... PREMISE 801-972-6580
<b>Count: 2</b>									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count: 1</b>									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-29395	08/14/2022 23:48:43	ALARMF	Initiated	No	87	M11	2177 West NORTH TEMPLE Street	A	ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800
CF22-35960	10/02/2022 14:53:44	ALARMF	Initiated	No	88	M2	480 East SOUTH TEMPLE Street	B	GENERAL FIRE..SS ROOM 6 ...BUISNESS HARDISON APTS: 385-831-0105 / RP DEVIN JURADO 801-828-6640
CF22-36113	10/03/2022 18:31:29	ALARMF	Initiated	No	87	M2	74 East COLUMBUS Court	B	SMOKE DETECTOR..MAIN FLOOR..RESIDENCE JONATHAN STROOT: 817-709-4368
CF22-36126	10/03/2022 19:32:20	MISCF	Officer reviewed	No	99	M2, M7	490 West NORTH TEMPLE Street	B	W OF.....PILE OF RUBBISH ON FIRE.....NOT THREATENING ANYTHING BUT SAID IT WAS NEXT TO A PILE OF WOOD....NOT SPREADING
<b>Count: 8</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-4812	02/07/2022 23:33:00	MISCF	Officer reviewed	No	100	M1	479 South 600 East	C	SMITHS GAS STATION.....SAYS THERE IS SOME GRASS WOOD AND PAPER BURNING BY THE GAS STATION.....SAYS IT IS THREATENING BLDG AND GAS PUMPS
<b>Count: 1</b>									
<b>CAD Officer in Charge: Rockwood, Wade</b>									
CF22-36478	10/06/2022 08:03:22	ALARMF	Initiated	No	88	H10, M1	350 South 600 East	C	CO ALARM GOING OFF IN HIS APT
<b>Count: 1</b>									
<b>CAD Officer in Charge: Rushton, Joel</b>									
CF22-36584	10/06/2022 21:17:29	ALARMF	Initiated	No	88	M5	718 East 700 South	A	FIRE ALARM GOING OFF...VALOR APTS....NO SMOKE OR FLAMES
<b>Count: 1</b>									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-35922	10/02/2022 09:29:47	ALARMF	Initiated	No	87	M5	1212 East WILMINGTON Avenue	A	FIRE ALARM GENERAL.....37 SMOKE..... 801-486-6000... REF E15751
CF22-35935	10/02/2022 10:53:07	ALARMF	Initiated	No	88	M5	1355 East THORNTON Avenue	A	SMOKE ZONE 12... RESIDENTAL TRACY LLANDS... 646-675-1688
CF22-27799	08/03/2022 11:37:44	ALARMF	Initiated	No	99	M1	259 South 500 East	B	IHC CHILD DEVELOPMENT CENTER// GENERAL FIRE ALARM// INSIDE # 801 595 0061
<b>Count: 3</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-30459	08/22/2022 13:24:29	ALARMF	Initiated	No	87	M6, EQ14	863 West 500 South	B	ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164
CF22-33755	09/15/2022 18:47:56	PUBLIC	Initiated	No	88	E4	295 South FORT DOUGLAS Boulevard	B	STUCK IN ELEVATOR...THINKS SHE IS ON THE 1ST FLR
<b>Count: 2</b>									
<b>CAD Officer in Charge: Staheli, Brian</b>									
CF22-35227	09/26/2022 18:30:16	ALARMW	Ready for Officer review	Yes	99	E10, LT5	940 South DONNER Way	B	DONNER TOWERS.... GENERAL ZONE 1 WATERFLOW... 801 262 3900
<b>Count: 1</b>									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
CF22-36541	10/06/2022 15:52:05	REFUEL	Initiated	No	88	RD2, RD4	60 East PERIMETER	A	385CF
<b>Count: 2</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-27931	08/04/2022 09:04:24	DUMP	Initiated	No	87	EW3131	2166 South 1700 East		DUMPSTER FIRE// EW3131
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count:</b> 2									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
CF22-36483	10/06/2022 08:49:20	ALARMW	Initiated	No	87	M8, LT8	3405 West 900 South	A	FIRE ALARM // ZONE 208 SPRINKLER WATERFLOW // 801-529-6163
<b>Count:</b> 2									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
<b>Count:</b> 1									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count:</b> 1									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
CF22-36596	10/06/2022 23:07:06	ALARMF	Initiated	No	87	E4	1031 East SOUTH TEMPLE Street	A	RESIDENTIAL FIRE ALARM MASTER BEDROOM SMOKE.. JOHN LARSON 801-244-1226
<b>Count:</b> 2									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>Count:</b> 131									

**Report Criteria**

Record Status: Is Not Equal To Officer reviewed  
 Locked?: Is Not Equal To Yes  
 Incident Date Time: Is On or After 1/16/2018  
 Incident Number: Begins With CF  
 Code: Is Not Equal To ARSINV

Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, [or email us.](#)