

# Incomplete NFIRs

10/17/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: (None)</b>									
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-32869	09/08/2022 20:23:15	REFUEL	Initiated	No	87	M12	24 TAXIWAY H[TESTTEST	B	
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF22-37904	10/17/2022 07:53:40	WATER	Initiated	No	84	M3	2202 South MCCLELLAND Street	C	
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER ... SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	95	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-17626	05/20/2022 06:39:25	STROK	Initiated	No	84	GC523	1516 East HOLLYWOOD Avenue		C RECEIVED CALL FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER[SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
CF22-30972	08/26/2022 04:54:25	PASST	Initiated	No	85	UFA194	1655 East CAMPUS CENTER Drive		BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9
CF22-31323	08/28/2022 20:20:03	TRAUM	Initiated	No	85	GC594	268 East 2ND Avenue		IN COTTAGE DOWN THE DRIVEWAY ...
CF22-31702	08/31/2022 20:40:39	HEAD	Initiated	No	84	GC591	225 South 300 East		LIBERTY MIDTOWN: C FELL HIT HEAD AND NOT THINKING CLEARLY..
CF22-32737	09/08/2022 02:47:44	HOUSE	Initiated	No	87	E4, M5, M8, BC1, LT5	377 South 500 East	A	CALLBK=(801)403-8491... FLAMES SEEN, FRONT OF THE HOUSE
CF22-37727	10/15/2022 16:41:28	ALARMF	Initiated	No	87	EQ9	4843 West DOUGLAS CORRIGAN Way	B	COURTYARD SLC AIRPORT // ZONE 54 SMOKE, ZONE 0 GENERAL FIRE // 801-532-4085 // REF I55660
<b>Count: 31</b>									
<b>CAD Officer in Charge: Allen, Aaron</b>									
CF22-37819	10/16/2022 12:03:56	DUMP	Initiated	No	88	M11	1841 West MORTON Drive	C	CANGTERBURY APTS/ SMOKE FROM THE DUMPSTER BEHIND THE BLDG/ NO FLAMES SEEN
<b>Count: 1</b>									
<b>CAD Officer in Charge: Anderson, Daniel</b>									
CF22-32101	09/03/2022 15:56:28	PUBLIC	Initiated	No	88	LT2	580 South 500 West	B	ELEVATORS IN APT ARE INOP... UNK IF PEOPLE ARE STUCK INSIDE...
<b>Count: 1</b>									
<b>CAD Officer in Charge: Archuleta, Adam</b>									
CF22-30595	08/23/2022 12:39:48	MISCF	Initiated	No	95	M8, FD157, FD158	615 South 200 Street West	C	FIRE IN THE GRASS ON SOUTH SIDE
CF22-37328	10/12/2022 07:38:34	ALARMF	Initiated	No	87	M8	968 South WASHINGTON Street	C	GENERAL FIRE // COMMERCIAL ACCOUNT "968 S WASHINGTON ST" FOR NAME/ NO INSIDE #// CONTACT GEORGE HOUSER 415 519 5398 AND VICTOR LOPEZ 415 694 1061
<b>Count: 2</b>									
<b>CAD Officer in Charge: Arnesen, Aaron</b>									
CF22-37164	10/11/2022 08:51:55	ALARMF	Initiated	No	87	EQ9	4955 West WILEY POST Way	C	GEN FIRE ALARM - SPRINGHILL SUITES - INSIDE#801-532-6633 EXT 0
CF22-37886	10/17/2022 02:50:12	MISCF	Initiated	No	88	M6	300 West 1300 South	C	FIRE ON THE SIDEWALK IN FRONT OF BLDG AT THIS LOCATION
<b>Count: 2</b>									
<b>CAD Officer in Charge: Berg, Thomas</b>									
CF22-32511	09/06/2022 15:40:42	MISCF	Initiated	No	86	FD151, FD154, FD159	52 East 300 South		1 MALE DETAINED.. CODE 4... IN RELATION TO CASE 32433
<b>Count: 1</b>									
<b>CAD Officer in Charge: Blaskowski, Jacob</b>									
CF22-	10/17/2022	PIPE	Initiated	No	87	LT8, M6	1099 South WEST	C	WATER LEAK FROM CEILING OF HIS APT

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
37883	01:46:04						TEMPLE Street	-	
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Bush, Joseph</b>									
CF22-37834	10/16/2022 13:35:24	TRUCK	Initiated	No	86	H10, ML106	2000 East I80E WB Freeway		SEMI FIRE, R HAND SIDE BLOCKING, WHI BOX TRAILER, SMOKE COMING FROM IT, NEG FLAMES..JUST EAST OF THE TA...
CF22-32383	09/05/2022 18:37:21	FUEL	Initiated	No	87	H10	1300 East 200 South		SEE CF22-32381 - NEED KITTY LITTER FOR A LEAK, PER CPT. MADDUX START H10 FOR THAT
CF22-36254	10/04/2022 17:39:05	FUEL	Initiated	No	87	H10, BC41, E41	900 South I15 NB Freeway		BLK TUNDRA...NEVADA PLATE...75RDR ...HIT A PIECE OF METAL ..HIT THE FUEL TANK...LEAKING APPROX 20 GALLONS..ON THE RIGHT SHOULDER..COMP IS APPROX 100 YARDS NORTH OF VEH
<b>Count:</b>									
3									
<b>CAD Officer in Charge: Carter, Gary</b>									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Clark, Jeffrey</b>									
CF22-34360	09/20/2022 11:45:25	REFUEL	Officer reviewed	No	98	RD1, RD2, RD3, RD6	9 TAXIWAY Y	B	UA/OO FLIGHT#6939 A CRJ-200 ETA 1158.
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Coles, Clay</b>									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Comer, Peter</b>									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Davis, Jayde</b>									
CF22-37857	10/16/2022 19:44:32	STRUCT	Initiated	No	84	M8, E10, E13, BC1, LT8, EQ14	1220 East 2100 South	C	EXTENDED STAY.....PARKING GARAGE....ELEVATORS ARE NOT WORKING AND CAN SMELL BURNING PLASTIC.....CAN SEE LOTS OF SMOKE
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Doyle, Chad</b>									
CF22-33748	09/15/2022 17:58:34	ALARMF	Initiated	No	88	E10	1494 South CANTERBURY Drive	B	SMOKE ALARM UPPER.... HOMEOWNE VONRICK MURRY... 801-582-5942...
CF22-36072	10/03/2022 11:38:56	ALARMF	Initiated	No	88	E10	1421 East PENROSE Drive	B	RESD FIRE ALARM, UPSTAIRS SMOKE AND HEAT...RESD NAME DAVE RIDDER 801-557-4156...SPOKE W/ RESD, FALSE ALARM
<b>Count:</b>									
2									
<b>CAD Officer in Charge: Elton, Richard</b>									
CF22-33544	09/14/2022 07:56:02	ALARMF	Initiated	No	88	M1	350 South 200 East	A	ZONE 2 GENERAL...METRO CONDOS...RP ANDY KRAUS 385 270 7502
<b>Count:</b>									
1									
<b>CAD Officer in Charge: Endemano, Edward</b>									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
<b>Count:</b>									
1									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>CAD Officer in Charge: Fraser, Patrick</b>									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
<b>Count: 1</b>									
<b>CAD Officer in Charge: Hafen, Mark</b>									
CF22-34936	09/24/2022 13:05:07	ALARMF	Initiated	No	87	M11	2333 West NORTH Temple Street	A	FIRE ALARM.... ZONE 993 FIRE.... THE POINT.... SITE 801-539-8852... RP TODD RICKMAN 801-558-8309
CF22-34958	09/24/2022 16:27:22	LINE	Initiated	No	88	M11	1633 West 1000 North	A	TRANSPORTING A GRATER AND HOOKED AN OVERHEAD LINE... COMP WILL STAY IN TRK... LINE IS ON MACHINERY AND GROUND BUT NOT IN TRAFFIC
CF22-37051	10/10/2022 08:52:01	ALARMF	Initiated	No	88	M1	532 East 400 South	C	COMMERICAL FIRE ALARM...PULL STATION AND PANEL SMOKE DETECTOR...2ND TIME OUT
CF22-37089	10/10/2022 15:34:09	ALARMF	Initiated	No	87	M1	76 South 500 East	C	COMM FIRE ALARM...AMERITUS AT SLC...SITE PHONE # 801 359 0050...AREA ZONE 1...DT 1533
CF22-37090	10/10/2022 15:56:06	ALARMW	Initiated	No	87	M8, LT8	1265 South 300 West	C	FIRE ALARM....SCHMITS SIGNS INC.... ZONE 123 WATERFLOW... LISA SCHMIT 801-558-8211
CF22-37731	10/15/2022 17:03:45	ALARMW	Initiated	No	85	M5, LT8	1155 East 2100 South	B	WATER FLOW ALARM.... ZONE 216.... INSIDE NUMBER: 801-493-2000... NO KH CONTACT YET
<b>Count: 6</b>									
<b>CAD Officer in Charge: Halvorsen, Davin</b>									
CF22-37458	10/13/2022 10:01:03	ALARMF	Initiated	No	87	M7	155 South 400 West	A	BUSN GATEWAY BLOCK A2 // ZONE 0 // 801-456-0040 // REF S83051
CF22-37442	10/13/2022 05:38:25	ALARMF	Initiated	No	88	M7	1300 West 300 North	A	FIRE ALARM, ZONE 10 FIRE PANNEL.. SITE 385-468-1330, R/P WENDY RENDON 801-201-4186.
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOPPERTIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
<b>Count: 6</b>									
<b>CAD Officer in Charge: Healey, Bruce</b>									
CF22-37827	10/16/2022 12:45:55	SGASLE	Initiated	No	86	H10	1223 South 1100 East	C	MOVING COMPANY HIT THE GAS LINE..CAN SEE AND SMELL IT..ADVISED TO EVAC...ITS IN THE FRONT YARD..DOMINION HAS BEEN NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Henthorne, David</b>									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
<b>Count: 1</b>									
<b>CAD Officer in Charge: Higgins, Jimmie</b>									
CF22-37890	10/17/2022 06:07:41	SMOKE	Initiated	No	88	M5	724 East EMERSON Avenue	C	SMOKE IN AREA ... WHITE SMOKE HAS SINCE GONE AWAY

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hill, John</b>									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Hoover, Todd</b>									
CF22-37863	10/16/2022 20:14:15	ALARMF	Initiated	No	87	M1	140 South 300 West	C	HYATT HOUSE...ZONE 301 3RD FLOOR HALLWAY SMOKE X2...RP PENDING...#801-359-4020
CF22-37870	10/16/2022 21:08:29	ALARMF	Initiated	No	88	M1	440 South 500 East	C	1ST STEP HOUSE...FIRE ALARM...ZONE 1 PULL STATION...385-313-4667...REF#S95204
CF22-37871	10/16/2022 21:21:55	ALARMF	Initiated	No	88	M1	440 South 500 East	C	NOW REQ FIRE RETURN, THEY NEED ASSISTANCE TURING ALARM OFF, RELATED TO 37870
CF22-37277	10/11/2022 23:53:02	ALARMF	Initiated	No	88	M1	228 South 300 East	C	BUSN NAME SMITH APTS NORTH. FIRE ALARM ZONE 1 PULL STATION. R/P ROMAONE JEPSON 801-548-9576.
<b>Count:</b> 4									
<b>CAD Officer in Charge: Jepperson, Chad</b>									
CF22-1209	01/10/2022 06:41:02	APT	Officer reviewed	No	100	LT8, EQ14, M6, M7, M8, BC2	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
<b>Count:</b> 1									
<b>CAD Officer in Charge: Jeppson, Zachary</b>									
CF22-31982	09/02/2022 21:20:40	VEH	Initiated	No	93	M7, FD153	1350 West NORTH Temple Street	B	TRANSIENT LIT BED OF TRUCK ON FIRE.... FEMALE LEFT RUNNING
<b>Count:</b> 1									
<b>CAD Officer in Charge: Key, Brett</b>									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
<b>Count:</b> 1									
<b>CAD Officer in Charge: Koetitz, Paul</b>									
CF22-31301	08/28/2022 17:41:45	COMM	Initiated	No	94	LT2, M8, M11, BC2, FD153, LT8, UFA194, EQ14, M6	1141 South 3200 West	B	GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP
<b>Count:</b> 1									
<b>CAD Officer in Charge: Maddux, John</b>									
CF22-37765	10/15/2022 22:05:05	PUBLIC	Initiated	No	88	LT1	76 South 500 East	B	COMP FELL FROM BED .. NO INJURIES .. JUST NEEDS HELP GETTING UP
CF22-37677	10/15/2022 06:20:22	PUBLIC	Initiated	No	88	LT1	220 South STATE Street	B	3 EMPLOYEES TRAPPED IN ELEVATOR... NO MEDICAL ISSUES BUT CANNOT REACH THEM AT THIS TIME...
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-8935	03/13/2022 04:27:39	PUBLIC	Initiated	No	87	LT5	1086 South 800 East		
<b>Count:</b> 6									
<b>CAD Officer in Charge: Menlove, Gary</b>									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
<b>Count: 1</b>									
<b>CAD Officer in Charge: Meyer, Bryon</b>									
CF22-36402	10/05/2022 17:22:30	ALARMF	Initiated	No	88	M1	380 South 400 East	C	REF # S45419 FIRE ALARM ZONE 55 SMOKE AND ZONE 0 GENERAL... BLOCK 44.. INSIDE # JULIUS 912-531-2094
<b>Count: 1</b>									
<b>CAD Officer in Charge: Mortensen, Daniel</b>									
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
<b>Count: 4</b>									
<b>CAD Officer in Charge: Moser, Shane</b>									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-32112	09/03/2022 17:08:05	MISCF	Initiated	No	100	M5, FD153, LT8	1016 South STATE Street	B	PILES OF GARBAGE ON FIRE NEXT TO CAKE... PS ON HERBERT..... PS HOMELESS FIRE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Myers, Eric</b>									
CF22-30623	08/23/2022 15:30:06	LGASLE	Initiated	No	88	E4, M7, H10, BC1, LT8, H14, M1	4 East KNIGHTSBRIDGE Lane	C	COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR
CF22-35174	09/26/2022 10:09:26	ALARMF	Initiated	No	87	EQ14	3463 West 1987 South	B	FIRE ALARM.... FIRE ALARM SMOKE.... EVANS COMM LAUNDRY.... PREMISE 801-972-6580
<b>Count: 2</b>									
<b>CAD Officer in Charge: Nelson, Todd</b>									
CF22-22931	06/30/2022 06:34:43	FUEL	Initiated	No	88	RD2, M11, RD4	303 North 2370 W[SPOT 2 9	B	HAWKER LEAKING FUEL INTO A DRAIN ... SEE RELATED CP#: AP22-20239
<b>Count: 1</b>									
<b>CAD Officer in Charge: Parks, Paul</b>									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
<b>Count: 1</b>									
<b>CAD Officer in Charge: Perkins, Gary</b>									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Reilly, Daniel</b>									
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BF ....PHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CP#: SL21-63824									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-29395	08/14/2022 23:48:43	ALARMF	Initiated	No	87	M11	2177 West NORTH TEMPLE Street	A	ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800
CF22-36764	10/08/2022 05:58:18	TREE	Initiated	No	88	M6	1149 South 1100 West	A	BUSHES ON FIRE IN FRONT OF DISP ADDR... SPREADING TO A TREE... NO BLDG THREAT
CF22-35960	10/02/2022 14:53:44	ALARMF	Initiated	No	88	M2	480 East SOUTH TEMPLE Street	B	GENERAL FIRE..SS ROOM 6 ...BUISNESS HARDISON APTS: 385-831-0105 / RP DEVIN JURADO 801-828-6640
CF22-37706	10/15/2022 11:36:03	ALARMF	Initiated	No	87	M2	20 South 400 West	B	ZONE 1// GATEWAY BLOCK B STEAKHOUSE// 801 456 0040... PER SEC ITS A FALSE ALARM CAUSED BY CHILD
CF22-37707	10/15/2022 11:38:52	ALARMF	Initiated	No	87	M2	424 West 100 South	B	BUSN GATEWAY BLOCK B // NO ZONE OR DESCRIPTION // 801-456-0040 // REF S83052
CF22-37720	10/15/2022 15:35:45	COMM	Initiated	No	88	BC1, M7, LT2, M2, LT1, M6, M1	120 South 200 West	B	BURNING SMELLIN BUILDING.. UNK WHERE IT COMIGN FROM WORSE AS YOU GO UP
CF22-37557	10/14/2022 11:34:39	ALARMF	Initiated	No	87	M2	174 West 300 South	B	BUSN PF CHANGS // ZONE 169 AND ZONE 170 FRONT HOOD SHUT OFF // 801-539-0500
<b>Count: 11</b>									
<b>CAD Officer in Charge: Rock, Nathan</b>									
CF22-37322	10/12/2022 05:19:22	MISCF	Initiated	No	88	M1	209 East 500 South	C	TRANSIENTS HAVE A CAMPFIRE JUST TO THE EAST OF THE LEONARDO
CF22-4812	02/07/2022 23:33:00	MISCF	Officer reviewed	No	100	M1	479 South 600 East	C	SMITHS GAS STATION.....SAYS THERE IS SOME GRASS WOOD AND PAPER BURNING BY THE GAS STATION.....SAYS IT IS THREATENING BLDG AND GAS PUMPS
<b>Count: 2</b>									
<b>CAD Officer in Charge: Shafer, Curtis</b>									
CF22-37411	10/12/2022 21:33:12	PUBLIC	Initiated	No	88	LT2	13 North 400 West	A	CONCERT GOING ON... CALLER CONCERNED THAT THE AMOUNT OF PEOPLE ATTENDING EXCEEDS THE CAPACITY LIMIT
CF22-37830	10/16/2022 12:56:33	ALARMF	Initiated	No	87	M7	169 East 200 South	C	ZONE 216 FIRE ALARM, NO APT #...R/P # 801-301-6888 LORAIN...SPOKE W/ RP SEC AND A SECOND RP SHOULD BE THERE
<b>Count: 2</b>									
<b>CAD Officer in Charge: Sharp, Dallas</b>									
CF22-37853	10/16/2022 19:04:49	PDSST	Initiated	No	88	LT1	210 East 400 South	C	DOG LOCKED IN A VEH... DOG SEEMS TO BE IN DISTRESS... JUST ON THE WEST SIDE OF THE PLOT ... SEE RELATED CP#: SL22-205458
CF22-37454	10/13/2022 09:15:02	PUBLIC	Initiated	No	88	E10	1945 East SUNNYSIDE Avenue	A	CONSTRUCTION SITE... TELEPHONE LINE HIT... WIRES DANGLING DOWN...ON THE S SIDE OF THE PROPERTY... PER U OF U SEND FIRE AND ADVISE IF PD IS NEEDED
CF22-37387	10/12/2022 17:01:19	ALARMF	Initiated	No	87	E10	50 North MEDICAL Drive	A	GENERAL FIRE ALARM AT THE WEST PAVILLION// HOSP SEC ENR
CF22-37409	10/12/2022 21:23:13	ALARMF	Initiated	No	88	E10	720 South VALDEZ Drive	A	FIRE/SMOKE ALARM ZONE 51 PREMISE 801-582-0199
CF22-36971	10/09/2022 16:20:28	PUBLIC	Initiated	No	88	M5, GC591	544 South 700 East	B	2 PEOPLE STUCK IN THE ELEVATOR...STUCK ELEVATOR #3....AT LEVEL P2
CF22-35922	10/02/2022 09:29:47	ALARMF	Initiated	No	87	M5	1212 East WILMINGTON Avenue	A	FIRE ALARM GENERAL..... 37 SMOKE..... 801-486-6000... REF E15751

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CF22-35935	10/02/2022 10:53:07	ALARMF	Initiated	No	88	M5	1355 East THORNTON Avenue	A	SMOKE ZONE 12... RESIDENTAL TRACY LLANDS... 646-675-1688
CF22-37902	10/17/2022 07:48:47	COMM	Initiated	No	83	E4, M5, BC1, LT1, M1, M2, LT2	555 East 200 South	C	
<b>Count: 8</b>									
<b>CAD Officer in Charge: Shumway, Brandon</b>									
CF22-30459	08/22/2022 13:24:29	ALARMF	Initiated	No	87	M6, EQ14	863 West 500 South	B	ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164
CF22-37897	10/17/2022 07:20:17	STRUCT	Initiated	No	88	E10, BC1, E4, LT1, M1	105 North MEDICAL Drive	C	VISITOR PARKING GARAGE.. LEVEL 3 BY PREGNANT PARKING.. GREEN TOYOTA PICKUP CATCHING FIRE.
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stevens, John</b>									
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
<b>Count: 2</b>									
<b>CAD Officer in Charge: Stringam, Reed</b>									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
<b>Count: 1</b>									
<b>CAD Officer in Charge: Taylor, Matthew</b>									
CF22-27931	08/04/2022 09:04:24	DUMP	Initiated	No	87	EW3131	2166 South 1700 East		DUMPSTER FIRE// EW3131
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87	E13	2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
<b>Count: 2</b>									
<b>CAD Officer in Charge: Turner, Cary</b>									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87	M5, M8	10758 South REDWOOD Road	A	GOING TO STATION 61
<b>Count: 1</b>									
<b>CAD Officer in Charge: Valdez, Christopher</b>									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87	LT2	250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
<b>Count: 1</b>									
<b>CAD Officer in Charge: Vaughn, Jeffrey</b>									
CF22-37855	10/16/2022 19:40:54	ARESCU	Initiated	No	88	LT2	800 West 200 South	C	COMP IS REPORTING A CAT STUCK ON THE RAFTER OF THE UNDERPASS... SEE RELATED CP#: AC22-15963 - FM
<b>Count: 1</b>									
<b>CAD Officer in Charge: Visser, Otto</b>									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85	FD164	475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
<b>Count: 1</b>									
<b>CAD Officer in Charge: Wardell, Kip</b>									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85	SQ1	55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
<b>Count:</b> 1									
<b>CAD Officer in Charge: Whitney, Russell</b>									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86	FD152, FD153	1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
<b>Count:</b> 1									
<b>CAD Officer in Charge: Winkler, Scott</b>									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87	EW6041	64 East 300 North		JUST WEST OF STATE....NEG INJURIES....TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
<b>Count:</b> 1									
<b>CAD Officer in Charge: Worthington, Jared</b>									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85	FD159	7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
<b>Count:</b> 1									
<b>Count:</b> 133									

**Report Criteria**

Record Status:	Is Not Equal To Officer reviewed
Locked?:	Is Not Equal To Yes
Incident Date Time:	Is On or After 1/16/2018
Incident Number:	Begins With CF
Code:	Is Not Equal To ARSINV
Code:	Is Not Equal To APSN
Apparatus:	Is Not Equal To E41
Apparatus:	Is Not Equal To E73
Apparatus:	Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or email us.