

Incomplete NFIRs

10/28/2022



Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
CAD Officer in Charge: (None)									
CF22-23578	07/04/2022 22:17:40	MISCF	Initiated	No	86	EW6162	250 South 600 West		
CF22-25407	07/17/2022 21:28:09	ACC	Initiated	No	87	UT10	1023 East 900 South		
CF22-32869	09/08/2022 20:23:15	REFUEL	Initiated	No	87	M12	24 TAXIWAY H[TESTTEST	B	
CF20-40282	12/13/2020 05:39:26	STRUCT	Initiated	No	87	BC2, EQ14, EQ9, LT2, M11	4201 West 700 South	B	IN THE AREA COMP PASSERBY...CAN SEE SMOKE AND FLAMES..UNK WHAT IS BURNING
CF20-27024	08/24/2020 16:37:58	65A01	Initiated	No	86	FD155, FD159	7345 South WINESAP Circle		ME32 OR ME35 WITH BC31 ON HOUSE FIRE... VECC 5
CF20-27832	08/31/2020 17:37:40	65B02	Initiated	No	85	FD152	8037 South ROYAL Lane		FD152
CF21-17870	06/12/2021 10:11:05	PUBLIC	Initiated	No	87	SQ2	307 East 600 South		OUTSIDE - F REQ LIFT ASSIST... KNELT DOWN AND CANT GET BACK UP.. NEG INJURIES.. NEG FLU...
CF21-19313	06/23/2021 00:06:10	ALARMF	Initiated	No	94	M3	1237 East BRICKYARD Road	B	RESID..2ND FLOR..RP JANE DANS 801-487-8648...PREMIS 801-910-2099..
CF21-24823	08/03/2021 21:52:00	ALARMF	Initiated	No	95	LT2, M2	50 West NORTH TEMPLE Street	B	FALSE ALARM PER CHURCH SECURITY
CF21-37094	11/07/2021 21:52:52	PDASST	Initiated	No	88	M2	50 South 500 West	B	MILEIDY DAVILA 11/06/2002 AT UMED REQ RAPE KIT .. ALL INFO FROM SANE NURSE WHO NEEDS A CASE NUMBER SEE RELATED CP#: SL21-205750
CF21-39960	12/02/2021 10:13:37	ACC	Initiated	No	83	FD120	1600 South INDUSTRIAL Road		CHIEF LAVENDAR ADMIN VEH HIT..NO INJUR...BC1 AWARE...SAFTEY OFFICER ON SCENE
CF22-8910	03/12/2022 22:10:44	FUEL	Initiated	No	95	RD2, RD4	505 TAXIWAY K		ACTIVE LEAK ON A COMMANDER BETWEEN K7 AND K8 SPILL IS CONTAINED OPS ON SCENE ... SEE RELATED CP#: AP22-8431
CF22-11714	04/04/2022 19:05:16	PUBLIC	Initiated	No	87	BC1	211 South 500 East	A	TEST TEST TEST
CF22-12397	04/10/2022 00:57:11	ABITE	Initiated	No	83	E43, ME101	3663 South 300 West		... SEE RELATED CP#: LK22-11750 - FM
CF22-15162	05/01/2022 20:46:15	ELEC	Initiated	No	86	BC41, E41	700 East I80E EB Freeway		APPX ADDR...POWER POLE ON FIRE...UNK IF ANYTHING THREATENED...COMP NO LONGER IN THE AREA
CF22-16353	05/11/2022 05:23:27	AUTO	Initiated	No	84	MA73	2175 South REDWOOD Road		IN FRONT OF THE MAVERIK
CF22-	05/20/2022	STROK	Initiated	No	84	GC523	1516 East		C RECEIVED CALL

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
17626	06:39:25						HOLLYWOOD Avenue		FROM DAD-DISORIENTED AND WANTING TO PASS OUT- REQ MEDIC TO LOC- HAS HX OF STROKE
CF22-18025	05/23/2022 09:24:39	FUEL	Initiated	No	87	BLU28	765 North 2200 West		FUEL SPILL ON BASE
CF22-19058	05/31/2022 16:00:53	PDASST	Initiated	No	86	FD157	210 West 500 South		EAST SIDE OF MCDONALDS... FWA/ SHIRT TIED AROUND HEAD/RED JACKET/ IN THE PARKING LOT.. LIT A BLANKET AND SIGN POST ON FIRE.... COMP HAS PUT OUT THE FIRE ... SEE RELATED CP#: SL22-102338 - FD
CF22-22756	06/28/2022 19:25:53	SEIZ	Initiated	No	84	GC593	1665 South RIVERSIDE Drive		COMPS FRIEND HAD A SEIZURE
CF22-23787	07/06/2022 10:18:25	SMOKE	Initiated	No	86	E75	1172 South SWANER Road		COMP CAN SEE BLK SMOKING COMING FROM W OF DISP ADDR... UNK WHERE COMING FROM...
CF22-24384	07/10/2022 11:13:24	ARESCU	Initiated	No	86	LT8, M8	500 South MAIN Street		DOG IN CAR OUTSIDE LITTLE AMERICA ON THE CORNER OF 500 S ON MAIN ST... WHI CAR WITH ALL WINDOWS CLOSED... AT LEAST 30 MINUTES... DOG SEEMS TO BE IN DISTRESS ... SEE RELATED CP#: SL22-130042
CF22-25340	07/17/2022 12:43:50	REFUEL	Initiated	No	87	RD2, RD4	50 East PERIMETER]SPOT 3 ROW 2	B	TAC AIR LEERJET 45
CF22-28797	08/10/2022 12:03:28	REFUEL	Initiated	No	87	BLUE, BLU23	765 North 2200 West		REFUEL STANDBY
CF22-29238	08/13/2022 18:55:56	PUBLIC	Initiated	No	84	GC594	2100 South MAIN Street		WHEEL CHAIR STUCK IN THE FENCE...BETWEEN MAIN AND STATE...ACROSS FROM THE DEL TACO
CF22-30972	08/26/2022 04:54:25	PDASST	Initiated	No	85	UFA194	1655 East CAMPUS CENTER Drive		BLD 79 ON CAMPUS.. SPENCER FOX ECCLES BUSN BUILDING.. CASE REF 22-2016... NEEDING EXPOSIVES K9
CF22-31323	08/28/2022 20:20:03	TRAUM	Initiated	No	85	GC594	268 East 2ND Avenue		IN COTTAGE DOWN THE DRIVEWAY ...
CF22-31702	08/31/2022 20:40:39	HEAD	Initiated	No	84	GC591	225 South 300 East		LIBERTY MIDTOWN: C FELL HIT HEAD AND NOT THINKING CLEARLY..
CF22-38287	10/20/2022 10:54:14	DUMP	Initiated	No	88	RD1, M12	3920 West COMMERCIAL LN]SMOKE SHACK BY TRAX	B	TRASH CAN IN THE SMOKING AREA HAS SMOKE COMING OUT OF IT.
CF22-38725	10/23/2022 22:14:15	APT	Initiated	No	86	M5, M8, LT8, LT1, M6, BC1, M1	1460 West NORTH TEMPLE Street	C	NEAR APT B OR C .. HEARD 2 GUNSHOTS DOWN BY THE DUMPSTERS ABOUT 2 MIN AGO ... DID NOT SEE OR HEAR ANYTHING ELSE SUSP

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									... SEE RELATED CP#: SL22-210421
CF22-38913	10/25/2022 13:18:11	APFA	Initiated	No	88	RD1, M12	3822 West 1200 North	A	NO SMOKE OR FLAMES SEEN.
CF22-38992	10/25/2022 23:11:26	MISCF	Initiated	No	86	L73	1200 West 1700 South		OLD RAGING WATERS.. MALE NOT COOPERATIVE.. TRANSIENTS SETTING A POSSIBLE WARMING FIRE.. BUT WONT ANSWER QUESTIONS ABOUT POSSIBLY THREATENING ANYTHING ELSE
CF22-38999	10/26/2022 00:12:32	SMOKE	Initiated	No	87	ME124	1235 South 3200 West		BEHIND THIS ADDR...SMELLS LIKE SMOKE ...THERE IS A LARGE FIELD AND A LOT OF HOMELESS BEHIND ADDR..CONCERNED THERE COULD BE SOMETHING BURNING, BUT DOESNT WANT TO CHECK
CF22-39000	10/26/2022 00:19:25	SMOKE	Initiated	No	86	ML111	1552 South 300 West		SMELLS SMOKE... HASNT SEEN FLAMES... DOESNT KNOW WHERE ITS COMING FROM.. POSS FROM A TRANSIENT CAMP....
CF22-39005	10/26/2022 01:26:59	PIPE	Initiated	No	86	E41, ML110	1312 East DOWNINGTON Avenue		PIPE BURST...BASEMENT IS FLOODED
CF22-39008	10/26/2022 01:50:33	MISCF	Initiated	No	87	ME32	1053 South 600 East		LARGE BON FIRE IN LIBERTY PARK BY THE TENNIS COURTS
CF22-39009	10/26/2022 01:50:25	ODOR	Initiated	No	87	SDM82	394 North MAIN Street		CAN SMELL BURNING PLASTIC OUTSIDE...SMELLS SLIGHTLY SWEET OR CHEMICAL....
CF22-39014	10/26/2022 03:01:07	STRUCT	Initiated	No	87	BC4, ME112, ME32, L73, ME62	1300 South WEST TEMPLE Street		COMP THINKS HE CAN SEE SMOKE BILLOWING FROM A BUILDING, LARGE AMOUNT OF SMOKE AND SEES FLAMES...COMP DOESN'T BELEIVE ITS RELEATED TO THE 1040 E 2100 S FIRE..
CF22-39083	10/26/2022 14:00:47	BACK	Initiated	No	82	GC594	510 South CHIPETA WAY[ARUP LAB		CUSTODIAN ON SCENE W ABDOMINAL PAIN AND BACK PAIN
CF22-39242	10/27/2022 12:46:43	PUBLIC	Initiated	No	87	LT8	800 South 300 East	B	COMP'S ELECTRIC WHEELCHAIR DISABLED... SOUTH SIDE OF STREET/ON SIDEWALK...IS A BLOCK AWAY FROM HER APT...260 E 800 S/APT 301...2ND TIME OUT...WAS TOLD TO CB IF CHAIR ACTED UP AGAIN..HAS SHUT DOWN AGAIN
CF22-39325	10/28/2022 07:05:35	FUEL	Initiated	No	88	RD1, RD5	44 PERIMETER	B	USP RAMP BY SMALL FEEDER 2 GALLONS NOTHING IN THE DRAIN ... SEE RELATED CP#: AP22-33845

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 41									
CAD Officer in Charge: Arnesen, Aaron									
CF22-38022	10/18/2022 05:51:18	ALARMF	Initiated	No	87	M7, M6	610 South 900 West	C	GNEERAL FIRE ALARM NO APT 801-532-0845
Count: 1									
CAD Officer in Charge: Baum, Darren									
CF22-37966	10/17/2022 17:46:15	VEH	Initiated	No	92	M11, BC1, BC2, FD151, FD157, EQ9, EQ14	5598 West 1100 South	C	COMP NOT VERY COOPERATIVE -- POSSIBLE TRAILER ON FIRE
Count: 1									
CAD Officer in Charge: Berg, Thomas									
CF22-32511	09/06/2022 15:40:42	MISCF	Initiated	No	86	FD151, FD154, FD159	52 East 300 South		1 MALE DETAINED.. CODE 4... IN RELATION TO CASE 32433
Count: 1									
CAD Officer in Charge: Buhler, Jason									
CF22-38381	10/21/2022 06:15:11	APT	Initiated	No	88	M5, M8, BC1, LT8, LT1, M6, M1	280 East 600 South	B	VALLEY BEHAVIORAL...4TH FLOOR FIRE ALARM GOING OFF, BURNING SMELL...PERSOPN IN THIS ROOM NOT ANSWERING, DOOR LOCKED
Count: 1									
CAD Officer in Charge: Bush, Joseph									
CF22-36254	10/04/2022 17:39:05	FUEL	Initiated	No	87	H10, BC41, E41	900 South I15 NB Freeway		BLK TUNDRA...NEVADA PLATE...75RDR ...HIT A PIECE OF METAL ..HIT THE FUEL TANK...LEAKING APPROX 20 GALLONS..ON THE RIGHT SHOULDER..COMP IS APPROX 100 YARDS NORTH OF VEH
CF22-37834	10/16/2022 13:35:24	TRUCK	Initiated	No	86	H10, ML106	2000 East I80E WB Freeway		SEMI FIRE, R HAND SIDE BLOCKING, WHI BOX TRAILER, SMOKE COMING FROM IT, NEG FLAMES..JUST EAST OF THE TA...
CF22-32383	09/05/2022 18:37:21	FUEL	Initiated	No	87	H10	1300 East 200 South		SEE CF22-32381 - NEED KITTY LITTER FOR A LEAK, PER CPT. MADDUX START H10 FOR THAT
Count: 3									
CAD Officer in Charge: Carter, Gary									
CF20-14622	05/11/2020 13:16:14	65B02A	Initiated	No	85	FD156	475 South 300 East		
Count: 1									
CAD Officer in Charge: Clark, Jeffrey									
CF22-34360	09/20/2022 11:45:25	REFUEL	Officer reviewed	No	98	RD1, RD2, RD3, RD6	9 TAXIWAY Y	B	UA/OO FLIGHT#6939 A CRJ-200 ETA 1158.
CF22-39081	10/26/2022 14:01:52	FUEL	Initiated	No	87	RD2, RD3, RD4	872 East PERIMETER	B	LESS THAN 4 GAL OF JET A. BEING CLEANED UP. SPILL FROM N494BA ... SEE RELATED CP#: AP22-

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									33604
CF22-39091	10/26/2022 14:31:46	ALERT	Initiated	No	84	RD1, RD2, RD3, RD4, RD6, BLUE, BLU23	120 RUNWAY 1735	B	CITATION WITH ENGINE VIBRATION
Count: 3									
CAD Officer in Charge: Coles, Clay									
CF20-29532	09/12/2020 10:22:19	65A03	Initiated	No	88	EW6091, EW6092	10914 West I80W EB Freeway		EW6091 // FIELD FIRE // VECC CH 3 // VECC NEEDS TYPE 6'S FOR FIELD FIRE
Count: 1									
CAD Officer in Charge: Comer, Peter									
CF21-22812	07/19/2021 12:34:17	PDASST	Initiated	No	88	M12	1174 West 600 North	A	A PERSON TOLD A FF ON M12, THERE WAS A FIREWORK WITH TAPED ENDS, ... SEE RELATED CP#: SL21-127090 - FD
Count: 1									
CAD Officer in Charge: Crandall, Steve									
CF22-38982	10/25/2022 21:24:21	ALARMF	Initiated	No	99	M1, M5	443 South 600 East	A	FIRE ALARM AT 2122 - SMOKE DETECTOR BASEMENT MECHANIC ROOM - BUSN VBH CORE - NEG INSIDE #
CF22-38220	10/19/2022 18:04:58	PUBLIC	Initiated	No	88	SQ6, LT1	562 East 400 South	A	SISTER WHEELCHAIR BATTERY RAN OUT.. NEED ASSISTANCE....WILL BE INSIDE THE WENDY'S COMP WILL WATCH FOR FD
Count: 2									
CAD Officer in Charge: Elton, Richard									
CF22-33544	09/14/2022 07:56:02	ALARMF	Initiated	No	88	M1	350 South 200 East	A	ZONE 2 GENERAL...METRO CONDOS...RP ANDY KRAUS 385 270 7502
Count: 1									
CAD Officer in Charge: Endemano, Edward									
CF22-3459	01/28/2022 15:59:33	FIRE	Officer reviewed	No	100	M12	500 EMPLOYEE LOT[STOP 4	A	GARBAGE CAN ON FIRE
Count: 1									
CAD Officer in Charge: Fraser, Patrick									
CF21-18617	06/17/2021 16:52:56	PUBLIC	Initiated	No	88	SQ2	48 West 300 South		CALLER IS CAREGIVER, CANNOT GET PATIENT OFF THE TOLIET...APPROX 83 YOF C/B/A, NEED HELP MOVING PT...NO FLU
Count: 1									
CAD Officer in Charge: Gillies, Matthew									
CF22-39239	10/27/2022 12:27:02	PUBLIC	Initiated	No	88	LT8	900 South 300 East	B	COMP'S ELECTRIC WHEELCHAIR DISABLED... SOUTH SIDE OF STREET/ON SIDEWALK...IS A BLOCK AWAY FROM HER APT...260 E 800 S/APT 301...NO OTHER MEDICAL ASSISTANCE NEEDED

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
Count: 1									
CAD Officer in Charge: Halvorsen, Davin									
CF21-19889	06/27/2021 13:50:03	SMOKE	Initiated	No	86	M7	300 North 700 West	B	VERY UNCOOPERATIVE CALLER ABOUT A FIRE OF SOME KIND, PER CT PS A CAR FIRE...CALLER DIDN'T GIVE INFORMATION AND WAS JUST YELLING...
CF21-19904	06/27/2021 17:57:23	ALARMF	Initiated	No	88	M7	836 West FIG TREE Place	B	CO ALARM SOUNDING TWICE, COMP HAD SLIGHT HEADACHE
CF21-19914	06/27/2021 19:28:56	VEH	Initiated	No	86	M7, FD155	625 North AMERICAN BEAUTY Drive	B	VEH IS ON FIRE.. HONDA
CF21-34549	10/18/2021 05:15:22	HAZMAT	Initiated	No	87	H14	2125 North REDWOOD Road		BUSN - TANK WASHING FACILITY... EMPLOYEE GOT HIT IN FACE W/ SOMETHING.. COMPLAING OF BURNING SENSATION AND VISION LOSS
Count: 4									
CAD Officer in Charge: Henthorne, David									
CF22-9449	03/17/2022 13:06:09	ACC	Initiated	No	86	FD191	1300 South 700 East		OFFICER FD27 CALLED OUT SAYING BLOCKING NB TRAFFIC ... SEE RELATED CP#: SL22-47833 - FD
Count: 1									
CAD Officer in Charge: Hill, John									
CF22-24052	07/08/2022 07:08:08	GRASS	Initiated	No	87	EW6131, EW6132	1229 East WILMINGTON Avenue		LARGE FIRE IN PARK...CALLER CAN'T CONFIRM WHAT IS ON FIRE...CAN SEE FLAMES AND SMOKE...UNK IF SPREADING
Count: 1									
CAD Officer in Charge: Jepperson, Chad									
CF22-1209	01/10/2022 06:41:02	APT	Officer reviewed	No	100	LT8, EQ14, M6, M7, M8, BC2	1601 West SNOW QUEEN Place	A	PER LANG LINE SOMETHING IS ON FIRE.... LANG LINK DISC... TRYING TO GET THEM BACK ON THE LINE
Count: 1									
CAD Officer in Charge: Jorgensen, Brandon									
CF22-39326	10/28/2022 07:17:59	ALARMF	Initiated	No	87	M11	750 North 5600 West	B	DUCT DETECTOR NORTH POD....FEDEX FREIGHT...WHILE ON LINE WITH ALARM CO THEY RECV'D CALL FROM SOMEONE ON SITE VERIFYING FALSE...SYSTEM MAINT
Count: 1									
CAD Officer in Charge: Kartson, Constantine									
CF22-38930	10/25/2022 14:34:35	ALARMF	Initiated	No	88	E13	974 East 2100 South	A	ORANGE PROPERTIES INVESTMENTS LLC....ZONE 231

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									GENERAL FIRE ALARM...COMMERCIAL BUILDING...RP DELEN BEARD 435-632-2817, NO INSIDE NUMBER PER ALARM CO
CF22-38061	10/18/2022 13:11:33	ALARMF	Initiated	No	99	E13	1955 East STRATFORD Avenue	A	BASEMENT SOUTH SMOKE...REDEEMUR LUTHERAN CHURCH...801 487 6283
CF22-38124	10/19/2022 03:15:50	ALARMF	Initiated	No	100	E13	1955 East STRATFORD Avenue	A	FIRE ALARM, BASEMENT SOUTH SMOKE.. RP CARL 801-949-0397..
Count: 3									
CAD Officer in Charge: Key, Brett									
CF22-27549	08/01/2022 18:13:52	DUMP	Initiated	No	88	M12	500 EMPLOYEE LOT	A	MULCH FIRE // SHUTTLE STOP 4
Count: 1									
CAD Officer in Charge: Koetitz, Paul									
CF22-31301	08/28/2022 17:41:45	COMM	Initiated	No	94	LT2, M8, M11, BC2, FD152, FD153, LT8, UFA194, EQ14, M6	1141 South 3200 West	B	GRASS ON FIRE... FIRE THREATENING SEVERAL VEHS... PS HAZ MATERIALS IN THE AREA... IS FEW FEET AWAY FROM A BUILDING... COMP NOT COOP
Count: 1									
CAD Officer in Charge: Krohn, William									
CF22-38758	10/24/2022 07:53:28	ALARMF	Initiated	No	88	EQ14	2885 West DIRECTORS Row	C	BUSN: WILSCOTT MAIN BLDG...ZONE 19 GENERAL FIRE ALARM...ON SITE PH # 801-908-5637
Count: 1									
CAD Officer in Charge: Maddux, John									
CF22-37677	10/15/2022 06:20:22	PUBLIC	Initiated	No	88	LT1	220 South STATE Street	B	3 EMPLOYEES TRAPPED IN ELEVATOR... NO MEDICAL ISSUES BUT CANNOT REACH THEM AT THIS TIME...
CF22-37765	10/15/2022 22:05:05	PUBLIC	Initiated	No	88	LT1	76 South 500 East	B	COMP FELL FROM BED .. NO INJURIES .. JUST NEEDS HELP GETTING UP
CF22-39065	10/26/2022 12:45:59	PUBLIC	Initiated	No	87	LT1	268 East 700 South	B	COMP NEEDS A RIDE TO THE HOSPITAL ... RIGHT HIP IS HURTING ..
CF22-8865	03/12/2022 14:53:33	LOCKP	Initiated	No	86	M5, LT5	600 East 900 South		NEAR PLAYGROUND .. SON LOCKED IN VEH ... SEE RELATED CP#: SL22-44646
CF22-20472	06/11/2022 19:18:27	PUBLIC	Initiated	No	87	HV5	301 South WAKARA Way		FIRE CASE FOR THE HRT ON MEDICAL CASE CF22-20320..DO NOT DISPATCH
CF22-20473	06/11/2022 19:19:29	PUBLIC	Initiated	No	87	HV5	595 North PERRYS HOLLOW Road		DO NOT DISPATCH***FIRE CASE FOR EARLIER HRT CALL....SEE CF22-20441
CF22-	03/13/2022	PUBLIC	Initiated	No	87	LT5	1086 South 800		

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
8935	04:27:39						East		
Count: 7									
CAD Officer in Charge: McNeill, John									
CF22-38476	10/21/2022 19:41:13	ALERT	Initiated	No	88	BC2, RD1, RD2, RD3, RD4, RD5, RD6, M12, BLU21	502 RUNWAY 16R34L	B	FUMES IN COCPIT AIRBUS 220
Count: 1									
CAD Officer in Charge: Menlove, Gary									
CF22-24370	07/10/2022 08:52:25	ALARMF	Initiated	No	86	M1, M5	660 South 300 East		GENERAL FIRE ALARM - WHOLE BLDG...ON SITE # 801-531-0202
Count: 1									
CAD Officer in Charge: Meyer, Bryon									
CF22-36402	10/05/2022 17:22:30	ALARMF	Initiated	No	88	M1	380 South 400 East	C	REF # S45419 FIRE ALARM ZONE 55 SMOKE AND ZONE 0 GENERAL.. BLOCK 44.. INSIDE # JULIUS 912-531-2094
Count: 1									
CAD Officer in Charge: Mortensen, Daniel									
CF22-24038	07/08/2022 01:38:58	PUBLIC	Initiated	No	85	FD154	95 West 7065 South		HOUSE FIRE FOR FD154
CF20-28530	09/07/2020 03:45:47	65B02A	Initiated	No	88	FD154	1246 East BONNER Way		FD154 ... SEE RELATED CP#: SL20-161113 - FD
CF20-28546	09/07/2020 09:39:27	65B02A	Initiated	No	83	FD154	1330 East IRA HODGES		FD154 RESPONDING 1330 E IRA HODGES EAGLE MOUNTAIN
CF20-16587	05/29/2020 01:10:39	ARS IN	Initiated	No	85	FD154	120 South STATE Street		
Count: 4									
CAD Officer in Charge: Moser, Shane									
CF22-4411	02/04/2022 16:46:39	COMM	Initiated	No	87	BC1, M8, M7, M5, E4, LT2, M2, LT8, LT5	44 West 300 South	B	CAN SEE PS FLAMES AND SMOKE FROM BLDG UNDER CONSTRUCTION TO SW OF DISP ADDR... PS CLOSER TO 500 S... COMP SEEING FROM WINDOW OF DISP ADDR...
CF22-32112	09/03/2022 17:08:05	MISCF	Initiated	No	100	M5, FD153, LT8	1016 South STATE Street	B	PILES OF GARBAGE ON FIRE NEXT TO CAKE... PS ON HERBERT..... PS HOMELESS FIRE
CF22-39308	10/28/2022 00:37:43	MISCF	Initiated	No	88	M8	1420 South 500 West	B	ZIONS BANK BASKET BALL CAMPUS ... SMALL FIRE ON THE SOUTH SIDE OF BUILDING
CF22-39314	10/28/2022 01:39:42	MISCF	Initiated	No	88	M8	1492 South STATE Street	B	IN THE ALLWAY BEHIND THE BAR, RIGHT NEXT TO THE BUILDING....
Count: 4									
CAD Officer in Charge: Myers, Eric									
CF22-30623	08/23/2022 15:30:06	LGASLE	Initiated	No	88	E4, M7, H10, BC1, LT8, H14, M1	4 East KNIGHTSBRIDGE Lane	C	COMM GAS LINE HIT UNKN SIZE LINE... DIGGING BAR... CAN SEE/HEAR
CF22-35174	09/26/2022 10:09:26	ALARMF	Initiated	No	87	EQ14	3463 West 1987 South	B	FIRE ALARM.... FIRE ALARM SMOKE....

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									EVANS COMM LAUNDRY.... PREMISE 801-972-6580
Count: 2									
CAD Officer in Charge: Nelson, Todd									
CF22-39188	10/27/2022 07:32:22	DUMP	Initiated	No	87	RD1, M12	225 CVXBAR[SHUTTLE STOP 10]	B	TRASH CAN SMOKING.
Count: 1									
CAD Officer in Charge: Parks, Paul									
CF22-12711	04/12/2022 12:09:11	ACC	Initiated	No	86	SQ6	223 West FAYETTE Avenue		SQ6 MINOR ACC - RAVE NOTI SENT - BC2 NOTI, SAFETY JIM WILLIAMS NOTI.... RAVE PAGE SENT ..DISP SUPER NOTI
Count: 1									
CAD Officer in Charge: Perkins, Gary									
CF21-13024	05/03/2021 12:24:54	PUBLIC	Initiated	No	86	SQ1	131 East 700 South		CLIENT HAS RING STUCK ON FINGER, PT IS TASHA, NEG FLU,
Count: 1									
CAD Officer in Charge: Reilly, Daniel									
CF20-23950	07/29/2020 14:30:19	65A03	Initiated	No	88	E13	6650 East I80E WB Freeway	C	E13 TRUCK FIRE EXIT 132... VECC CHANNEL 2
CF21-10548	04/11/2021 09:48:49	PDASST	Initiated	No	88	LT8	1460 South STATE Street	B	MALE BROKE INTO COMP'S ROOM, HIT HER, TOOK HER PHONE ... SEE RELATED CP#: SL21-60803 - ,NEEDS A LADDER TK TO GET ON ROOF
CF21-11158	04/16/2021 12:43:25	PDASST	Initiated	No	84	GC589	1364 West GLENROSE Drive		COMPS DAUG VS BFPHYSICAL... BF ON THE RUN FROM THE FEDS POSS HAS A GUN....YELLOWBEAR, TYSON 36-37YO NAT AMER MALE ... SEE RELATED CP#: SL21-63824
CF20-30271	09/18/2020 17:47:16	65A03	Initiated	No	86	EW6141, EW6142, M14	1560 West 3900 South	B	AUX FROM 14 VECC CH2 // THIS WILL BE IN SSL
CF22-29395	08/14/2022 23:48:43	ALARMF	Initiated	No	87	M11	2177 West NORTH TEMPLE Street	A	ZONE 4 SMOKE...RADISSON AIRPORT...801 364 5800
CF22-36764	10/08/2022 05:58:18	TREE	Initiated	No	88	M6	1149 South 1100 West	A	BUSHES ON FIRE IN FRONT OF DISP ADDR... SPREADING TO A TREE... NO BLDG THREAT
Count: 6									
CAD Officer in Charge: Rock, Nathan									
CF22-38454	10/21/2022 16:47:31	HYD	Initiated	No	87	M8	1578 South 300 West	B	PREV CALLS FROM OCT 8TH...PER COMP WATER HYD GUSHING WATER OUT INTO THE STREET
CF22-4812	02/07/2022 23:33:00	MISCF	Officer reviewed	No	100	M1	479 South 600 East	C	SMITHS GAS STATION.....SAYS

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									THERE IS SOME GRASS WOOD AND PAPER BURNING BY THE GAS STATION.....SAYS IT IS THREATENING BLDG AND GAS PUMPS
Count: 2									
CAD Officer in Charge: Sharp, Dallas									
CF22-37902	10/17/2022 07:48:47	COMM	Initiated	No	83	E4, M5, BC1, LT1, M1, M2, LT2	555 East 200 South	C	CITY ACADEMY / BLDG ON 600 E SIDE/ 3-4 TRANSIENTS IN THE UNDERGROUND PKG GARAGE. KIDS ARRIVING FOR SCHOOL. TRANSIENTS HAVE A FIRE (NOT THREATENING ANYTHING) ... SEE RELATED CP#: SL22-205722
CF22-38289	10/20/2022 11:14:36	ALARMW	Initiated	No	88	M5, LT1	602 East 500 South	B	TROLLEY SQUARE // ZONE 4 WATERFLOW // 801-521-9877 // REF I55621
CF22-37853	10/16/2022 19:04:49	PDASST	Initiated	No	88	LT1	210 East 400 South	C	DOG LOCKED IN A VEH... DOG SEEMS TO BE IN DISTRESS... JUST ON THE WEST SIDE OF THE PLOT ... SEE RELATED CP#: SL22-205458
CF22-35922	10/02/2022 09:29:47	ALARMF	Initiated	No	87	M5	1212 East WILMINGTON Avenue	A	FIRE ALARM GENERAL.....37 SMOKE..... 801-486-6000... REF E15751
CF22-35935	10/02/2022 10:53:07	ALARMF	Initiated	No	88	M5	1355 East THORNTON Avenue	A	SMOKE ZONE 12... RESIDENTAL TRACY LLANDS... 646-675-1688
CF22-39128	10/26/2022 18:23:54	ALARMF	Initiated	No	88	M5	1621 South 1100 East	B	FIRE ALARM // LDS CHURCH // ZONE 1 GENERAL FIRE // RP JASON NEWSOME 801-837-8034 // REF 5066565
CF22-39156	10/27/2022 00:35:24	PUBLIC	Initiated	No	88	M5	863 East LOGAN Avenue	B	MEDICAL ALARM, THEY NEED A LIFT ASSIST... CLIENT PATRICK DRISCOLL 801 467 7739... STUCK IN HIS CHAIR
CF22-39089	10/26/2022 14:17:59	ALARMF	Initiated	No	87	M5	600 South KOMAS Drive	B	MULT ZONES...HEAT DETECTORS AND GENERALS...COLLINNS AEROSPACE...801 883 4000
Count: 8									
CAD Officer in Charge: Shumway, Brandon									
CF22-37897	10/17/2022 07:20:17	STRUCT	Initiated	No	88	E10, BC1, E4, LT1, M1	105 North MEDICAL Drive	C	VISITOR PARKING GARAGE.. LEVEL 3 BY PREGNANT PARKING.. GREEN TOYOTA PICKUP CATCHING FIRE.
CF22-38385	10/21/2022 06:53:57	PDASST	Initiated	No	88	LT8	856 South WEST TEMPLE Street	B	COMP IS NOT AT LOC..... COMPS EMPLOYEE LIVES AT LOC..... REQ A

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
									WELFARE CHECK ON EMPLOYEE SHE WAS VISIBLE UPSET... CONCERNED SHE WILL HURT HERSELF ... SEE RELATED CP#: SL22-208621 - FD
CF22-30459	08/22/2022 13:24:29	ALARMF	Initiated	No	87	M6, EQ14	863 West 500 South	B	ZONE 9 MAIN SMOKE DETECTOR/ RESD OF MARCO CORTEZ/ 801 574 6164
Count: 3									
CAD Officer in Charge: Silverthorne, Robert									
CF22-38861	10/25/2022 02:42:00	LINE	Initiated	No	88	M3	2100 South 1300 East	A	TA NEG INJURIES.....HIT A POLE.....LOST CONTROL OF HIS VEH, REFUSING MEDICAL ... SEE RELATED CP#: SL22-211184
CF22-38985	10/25/2022 21:38:41	MISCF	Initiated	No	88	M3	390 East 1700 South	A	MALE LIGHTING LITTLE FIRES...NO CONSTANT FLAME..DOES NOT SEE FLAMES, THINKS HE MAY BE TRYING TO KEEP WARM
Count: 2									
CAD Officer in Charge: Steadman, Karl									
CF22-38990	10/25/2022 22:57:26	APT	Initiated	No	84	M2, LT2, M3, E4, M5, M7, M8, E10, UT10, M11, E13, BC1, BC2, BC3, FD115, FD130, FD140, FD141, FD154, FD155, FD160, FD181, FD190, LT8, UFA194, BC12, E55, EQ9, L73, EQ14, ML117, ML111, LT1, M6, BC13, AL52, ME124, ML106, AL115, M1	1040 East 2220 South	A	SUGARMONT APTS....ADDR GIVEN ONCE.....SMOKE COMING FROM TOP OF BLDG
Count: 1									
CAD Officer in Charge: Stevens, John									
CF22-21969	06/22/2022 15:50:22	PUBLIC	Initiated	No	86	SQ1	1280 East STRINGHAM Avenue		GLDX TOOK PT TO HOSP/ UNABLE TO TAKE PT'S WHEELCHAR TO HOSP/ REQ FIRE HELP TRANSPORT IT... SECURITY WILL HAVE WHEELCHAIR AT FRONT DESK.. PT NAME IS MIKE BENNET TO UMC ... PER BC1 SEND SQ1
CF22-23791	07/06/2022 10:37:21	SMOKE	Initiated	No	86	SQ1	500 South 200 East		COMP WALKING WEST AND SAW BLK SMOKE... COMP UNSURE OF WHAT IT IS DIDNT HAVE A CLEAR SIGHT OF WHAT IT WAS... CC IN PERSON
Count: 2									
CAD Officer in Charge: Stringam, Reed									
CF22-3584	01/29/2022 17:26:29	MISCF	Officer reviewed	No	100	ET1	575 North JOHN GLENN Road	A	CPT EASTMAN... ON FIREWATCH... UNTIL 2330,,,
Count: 1									
CAD Officer in Charge: Taylor, Matthew									
CF22-	08/04/2022	DUMP	Initiated	No	87	EW3131	2166 South 1700		DUMPSTER FIRE//

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
27931	09:04:24						East		EW3131
CF22-8895	03/12/2022 18:48:19	PUBLIC	Initiated	No	87 E13		2695 South 900 East		SISTER BF AND DOG STUCK INSIDE ELEVATOR... 1 ELEVATOR IN THE BLDG/
CF22-39299	10/27/2022 20:35:14	ALARMF	Initiated	No	87 E13		1931 South 1100 East	B	ZONE 992 GENERAL FIRE ALARM...RP COLE NEWMAN 801 573 4151 .. MASDISON 801 503 5160 ... REF 041632
Count: 3									
CAD Officer in Charge: Turner, Cary									
CF20-23422	07/25/2020 14:44:13	65A05	Initiated	No	87 M5, M8		10758 South REDWOOD Road	A	GOING TO STATION 61
Count: 1									
CAD Officer in Charge: Valdez, Christopher									
CF22-8886	03/12/2022 17:43:58	PUBLIC	Initiated	No	87 LT2		250 West 600 South		SOMEONE STUCK IN THE ELEVATOR ... 2 PEOPLE ELDERY F IN WHEELCHAIR AND A TEENAGER
Count: 1									
CAD Officer in Charge: Visser, Otto									
CF20-25507	08/11/2020 18:49:47	ACC	Initiated	No	85 FD164		475 South 300 East		OTTO VISSOR VS LANDSCAPE VEH
Count: 1									
CAD Officer in Charge: Wardell, Kip									
CF22-23269	07/02/2022 14:26:16	PUBLIC	Initiated	No	85 SQ1		55 South MAIN Street		COMP IN ELECTRIC WHEELCHAIR... BATTERY IS PS DYING, COMP UNABLE TO GET IT TO MOVE... IS CURRENTLY ON THE PLATFORM...UTA PD ENR
Count: 1									
CAD Officer in Charge: Whitney, Russell									
CF22-21164	06/16/2022 21:44:55	PDASST	Initiated	No	86 FD152, FD153		1750 East MURRAY HOLLADAY Road East		THREE STORIES...IN BEDROOM IN APT LISTED
Count: 1									
CAD Officer in Charge: Winkler, Scott									
CF22-19507	06/03/2022 23:04:34	PDASST	Initiated	No	87 EW6041		64 East 300 North		JUST WEST OF STATE....NEG INJURIES...TREE FELL ON VEHICLE ON 300 N. UHP ON SCENE...RO NOT ON SCENE. @U748TK ... SEE RELATED CP#: SL22-104681
Count: 1									
CAD Officer in Charge: Worthington, Jared									
CF20-28397	09/05/2020 20:26:22	65B02A	Initiated	No	85 FD159		7673 South HIGHLAND Drive		STRUCTURE FIRE UFA
Count: 1									
Count:									

Incident Number	Incident Date Time	Code	Record Status	Locked?	Score	Apparatus	Address	Platoon	CAD Narrative
132									

Report Criteria

Record Status: Is Not Equal To Officer reviewed
 Locked?: Is Not Equal To Yes
 Incident Date Time: Is On or After 1/16/2018
 Incident Number: Begins With CF
 Code: Is Not Equal To ARSINV
 Code: Is Not Equal To APSN
 Apparatus: Is Not Equal To E41
 Apparatus: Is Not Equal To E73
 Apparatus: Is Not Equal To ME117

Need help? Call Nicole at 801-799-4103, or [email us](#).